PUBLIC HEALTH REPORTS

VOL. 40

DECEMBER 18, 1925

No. 51

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1924 IN STATES

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States, the District of Columbia, and insular possessions. The data for syphilis and genorrhea were furnished by the Division of Venereal Diseases of the Public Health Service.

The following is a list of the diseases included:

Poliomyelitis. Anthrax. Cerebrospinal meningitis. Rabies in animals. Chicken pox. Rabies in man. Rocky Mountain spotted fever. Dengue. Scarlet fever. Diphtheria. Gonorrhea. Septic sore throat. Smallpox. Influenza. Syphilis. Malaria. Measles. Tuberculosis (all forms and pulmonary). Mumps. Typhoid fever. Typhus fever. Pellagra. Pneumonia (all forms). Whooping cough.

The following table shows the States (including the District of Columbia and insular possessions) for which morbidity and mortality data were received:

Morbidity	Mortality	Morbidity	Mortality
Alabama	Alabama	Nebraska	Nebraska.
Arizona		Nevada	Nevada.
Arkansas		New Hampshire	
California		New Jersey	
Colorado		New Mexico	
Connecticut		New York	New York.
Delaware	22	North Carolina	North Carolina.
District of Columbia		North Dakota	North Dakota.
Florida		Ohio	
Georgia		Oklahoma	Oklahoma.
Idaho		Oregon	
Illinois		Pennsylvania	Pennsylvania.
Indiana		Rhode Island	
Iowa		South Carolina	South Carolina.
Kansas		South Dakota	
Kentucky		Tennessee	Tennessee.
Louisiana		Texas	Texas.
Maine		Vermont	Vermont
Maryland	Maryland.	Virginia	Virginia.
Massachusetts	Massachusetts.	Washington	Washington.
Michigan		West Virginia	West Virginia.
Minnesota		Wisconsin	Wisconsin.
Mississippi		Wyoming	
Missouri		Hawaii Territory	Hawaii Territory.
Montana	Montana.	Porto Rico	Porto Rico.

Data not given by months.

For the purpose of comparison with States, the data for New York

City are given in a separate table.

The populations given in the tables and used in computing case and death rates were estimated as of July 1, 1924, unless otherwise indicated.

For most of the diseases four tables are given: (1) Estimated expectancy, or average, (2) morbidity, (3) mortality, (4) rates.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1924. In most instances the estimated expectancy is the median number of cases reported by the State for the years 1917 to 1923, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the non-epidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of

years for which data are available for each State.

In comparing the figures for 1924 with the estimated expectancy or with the average for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of communicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases

existing.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

In some instances comparatively large numbers of cases of diseases reported in certain States may be due to the system of reporting rather than to unusual prevalence of the diseases. For instance, in Mississippi, physicians report some diseases monthly to the State health officer, giving the number of cases occurring in their practice during the month. This method of reporting probably is responsible, in part, at least, for the comparatively large number of cases of certain diseases reported in Mississippi.

Tabulations of reported cases and deaths from communicable diseases, similar to the tables here presented, have been issued by the United States Public Health Service for the years 1912 to 1923, inclusive (reprints numbered 163, 208, 298, 345, 426, 505, 551, 643, 681, 791, 879, and 974).

Summary

CHICKEN POX	
47 States: 1	
Cases reported, 1924 (population 111,600,680)	
Cases per 1,000 inhabitants, 1924	1. 81
46 States: 1	
Cases reported, 1924 (population 108,563,905)	197, 541
Average, years 1922 and 1923	141, 897
Cases per 1,000 inhabitants, 1924	1. 82
Cases per 1,000 inhabitants, average	1. 33
44 States: 1	
Deaths registered, 1924 (population 103,540,196)	123
Deaths per 1,000 inhabitants, 1924	0.00
Cases reported for each death registered, 1924	1, 604. 86
47 States: 1	
Cases reported, 1924 (population 111,600,680)	110 001
Estimated expectancy, based on years 1917–1923	119, 831 141, 594
Cases per 1,000 inhabitants, 1924	1. 07
Cases per 1,000 inhabitants, 1924 Cases per 1,000 inhabitants, estimated expectancy	1. 34
46 States: 1	1. 04
Deaths registered, 1924 (population 110,967,644)	9, 756
Deaths per 1,000 inhabitants, 1924	0. 09
Deaths per 100 cases, 1924	8, 19
	0. 10
46 States: 1	
Deaths registered, 1924 (population 110,967,644)	20, 147
Deaths per 1,000 inhabitants, 1924	0. 18
Deaths per 1,000 innabitants, 1924	0. 15
AT States 1	
47 States: 1	*** ***
Cases reported, 1924 (population 111,600,680)	511, 305
Cases per 1,000 inhabitants, 1924	4. 58
44 States: 1	400 048
Cases reported, 1924 (population 103,536,151)	488, 917
Estimated expectancy, based on years 1917–1923	290, 923
Cases per 1,000 inhabitants, 1924	4. 72
Cases per 1,000 inhabitants, estimated expectancy	2. 96

¹The District of Columbia is also included.

46 States: 1	
Deaths registered, 1924 (population 110,967,644)	
Deaths per 1,000 inhabitants, 1924	0. 08
Deaths per 100 cases, 1924	1. 64
MUMP8	
41 States:	107 074
Cases reported, 1924 (population 98,058,324)	
Cases per 1,000 inhabitants, 1924	1. 28
37 States: Cases reported, 1924 (population 91,149,888)	124, 938
Average, years 1922 and 1923	
Cases per 1,000 inhabitants, 1924	1. 37
Cases per 1,000 inhabitants, 1924 Cases per 1,000 inhabitants, average	
39 States:	0. 55
Deaths registered, 1924 (population 93,512,052)	81
Deaths per 1,000 inhabitants, 1924	0. 00
Cases reported for each death registered, 1924	
PELLAGRA	1, 020. 00
12 States:	
Cases reported, 1924 (population, 37,860,436)	8, 860
34 States: 1	0,000
Deaths registered, 1924 (population, 88,002,092)	2, 969
Deaths per 1,000 inhabitants, 1924	0. 03
PNEUMONIA	
45 States: 1	
Deaths registered, 1924 (population, 110,338,641)	108, 700
Deaths per 1,000 inhabitants, 1924	0. 99
POLIOMYELITIS	
38 States: 1	7 100
Cases reported, 1924 (population, 91,462,119)	5, 199
Cases per 1,000 inhabitants, 1924 36 States: 1	0. 057
Cases reported, 1924 (population, 89,219,248)	5, 177
Estimated expectancy, based on years 1917–1923	2, 033
Cases per 1,000 inhabitants, 1924	0. 058
Cases per 1,000 inhabitants, estimated expectancy	0. 024
45 States:1	0. 021
Deaths registered, 1924 (population, 110,750,791)	1, 128
Deaths per 1,000 inhabitants, 1924	0. 010
SCARLET FEVER	
47 States: 1	
Cases reported, 1924 (population, 111,600,680)	184, 738
Estimated expectancy, based on years 1917-1923	136, 688
. Cases per 1,000 inhabitants, 1924	1. 66
Cases per 1,000 inhabitants, estimated expectancy	1. 29
46 States: 1	0 100
Deaths registered, 1924 (population 110,967,644)	3, 109
Deaths per 1,000 inhabitants, 1924 Deaths per 100 cases, 1924	0. 03 1. 71
Deaths per 100 cases, 1924	1. /1

¹The District of Columbia is also included.

SMALLPOX

SMALLPOX	
47 States:1	
Cases reported, 1924 (population, 111,600,680)	56, 488
Cases per 1,000 inhabitants, 1924	0. 51
45 States: 1	
Cases reported, 1924 (population, 107,386,279)	52, 234
Estimated expectancy, based on years 1917-1923	35, 746
Cases per 1,000 inhabitants, 1924	0. 49
Cases per 1,000 inhabitants, estimated expectancy	0. 35
46 States: 1	
Deaths registered, 1924 (population 110,967,644)	900
Deaths per 1,000 inhabitants, 1924	0.01
Deaths per 100 cases, 1924	1. 59
TYPHOID FEVER	
45 States: 1	
Cases reported, 1924 (population, 106,084,846)	34, 825
Estimated expectancy, based on years 1917-1923	38, 791
Cases per 1,000 inhabitants, 1924	0. 33
Cases per 1,000 inhabitants, estimated expectancy	0. 39
44 States: 1	
Deaths registered, 1924 (population, 105,451,810)	7, 212
Deaths per 1,000 inhabitants, 1924	0. 07
Deaths per 100 cases, 1924	20. 76
WHOOPING COUGH	
47 States:1	
Cases reported, 1924 (population, 111,600,680)	164, 150
Cases per 1,000 inhabitants, 1924	1. 47
43 States: 1	
Cases reported, 1924 (population, 103,482,161)	143, 008
Average, years 1922 and 1923	133, 344
Cases per 1,000 inhabitants, 1924	1. 38
Cases per 1,000 inhabitants, average	1. 31
46 States: 1	0.00-
Deaths registered, 1924 (population, 110,967,644)	8, 385
Deaths per 1,000 inhabitants, 1924	0. 08
Cases reported for each death registered, 1924	19. 55

¹ The District of Columbia is also included.

Cases of anthrax reported, 1924

			. ndv	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0										119	Arkansas.
		1	-				-		1	-		10	California.
		-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	1		1	1	- 00	Colorado.
		24										64	Indiana.
					1	1			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			69	Kansas.
	1				×0	9			63			18	Louisiana.
			-		-		-		2	63	60	1=	Massachusetts.
Missouri		-	-		01	=	0	21	-	C4	co	89 9	Mississippi.
lew Jersey		-				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				1	1	24 00	New Jersey.
ew York	1	00	2			6		1	-			-;	New Mexico.
Ohio	-		-							7 -	-		Ohio.
Pennsylvania South Dakota	-			63					1	1	1	9	Pennsylvania.
Tennessee								-				-:	South Dakota.
				63	1	•		13	9	910	+	- 63	Texas.

Data not given by months.

2 Nine months only; not reportable until April.

Deaths registered as due to anthrax, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
	1 :		1	-									-	Alabama.
	0 4 4 6 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				I			0 0		-			Arkansas. California. Indiana.
aryland	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			0 P P P P P P P P P P P P P P P P P P P	60 64	-	1		1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		4 40 88	Louislana.
assachusetts ichigan isaouri					1	1					6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 6 0 0 0 0 0 1 0 0			Massachusetts.
					1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								- 89	
sconsin					1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			1 1	1		1	1	-0-	Texas.

Cerebrospinal meningitis—Monthly estimated expectancy based on data which are

	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	*July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama		•	12	12	1	9	9	9	60	1	60	1	9	75	Alabama
Arkansas California Connecticut	411	13.	61E 3	6229	820	250	64 EJ 00	212	729	1119	-==	-51	122	14381	Arkansas. California.
Delaware District of Columbia	1:	100		2	1		1		-	-		-	0	g;	Connecticut.
Indiana. Iowa.	111	840	2004	2001	255	200	51 4 to	2400	240	148	- El 4 10	-21-40	-0+6	176 82 82 83	Dist. of Columbia Illinois. Indiana.
Kansas Louisiana Maine Maryland Massachusetts	11111	727	1041175	80-05	40-45	40-45	88 45	804-10g	401-45	88 - 64 5	44-4	40-4	4004	\$212	Kansas. Louislans. Maine. Maryland.
Minnesota Missisppi Missouri Montana Nebraska	11111	10 4 10 01 C	10 to to the	1041-10	©887	644	10 mmm	100100-	4	4014	3 4001-	d 4441	5 6801-	175 35 37 14	Massachusetta. Minnesota. Mississippl. Missouri.
evada		•		0 -	**	•	-	-	C)	60	63	9	. 04		Nebraska.
New Hampshire. New Jersey. New Mexico.	400	41	14	- 12	13	4-	œ	101	6		п	-00		1833	Nevada. New Hampshire. New Jersey. New Mexico.
New York North Carolina North Dakota	- m-	335	4.0	£ 2	9	233	50.00	31	84	28	18	28	38		New York.
Ohio.		10	11	14	12	11	10	12	10	10	-=	- 20	п	130	North Dakota. Ohio.
Oregon Rhode Island South Dakota Tennessee	9414	010100	-88-	-200	-0160	0000	04		-0161	8-		8	-01010	=====	Oregon. Rhode Island. South Dakota. Tennosseo
Virginia Washington West Virginia Wisconsin	9922	See	2000	14 34 0	1042	2000	0.000	2000	0-28	9886	1-0001-	00 m v+ 00	Simora	E 24 25 5	Virginia. Washington. West Virginia.

Cases of cerebrospinal meningitis reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	70	9	4.	80	4.	69	60	C4-	69	9	C4-	1-0	99	Alabama.
Arkansas California Connecticut Delaware	100	-2100	at-t-	E2 63	4544	10	9000	1001	5 0 1	13	-000-	900	19248	California. Connecticut. Delaware.
0 1 0	11 8	-00	91-	1-0	1-00	+	10	11	-304	91	98	64-	8 to 4	Dist. Columbia. Illinois. Indiana.
Kansas.	810	+	12	2	-0	-61	810	10 ve	1001	2	-8	+	200	Iowa. Kansas.
Louisiana Maine	**	9	+	40 00	-69	10		60 64 6	- 04	***	1	4	30	
Maryland Massachusetts Minnesota	01	452	22-	800	© 30 4	8 m	m 00 W	191-	-11-	27-	11001	-60	888	Maryland. Massachusetts. Minnesota.
Missouri Montana Nebraska	110	88-	-1904	6 01-	887	2000	8	61-	5	401-	61-	1 3	\$13.	
Nevada New Jersey	п	п	13	12.2	16	6	œ	2016	90	+	9	6	115	New Jersey.
New Mexico New York North Carolina Obio	Si es es	10	Si co co	81 8 8	ผหัยอ	g ₀ 0	-K# 4	19	19 4 4 5	15 5 4	-81-4	11	478 878	New Mexico. New York. North Carolina. Ohio.
Oregon Rhode Island			-01	1		1	-	1	61	-		1	101-10	Oregon. Rhode Island. South Dakota
Tennessee		10 0	1	7	60 6	61 4	0	1				- 64 6	25 5	
Virginia. Washington West Virginia. Wisconsin	102	261 100	2000	00400	0	004	0 10	0 - 10	400		0000	**	8888	

Deaths registered as due to cerebrospinal meningitis, 1924

1 1 1 1 2 2 2 2 2 2	State	Jan.	Fer	Mrr.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
000	labama	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		1					64	-	5	Alabama.
1	rkansas alifornia onnecticut	-36-	9	440	6161	1	200	5000	60.60	8	- 60 61	- 8-	64	8.0°	Arkansas. California. Connectiont
1	aho aho linois www.wa		1	0.60	21-61	991-	5	850	64	2007	3		63 64	# E \$ E	Delaware. Idaho. Illinois. Indiana.
- wo-u wo wo o- wi	anses unisiona aine		æ ≠	69	CHCH	6 61	100	64				64-	→ 6161	* 27	Kansas. Louisians.
80-0 900 01 61 	aryland assachusetts	+	- 63	-10	1	+00	N 30	C1 00	-8	2	-	CA	12	252	Maine. Maryland. Massachusetts
250	innesota Issouri ontana braska	m⊕-N	188	-88	- 400 -	0101-	6	888	4	1 2	8	69	3	41 00 10 10 10 10 10 10 10 10 10 10 10 10	Minnesota. Missouri. Montana. Nebraska.
1	w Jersey w York orth Carolina	800	60	84-	62	-04-	-=-	13	4 8108-		121	°#	14	25 25 EL	New Jersey. New York. North Carolin
200	lahoma egon utb Dakota		134	+	1 11	2	-		5	1 2	. 00		- 61	884	Ohio. Oklahoma. Oregon.
1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tennessee. Virginia Washington West Virginia	61	ତ୍ୟ ତ୍ୟ ତ୍ୟ ତ	-99	-42	600	1 2	8	991	-89-	214-1	- 60404	-4	1 22 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	South Dakota Tennessee. Virginia. Washington. West Virginia

Cerebrospinal meningitis—Cases reported, deaths registered, and indicated mobidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923

	To a franchisch	Estim	Estimated expectancy	tancy			1924			
State	Population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths registered	Deaths per 1,000 in- habitants	Fatalities per 100 cases	State
Alabama	2, 445, 551	400	75	8.8	46	.02	200	8.5	10.9	Alabama.
A FRANSES.	8	•	18	30.	10	10.	110	:8	50.0	Arkansas.
California	3, 913, 236	12-	143	10.	109	.03	9	10:	36.7	California.
Connecticut	88	2	22	90.	47	8.	22	10.	46.8	Connecticut.
Delaware	232, 590	60	00	10.	13	90.	8	10.	23.1	Delaware.
District of Columbia	486, 936	-	=	8.	C.3	8.	0;	600		District of Columbia.
	877	145	176		81	10	48	20		Illinois.
Indiana	3, 036, 775	-1	52	.02	9	10.	13	8	32.5	Indiana.
OW6.	2, 487, 106	60	98		15	10.	+	8.	26.7	Iowa.
Kansas	1, 805, 555	101	\$		200	8.	13	10.	22.0	Kansas.
Action 18 and 18	1, 864, 385	-	3		30	20.0	1	6.	35.9	Louisiana.
Maryland	1, 521, 190	-10	512	38	78	0.00	2 4	3.5	20.0	Maryland.
Moseachisoffs	4 077 500		124		96.	8			0 00	Management .
Minnesota	2, 531, 473	-1-	57	200	32	35	17	50	43.7	Minnesota Minnesota
ssissippi	11, 790, 618	9	35				8	10.		Mississippl.
Missouri	3, 455, 376	83	37		43	10.	30	.0	69.8	Missourl.
M 0DI3DB	629, 003	1	14		17	8	15		200	Montana.
Nebraska	1, 344, 652	*	24	.02	10	0.	101	8:	50.0	Nebraska.
New Hampshire	446 569	70	-6		*	en.	00		79.0	_
W Jersey	3, 442, 695	**	133		115	03	250		20.9	New Jersey
New Mexico	875, 669	60	9		*	10.	0			New Mexico.
New York	10, 974, 642		392	9.	782	.02	129		54.4	_
orth Carolina	2, 722, 669	00	28	.02	30	.01	13		43.3	
North Dakota	679, 232		N.S.	8.8			0.00			-
Oklahoma	2, 200, 307		nor	20.	10	10.	88	3.5	92.0	Oklahoma.
Oregon	834, 665		=======================================		20	.01	*		80.0	Oregon.
Rhode Island	633, 036	101	18		-	.00			9 8 8 8	Rhode Island.
South Dakota.	9 406 846	~ 6	2 2	5.5	3-1	5.5	- 66	8.8	14.3	South Dakota.
186 M. C.	oro, 000 e					70.	4 1	10.	.10	-
Washington	2, 423, 942	9	131		28	58	83	5.5	30.6	_
Washington	870°	10	222		36	200	10	5.8	88.0	Washington.
Wilderson and the second secon	000	-1	201		102	58	0	3.	0.03	_

Population Jan. 1, 1920.

Chicken pox—Average number of cases reported for the years 1922-23, by months

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arkansa. California. Colorado.	165 17 130 150 642 180	144 22 115 788 788 205	252 18 102 507 176	128 15 899 138	144 11,073 1,073	16 11 24 575 101	16 5 22 239 55	17 28 126 17	7°228	226 76	91 79 516 106	94 101 540 271	1, 102 143 828 6, 657 1, 558	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbia. Florida Georgia	400 200 244 248 248	25 25 25 25 25 25 25 25 25 25 25 25 25 2	197 18 165 74 130	163 132 132 58	206 17 131 25 46	188 87 9 9	ဝိက္ရ <u>ရွ</u> က်မ	12000	100 mm	124 16 18 1	354 107 22 22	<u>និ</u> ឧទីខន	2,411 2557 1,226 279 567	Connecticut. Delaware. Dist. of Col. Florida. Georgia.
Idaho Ilinois Iowa Kansus Louisiana	2, 240 115 583 12	1. 81888	1,350 1,350 272 31	18 991 262 262 262	889 889 889 889 889 889	18884	488 88 E	131 8	138×3	17 647 138 138	1,583 1,133 357 6	1,800 1,800 155 488 17	374 12, 478 646 2, 806 309	Idaho. Illinois, Iowa. Kansas. Louisiana.
Maryland Maryland Massachusetts Michigan Minnesota	80 580 913 941 594	\$41.5 595 362 362	2841 2841 2841 2841 2841 2841 2841 2841	43 359 490 517 247	348 522 512 309	22 22 23 23 23 23 23 23 23 23 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	257 169 169	0188423	88842	221 221 221 221	130 254 925 925 557	1,252 1,254 172 176	866 6,580 6,356 8,647	Maryland. Maryland. Massachusetts. Michigan. Minnesota.
Missisippi Missouri Montana. Nebraska Nevada.		478 315 89 10	### ### ### ### ### ### ### ### ### ##	507 182 42 54 2	361 142 42 56 3	25 25 25 25 25 25	26 26 21 21 21 21 24	157 25 11 5	# 2222 s	2 2 2 2 3 3 3 3	221 221 221 232 233 233	513 292 115 146 11	2, 114 2, 028 854 846 888	Mississippl. Missouri. Montana. Nebraska. Nevada.
New Hampshire. New Jersey. New Mexico. New York. North Carolina.	. 2,	650 17. 17. 18. 18. 18. 18.	(37 45 1,554 712	592 36 1,339 467	089 089 1,737 363	6 566 5 1,587 178	152 152 44 58 58	188.28	482.28	220 220 15 15 81 85	2, 132 454	1,000 1,000 3,040 500	6,341 425 17,777 4,273	New Hampshire. New Jersey. New Mexico. New York. North Carolina
North Dakota. Ohio. Oklahoma.	1,459	¥85229	759 139 138	115	25.4G	571	280 50	67	123	889	36 1, 684 100	2,033 83 83 81	10, 006 387 788	North Dakota. Ohio. Oklahoma. Oregon.

Chicken pox-Average number of cases reported for the years 1922-23, by months-Continued

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
nnsylvania Tode Island	2,872	0.1	1,767	"	"	-		141	308	1,149		60	19, 410	Penns
uth Carolina	72		22					-		208			308	South Carolina. South Dakota.
nnessee xas rmont rginia	166 175 250 882	235 182 813	140 345 109 691	191 288 56 585	148 211 83 373	288	18 100 100	5888	2025	20.95 20.95 20.95	167 70 169 587	133 240 240 878	1, 271 1, 713 1, 360 5, 410	Tenne Texas. Vermo
ashington est Virginia isconsin yoming	355 221 978 31		278 146 403					\$∞8	8822	28 85 82 85 85 85 85 85 85 85 85 85 85 85 85 85		_	2,873 1,454 5,651	Washington. West Virginia. Wisconsin.

Cases of chicken pox reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State	
Аврата	300	282	351	254	166	119	*	=	14	42	175	182	1,930	Alabama.	1
Arkansas	161	121	135	192	22	→ 8	10 2	r A	2, 23	39	85	128	1,020	Arkansas.	
Colorado	1,818	2, 131	1,850	2,113	1,311	130	381	22	155	270	932	1,345	13, 723	Colorado.	-
Connecticut.	517	376	311	123	192	200	100	. 15	10	8	245	308	2, 595	Connecticut.	
District of Columbia	25.5	2865	580	243	168	10°	98-	60	9	. E.	*6	156	1,625	Dist. of Col.	
Georgia	191	115	110	115	22	22		* 00	- 00	727	77	25	818	Georgia.	
Idaho	2,000	1,477	1,471	1,464	1, 160	972	364	133	242	893	1,651	2,037	13,864	Idaho.	
Indiana		72	200	333	272	16	19	200	800	216	861	1, 295	4, 540	Indiana.	
Kansas		1999	462	308	257	150	37	7	88	280	652	102	4, 148	Kansas.	

Kentucky. Louislana. Maine. Maryland.	Missouri. Missouri. Missouri.	Nebraska. Nevada. New Hampshire. New Jersey.	New York. North Carolina. Onth Dakota. Oblio.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont. Virginia.	Washington. West Virginia. Wisconsin.
7,4,9 27,780 24,038		8, 250 8, 613	22, 478 5, 981 14, 528	24, 689 323 823 900	2, 401 1, 959 1, 536 7, 182	3, 594 1, 883 9, 674 522
55238	1, 1, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	. E888	2 5 83 15 15 15 15 15 15 15 15 15 15 15 15 15	3, 580 26 26 46 105	328 349 349 863	561 312 1,516 63
25 25 25 25 25 25 25 25 25 25 25 25 25 2	1, 192 846 342 209 158	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2,008 529 2,117 22	3, 133 34 34 109	242 167 209 602	552 385 1, 152 58
168	458 171 89 49	24 4 6 EI	1,103	1, 522 9 4 45	71 117 262	800 400 400 400 400 400 400 400 400 400
8 11 8	22.5590	0 225	252 40 175 175 1	38 226 3 3	20 20 10 107	139 28 25 15 15 15
6-555 :	135 56 228 20 8	661 2	323 151 154 14	169	103	100
00\$88	473 191 245 33	1952	\$82\$ 2	\$52 to 81	1888	162 390 11
276 276 481	1,172 459 378 161 38	81 630 630	1, 757 263 16 923 58	1, 209 15 15 28	185 247 124 391	263 107 1, 191 30
28885 -	268 268 268 268 268	2 2 2 8 2 2 9 8	1, 88, 88, 88, 88, 88, 88, 88, 88, 88, 8	1,569 19 19 45 45 45	234 152 022	423 116 866 51
289 137 500 817	960 783 212 867	218820 :	2, 290 817 20 1, 324 47	2, 219 57 113 04	271 264 108 926	351 170 838 57
57 25 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	255 254 254 254 254	1,048	2,840 1,029 1,548 1,548	3, 216 66 87 125	331 246 97 913	303 1,016 43
05 228 842 1, 260	1,030 751 967 255 74	105	2, 855 855 1, 611 25	8,380 14,24 14,24 14,24	316 198 118 1,082	272 170 170 170 170 170 170 170 170 170 170
227 227 982 1, 747	1,595 887 812 803 115	191 10 1,418	3,746 1,002 1,872 48	3, 935 63 206	295 133 157 1, 134	256 197 1,152 84
Kentucky Loutslana Maine Maryland Massachusetts	Michigan Minnesota Mississippi Missouri Montana	Nebraska Nevada New Hampshire New Jersey New Mexico	New York. North Carolina. North Dakota. Ohio.	Oregon Pennsylvania Rhode Island South Carolina South Dakota	Tennessee. Texas. Vermont.	Washington West Virginia Wisconsin Wyoming

Deaths registered as due to chicken pox. 1924

State	Jan.	Feb.	Mar.	Apr.	pr. May June July Aug. Sept.	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. California Connecticut.			!!	1		8			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-		-	10 10 01 01	Alabama. California. Connecticut. Georgia.
Innous Fown Kansas Louislana			N	1 1			1			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1		- 8484	Illinois. Iowa. Kansas. Louisiana.
Maryland Massachusetts Michigan Minnesota	8 8-	1				C4		-		r		11	60000	Maryland. Massachusetts. Michigan. Minnesota.
New Jersey New York. North Carolina. North Dakota	-0101	884		6000	6160	4	19	1	1	1	1	1	247	New Jersey. New York. North Carolina. North Dakota.
Ohio	8 1	7	-	1 1	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1		2000	Ohio. Washington. West Virginia. Wisconsin.

Chicken pox—Cases reported, deaths registered, and indicated morbidity and mortality rates, 1924; average and indicated annual rates based on the years 1922-1923

		Average	Average, 1922-23			1924			
State	Estimated population July 1, 1924	Cases	Cases per 1,000 inhabit- ants	Cases	Cases per 1,000 inhabit- ants	Deaths regis- tered	Deaths per 1,000 inhabit- ants	Cases reported for each death registered	State
Alabama.	2, 445, 551	1, 102	0.46	1,930	0.79	100	00.00	386.0	Alabama.
Artions Arkanss California Coloreia	3, 913, 236	828 6,657	1.48	13,723	3.56	0000	00.	.00 2,744.6	Arkansas. California.

0 Colorado.

2.65

1.58 2,666

Colorado. 1, 004, 803 1, 558

.00 1, 297.5	District of Columbia, Florida.	7 .00 1,980.6 Illinois.	2 .00 324.5 Iowa. 4 .00 1,037.0 Kansas.	2 .00 137.0 Louislana. 5 .01 357.8 Maine.	.00 927.6	9 .00 1,161.3 Michigan. 5 .00 1,312.6 Minnesota. 0 Mississippi.		6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 .00 861.3 New Jersey.	.00	1 .00 694.0 North Carolina.	.00 1,320.7	O Dregon,		0 South Dakota.	Tennessee.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.797.0	3 .00 .627.7 West Virginia.
1.73		1.16	15.5	22.23	88 88	3525	1.14	1.05	1.258	2.02	202	. 26	1.14	10.00	1.38	1.00	4.36	2.47	1.19
2, 595	1,629 414 818	13,864	4, 148	252 274 1,789	4, 638 8, 985	10, 452 6, 563 6, 386	2,043	818	8, 613 539	22, 478	694	575	950	323	808	2, 401	1,536	3, 594	1,883
1.65	22.5	1.85	1.56	1.20	1.64	1.62	1. 42	1.14	1,89	1.65	34.5	. 18	9. 6	28.2	25	53.53	986	2 02	75.0
2,411	27.0	374 12, 478	2,806	578 369 866	3,310	6,356	2, 028 854	888	6,341	17,711	, 205 205 205	387	784	200	517	1,271	1,360	2,873	1,454
1, 503, 869	1, 068, 520 3, 028, 728	6,877,737	2, 487, 106 1, 805, 555	2, 475, 370 1, 864, 385 779, 900	4,077,599	4, 066, 223 2, 531, 473 11, 790, 618	3, 455, 376 629, 003	1,344,652	3, 442, 695 375, 669	10, 974, 642	679, 232	2, 200, 307	9 208 986	633, 036	660,956	5, 408, 846	1 352, 428	1. 456, 106	1, 576, 143
Connecticut Delaware Dienware	Florida Georgia	Idabo Illinois Indiana	Iowa. Kansas	Kentucky Louisiana Maine	Maryland Massachusetts	Michigan. Minnesota Missisippi	Missouri Montana	Nebraska	New Hampshire. New Jersey New Mozioo	New York	North Dakota	Oklahoma	Oregon. Pennsylvania	Rhode Island South Carolina	South Dakota	Tennessee. Texas	Vermont	Washington	West Virginia

Population Jan. 1, 1920.

Cases of dengue reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
labama rkansas lorida eorgia	1 9	9	401 00	1	8 5 0	C4	10	16	es 28 cs	4,11	1	- 1 1 1	වියර්ග	Alabema. Arkansas. Florida. Georgia.
Alissisippi Klahoma Paras	11	38	24	35	8	9	ස ක	35	9 22	21	11 99	13	191	Louistana. Mississippl. Oklahoma. Texas.

Deaths registered as due to dengue, 1924

2	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
	-	0 0				1		-	-	1			481-	Florida. Georgia. Louisiana.

Dengue—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924

State		
	Alabama. Arkansas. Florida. Georgia.	Louisiana. Mississippi. Oklahoma. Texas.
Cases reported for each death registered	19.5	
Deaths per 1,000 inhabitants	88.	.00
Deaths registered, 1924	048	000
Cases per 1,000 in- habitants	9.6.69	11.00.070
Cases reported, 1924	Saxa	191
Estimated population, July 1, 1924	2, 445, 551 1, 834, 596 1, 068, 520 3, 028, 728	1, 864, 385 11, 790, 618 2, 200, 307 5, 018, 602
State	Alabama Arkansas Florida Georgia	Louisiana. Mississippi Oklahoma. Texas

Population Jan. 1, 1920.

Diphtheria-Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive

1 Population Jan. 1, 1920.

Total State	1, 124 Alabama. 103 Arizona. 547 Arkansas. 5, 481 California. 1, 070 Colorado.		12, 202 3, 552 1, 244 2, 238	840 Louisiana. 465 Maine. 2,394 Maryland. 8,406 Massachusetts. 7,740 Michigan.	3, 984 Minnesota. 1, 886 Mississippi. 4, 05 Missouri. 328 Montana. 898 Nebraska.	16 Nevada. 439 New Hampshire. 6.26 New Jersey. 1,176 New Merk.	3, 799 North Carolina. 545 North Dakota. 8, 327 Obio.
Dec.	285589 11	55 88 821	1,564 1,564 1,564 1,564 1,564 1,564	105 1,000 1,000 889	459 493 493 121	822 822 135 1,870	386
Nov.	153 125 125 131 131	385 1985 247	32 1,756 592 193 388	1111 82 401 1,019 850	330 498 322 152	83 787 119 1,934	651 1, 198
Oet.	242 126 130 130	32 8 67 2 5	1,377 456 194 377	114 54 302 895 925	614 617 617 26	54 749 108 1,887	1, 194
Sept.	213 66 386 110	8.22%	268 269 122 172 172	76 145 529 600	348 374 100	28 402 81 81 1,021	738
Aug.	8 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	124 88 139 139	12 520 185 60 105	38 13 8 14 8 15 8 15 8 15 8 15 8 15 8 15 8 15	240 153 135 155 36	2288	271 438
July	3. × 2. ×	142 88 213 46	576 153 54 66	88883	25 11.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0	1 15 341 81 1,226	383
June	84058	F0884	656 129 828 828	88788 68788	214 37 168 38	20 387 72 1,587	138
May	80222	178 21 21 30 30	793 162 88 89 89	554 554 554	25.28.88	23 454 88 1,871	ក ង ទីន
Apr.	82440	202 43 25 24 43 25 44 45 45 45 45 45 45 45 45 45 45 45 45	7.78 186 186 135	25 146 609 549	27 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	33 460 89 1,661	ននិងន
Mar.	473 613 613	22 22 23 25 25 25 25 25 25 25 25 25 25 25 25 25	1,058 247 73 128	51 181 713 646	246 290 31 60	30 550 107 1,809	121
Feb.	188885	255 113 20 88 48 88	1,090 276 78 126	55 113 68 113 68 113 133 133 133 133 133 133 133 133 13	256 410 83 83 83	37 594 111 1,720	114 88 619 639
Jan.	52 8 23 52 52 52 52 52 52 52 52 52 52 52 52 52	ន្ទឹងនិង	1,316 382 117 220	285824 2458	338 242	2, 203 2, 203	25 88 38 25 25 25 25 25 25 25 25 25 25 25 25 25
Number of years included	t-me-t-t-	1-41-50	40000	ननननन	6-18-1-1	441-41-	01-1-4
State	Alabama. Arizona. California. Colorado.	Connecticut Delaware District of Columbia Florida Georgia	daho Illinois Indiana Iowa Kansas	Louisiana	Minnesota Mississippi Missouri Montana Nebraska	Nevada New Hampshire. New Jersey New Mexico. New York.	North Carolina North Dakota Ohio Oklahoma

Diphtheria-Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive-Continued

State	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Yng.	Sept.	Oct.	Nov.	Dec.	Total	State
Pennsyl vania Rhode Island South Carolina South Dakota Tennessee	herena	1, 596 105 128 30 24		-	1,053 80 85 85 83	85888	88883	52823	25 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	28. 28. 28. 28. 28.			ei .	16,687 989 2,077 431 1,186	Pennsylvania. Rhode Island. South Carolina. South Dakota. Tennessee.
Fexas Vermont Virginia Washington West Virginia	-1-1-1-10	851 82 83 81 81 81	135 150 102 102	82558	28885	E 2822	55 E E E E E E E E E E E E E E E E E E	22223	885588	88325	74 25 25 25 25 25 25 25 25 25 25 25 25 25	52 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	28.2 28.2 29.7 29.7 29.0 29.0 29.0 29.0 29.0 29.0 29.0 29.0	1, 53 2, 430 2, 067 2, 068	Texas. Vermont. Virginia. Washington. West Virginia.
Wisconsin.	1-1-	241			181	178	150	161	180	207			510	3, 180	Wisconsin. Wyoming.

Cases of diphtheria reported, 1924

May June	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
		#	63	135	311	180	155	1,155	
		- 00	9 82	- 55	63	25.55	25	348	
		88	73	525	889	138	107	1,169	California. Colorado.
125 111		 132	16	112	571	221	203	2,110	
		 25.50	នន	38	88	105	22.2	308	Dist. of Columbia.
		12	9	112	280	137	120	1,012	
		367	200	85	10	13	8 49	146	Idabo. Illinois.
		 114	113	163	83	473	727	3,088	
			200		500	999	: 5		-

Kentucky. Louisiana. Maine. Maryland. Massachusetta.	Michigan. Minnesota. Mississippl. Missouri. Montana.	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	New York. North Carolina. North Dakota. Ohio.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont. Virginia.	Washington. West Virginia. Wisconsin. Wyoming.
724 971 585 1, 845 7, 290	8, 012 3, 940 3, 116 540	\$61 4, 382 508	15,571 4,093 6,232 715	1, 404 12, 597 746 2, 348 420	3,285 722 722 782,8	1,62 1,291 2,775 8
520 570 677 677	496 409 331 93	2 8888	1,520 314 29 687 163	1, 192 1, 192 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	20228	167 120 120 1
626 826 826 826 826 826 826 826 826 826	565 493 173 522 40	011 884 88	1, 202 555 14 684 94	1, 295 57 399 53	271 271 809 603	148 236 242 424
583	504 526 305 386 56	171 365 40	1, 110 26 641 127	1, 204 1, 109 27 25 89 89	176 102 22 249	150 282 3
252228 318	334 325 161 150 47	84522	353 353 353	85228	100 152 414	121 103 186 2
88838	260 195 113 25 25	82494	45 2 2 2 2 ×	82828	18.28	105 124 5
22883	315 170 50 88 88	41 237 26	1,124 114 14 211 10	623 17 52 65 17	2223	86 62 63 63 64
11.3 11.3 53.2	369 181 149 149	85 ±28.88	1,504 29 29 29 29 29 29 29 29 29 29 29 29 29 2	285 88 82 71	1883	258 240 240 240
554 556 556 566 566 566 566 566 566 566	330 330 49 267 35	8 252 8 8 252 8	1, 542 95 376 171	25 + 55 88 88 88	821 131 82 138	104
106 137 672	473 203 192 38	21°0°23	4. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	985 133 45 45 45	35 113 104	2253
825 154 629	88588	2 2 2 2 3 4	25,1 701 828 831	22,1	35 168 163	151 106 286 5
888 781 823	25 25 25 25 25 25 25 25 25	ខ្លះដង្ហិន	1,523 157 14 125 4	11,449 69 111 35	2222	136 112 260 7
1,0% 0% 1,0%	961 983 983 983 983 983 983 983 983 983 983	136 25 80 80	1,815 202 64 971 57	1,712 107 121 121 121	59 164 34 316	143 141 367
Kentucky Louislana Maine Maryland Massachusetts	Michigan Minnesota Mississippi Missouri Montana	Nebraka Nevada New Hampshire New Jersey New Mexico	New York North Carolina North Dakota Ohio	Oregon. Pennsylvania. Rhode Island. South Carolina.	Tennesseo. Texas. Vernont.	Washington West Virginia Wisconsin

Deaths registered as due to diphtheria, 1924

				De	Deaths registered as	stered as	due to	due to diphtheria, 1924	4, 1924					
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama Arizona Arkansas. Colorado	9 4 0 E E	01 m m 23 m	&-00°	8-85	w4w5	85	44-8	21 48	8778	8083	81.02	80.83	149 108 108	Alabama. Arizona. Arkansas. California.
Connecticut Delaware District of Columbia Florida Georgia	52408	Huser F	74	0 8 4 L E	4-0	0 8-8	G 61001-		3 70-28	3 5 4 4 5 S	1 4888	z zeroś	8 2222	Colorado. Connecticut. Delaware. Dist. of Columbia. Florida.
Idabo Ilinois Indiana Iowa Kansas	*#####################################	4828°	~\$251	-2720	42100	-2011	481-04	1711	→8≅ 20	48850	******	-88±8	470 242 151 116	Idaho. Indiana. Iowa. Kanaas.
Kentucky Louisiana Maine Maryland Massachusetts	22022	2122	F0462	* H * * \$	reseg	8-12-22	20000	@ 60 60 60 FG	84462	\$5,28	27.83	204 F8	220 108 217 220 220 220 220 220 220 220 220 220 22	Kentueky. Louislana. Marjand. Maryland. Massachusetts.
Michigan Minnesota Miscouri Montana Nebraska		82891	25 E E E	\$45°°°	P. S. se co	22800	Na.	28° "	F81.03	222-22	\$53-7	#3\$0×	£128.01	Michigan. Minnesota. Missouri Montana. Nebraska.
Newada New Jarsey New Mexico New York North Carolina	8238	13 13 13	78 7.81 81	828	100	84.2	12.43	82028	Z. 23	8°88	85 82 51 51	100 E	338 57 1,082 323	New Jersey. New Mexico. New York. North Carolina.
North Dakota. Ohio Oklahoma. Oregon Pennsylvania.		52002	10000	2000	20 mg g	2002	æ1698	-1458	≈8x+3	48224	*41°S	-4723	21 1 20 .I	North Dakota. Ohio. Oklahoma. Oregon. Pennsylvania.

Diphtheria—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917–1923

		Estim	Estimated expectancy	tancy			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Cases per Deaths 1,000 in-	Deaths per 1,000 inhabit- ants	Fatalities per 100 cases	State
Alabama Arfzona Arfansas California Colorado	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 803	11101	1, 124 103 547 5, 481 1, 070	0.48 .29 .31 1.57	1,155 146 348 11,110 1,469	0.47 .37 2.19 1.46	140 108 168 160 160	0.06 .06 .06 .18 .16	12.9 16.4 31.0 6.3 10.9	Alabama, Arizona, Arkansas, California, Colorado,
Connecticut Delaware District of Columbia Florida Georgia	1, 503, 869 232, 580 486, 836 1, 068, 520 3, 028, 728	P-41-610	2,930 182 686 615 1,492	9.1. 98.1. 12.12.	2,110 194 398 664 1,012	62.25.5E	22.22.23	18888	8.0 11.3 14.9 7.5	Connecticut. Delaware. District of Columbia. Florida. Georgia.
Idabo Illinois Indiana Iowa Kansas	481, 125 6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555	41-1-1-	12, 26, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	 482222	6, 859 3, 058 3, 058 1, 706	8.33.82	37 470 242 157 116	86888	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Idabo. Illinois. Indiana. Iowa. Kansas.
Kentucky Louisiana Maine Maryland Massichusetts	2, 475, 370 1, 864, 385 779, 900 1, 521, 190 4, 077, 506	44441	1, 905 840 8, 465 9, 466	2.1.9.1.2 1.6.4.3 1.6.4.3	724 971 585 1, 845 7, 290	825.25	229 108 58 117 522	99999	11.13 11.00 10.00	Kentucky. Louisiana. Maine. Maryland. Massachusetts.

Diphtheria—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923—Continued

		Estim	Estimated expectancy	tancy			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths	Deaths per 1,000 inhabit- ants	Fatalities per 100 cases	State
Michigan. Minnesota Mississippi Missouri Montans.	4, 006, 228 2, 531, 473 11, 790, 618 3, 455, 376 629, 003		7, 74 3, 984 1, 886 4, 955 828	91111 888 881 888 888	6,012 3,940 3,940 3,116	41.1 85.8 8.9 8.9 8.9 8.9	171 888 883 883	28888	2.00 1.00 0.00 0.00 0.00	Michigan. Minnesota. Mississippi. Missouri. Montana.
Nebraska Nevada New Hampshre New Jersey New Mexico	1,344,652 1,77,407 448,882 3,442,695 375,669	0441-4	898 16 439 6, 626 1, 176	918	801 4, 382 503	11.588	106 38 536 57	89833	84421.11 84078	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.
New York. North Carolina. North Dakota. Ohio. Okiahoma	2, 722, 669 2, 722, 669 6, 219, 330 2, 200, 307	H&HH+	19, 763 3, 799 8, 327 641	3.43.4E	15, 571 4, 998 410 6, 232 715	43888	1,082 828 72 415 127	52268	4.7.1 17.6 17.8 17.8	New York. North Carolina. North Dakota. Ohio.
Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	834, 665 9, 206, 986 633, 036 1, 761, 746 600, 956	44444	16, 687 2, 989 431	38882 38882	1, 404 12, 397 749 2, 348	1.37	1,070	22 22	98.3 98.3 98.3 98.3	Oregon. Pennsylvania. Rhode Island. South Carolina.
Tennessee Texas Vernont Vernina	2, 408, 846 5, 018, 602 1, 352, 428	we1-1-	1,186 1,536 285 3,430	.33	788 117.1 722. 73, 257	8. 4. 4. 5. 1. 3. 5. 4. 5. 5. 1. 5. 5. 1. 5. 5. 1. 5. 5. 1. 5. 5. 1. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	25.25.25.25.25.25.25.25.25.25.25.25.25.2	8268	₹%;;¢	Tennessee. Texas. Vermont.
Washington West Viginia Wysonsin Wyoming	1, 456, 106 1, 576, 143 2, 770, 291 216, 853	telelele	1,067 3,068 3,180 98	8.11. 8.5883.	1.29 1.29 1.25 1.25 1.25 1.25 1.25 1.25 1.25 1.25	1.82	153 159 1196	1368	9.54.7.8 4.0.1.8	Washington. West Virginia. Wisconsin. Wyoming.

1 Population Jan. 1, 1920.

Cases of gonorrhea reported, 1924

	216			-	Cuses	cases of gonormen reported, 1024	odar na	eer' roa	+						
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Yng.	Sept.	Oct.	Nov.	Dec.	Total	State	
Alabama Arizona Arizona California Colorado	25.25.55 24.55 25.	391 140 140 142 142 143	338 111 138	295 128 128 806 173	396 171 525 125	805 174 107	483 143 573 146	371 252 283 284 44	430 17 148 580 580	412 101 896 142	356 8 124 612 91	336 23 129 650 107	4, 465 141 1, 711 8, 202 1, 525	Alabama. Arizona. Arkansas. California. Colorado.	
Connecticut. Delaware. Florida. Georgia	****	280822	8722	353 150 28	28.28.28 28.28.28	38 130 130 130 130	100 181 197 10	2417 252 31	97 191 146 11	201 204 246 15	126 38 182 327 16	28228	1, 9,4, 55,2,100,14,	Connecticut. Delaware. Florida. Georgia. Idaho.	
Illinois Indiana Iowa Kansas Kentucky	1,627 186 200 133 133 857	1,486 235 177 97 1,058	1, 201 201 34 34 34 34 34 34 34 34 34 34 34 34 34	1, 421 135 185 124 1, 021	1,541 116 192 134 1,091	1,438 181 101 1,046	1,683 208 109 61 1,071	1,935 202 101 102 1,167	1,740 221 87 171 1,144	1, 826 224 213 132 611	1,737 225 87 70 1,195	1, 482 197 208 11, 333	19, 654 2, 321 1, 787 1, 356 12, 532	Illinois. Indiana. Iowa. Kansas. Kentucky.	
Louisiana Maine Maryland Massachusetts Michigan	268 244 647 895 895	268 224 594 836	2 88888	¥25.85.25	326 34 195 639	25.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	275 279 275 275 289	304 230 830 743	292 90 248 707 1, 250	269 73 260 691 1, 031	227 857 188 198 763	211 161 737 737 819	3,345 693 8,124 10,490	Louisiana. Maine. Maryland. Massachusetts. Michigan.	
Minnesota. Mississippi. Missouri. Montana. Nebraska.	200 200 200 200 200 200 200 200 200 200	948 324 321	1,038 324 8 112	1,052 289 289 162	1,044 322 322 222	1,085 330 17 213	1, 158 100 100 141	1,115 1,115 376 11 234	1, 363 365 16 245	1, 307 387 42 193	385 1, 295 247 111 193	1, 305 2, 305 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	2, 359 13, 606 1862 1862 2, 3862	Minnesota. Missisippi. Missouri. Montana. Nebraska.	
New Hampshire. New Jersey New Mexico. New York. North Carolina.	82222	185 185 251 255	788 2 8	82228	200 200 34 179	16 224 10 812 185	224 224 200 200	278 278 59 8958 212	245 145 306	25252 25252	82159	148 10 845 245 245	268 2, 661 10, 375 2, 584	New Hampshire. New Jersey. New Mexico. New York. North Carolina.	
North Dakota Ohio Oklahoma. Oregon Pennsylvania.	45 389 267 179 216	347 347 305 172 161	88.02 102 180 180 180	368 349 116 116	378 309 309 89 151	30 296 143 208	61 113 96 239	105 389 117 127 189	369 168 168 168 168	25. 26. 26. 27. 27. 27. 27.	304 304 1126 167	347 141 189 199	42,14,8 43,438 4	North Dakota. Oblo. Oklahoma. Oregon. Pennsylvania.	
Rhode Island. South Carolina. South Dakota. Tennessee.	167 284 284	82 83 176 176	34 163 56 186	205 43 180	2612	181 50	25.55	35 178 96 201	3842	73 175 50 22 22	59 117 76 194	178 171	629 1,840 629 2,531	Rhode Island. South Carolina. South Dakota. Tennessee.	

Cases of gonorrhea reported, 1924-Continued

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
ering	299	786	872	633	621	446	298	267	576	100	43:	980	7, 447	Terns.
ermont	134	87	23	az	877	ERE	288	88	165	882	120	132	1,308	Vermont.
ashington est Virginia sconsin	1881	276 140 40	883	288	E 201	122	313	822	241	8722	288	8275 2778 2778	1,002 1,002 1,300 1,300 1,000	Washington. West Virginia. Wisconsin.
Total	13, 567	12, 997	12,986	13,038	12,956	12,836	13,868	14.017	14. 912	14.048	13,025	13,381	161.621	

Information not available for the entire year.

Gonorrhea-Cases reported and indicated morbidity rates, 1924

State	Estimated popula- tion, July 1, 1924	Total cases re- ported	Cases per 1,000 in- habitants	State	Estimated popula- tion, July 1, 1924	Total cases re-	Cases per 1,000 in- habitants	State	Estimated popula- tion, July 1, 1924	Total cases re-	Cases per 1,000 in- habitants
Alabema Arkzona. Arkzona. California. Colorado.	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 803	4,465 1,771 1,771 1,525 1,525	88. 88. 88. 88. 88. 88. 88. 88. 88.	Louisiana Maine Maryland Massachusetts Michigan	1, 864, 385 776, 900 1, 521, 190 4, 077, 590 4, 006, 223	3,345 603 2,734 8,124 10,460	11.2 88.1.2 88.2 88.2 88.3 88.3	North Dakota Ohlo Oklahoma Oregon Pennsylvania.	679, 233 2, 210, 332 2, 200, 307 834, 665 9, 206, 986	4.24 2.556 1.268 2.251	1.07 1.18 1.78 1.78
Connecticut Delaware Florida Georgia	1, 503, 869 232, 590 1, 068, 520 3, 028, 728 481, 125	1, 97 355 2, 100 2, 100 1, 100	1.53 2.22 1.35 64.	Minesota Mississippi Missouri Montana Nebraska	2, 531, 473 11, 790, 618 3, 455, 376 629, 903 1, 344, 652	5,359 13,606 3,982 1186 2,366	47.1.1. 1.35.15 1.35.15	Rhode Island. South Carolina. South Dakota. Tennessee.	633, 036 1, 761, 746 660, 956 2, 408, 846 5, 018, 602	1, 840 620 7, 41	.11. 8.05.84
Minols. Indiana. Iowa. Kansas. Kentucky	8, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555 2, 475, 370	19, 654 2, 321 1, 787 1, 356 12, 532	2	New Hampshire		2681 2,661 312 10,375 2,584	81888	Vermont Virginia Westhington West Virginia Wesconsin	1,352,428 2,423,942 1,456,106 1,576,143 2,770,291	338 1, 308 2, 915 2, 915	8.2.8.8.

Population Jan. 1, 1920.

Cases of influenza reported, 1924

173 1 100 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Apr	May 152 152 152 152 153 153 153 153 153 153 153 153 153 153	June 717 0 22 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	888 1 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Aug. 2522 2522 2522 2522 2522 2522 2522 25	Sept. 128 463 463 463 463 463 463 463 463 463 463	252 252 252 253 253 253 253 253 253 253	Nov. 2338 2338 24 24 24 24 24 24 24 24 24 24 24 24 24	Dec. 4 38 88 88 88 88 88 88 88 88 88 88 88 88	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Alabama. Alabama. Alabamas. California. Delaware. Dist. of Columbia Florida. Georgia. Illinois. Illinois. Illinois. Indiana. Kansas. Kansas. Kansas. Maryand. Maryand. Maryand. Massenbusetts. Mississippi. Montana.
8 -81-8	8 88 E	360 6	83.4 28	2 6	6E	8 -18	11 155	R #58	55 242 1524	23.00 20.00	2, 986 864 13	New Jersey. New Mexico. New York. Oklahoma. Rhode Island.
	64 520 199 105 105 105 105	2, 148 148 179 317	1,014	4 25888	36220 2	1 27 12 18 18 18 18 18 18 18 18 18 18 18 18 18	200 200 593 14 14	152 1,271 1,271	2, 396 101 101	275 1,066 5,139 128	3,460 3,827 27,303 1,440	South Carolina. Tennessee. Texas. Virginia.

	State	Alabama, Arizona, Arkansas, California, Colorado.	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.	Idaho. Illinois. Indiana. Iowa. Kansas.	Kentucky. Louisiana. Maine. Maryland. Massachusetts.	Michigan. Minnesota. Missouri. Montana. Nebraska.	Nevada. New Jersey. New Mexico. New York. North Carolina.	North Dakota. Obio. Oklahoma. Oregon. Pennsylvania.	South Carolina. South Dakota. Tennessee. Texas.
	Total	952 952 953 953 953 953	84898	1,015 705 482 301	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	221 1,115 57 87	354 354 36 1,111 757	857 240 119 2, 798	1, 119 1, 114 1, 114 1, 114
	Dec.	25884	\$~~83	.588	89888	32.28°3	-8-F3	24 24 333 333	84821
	Nov.	\$6.883	80043	45283	\$\$°88	882504	¥ 8 &	128 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	සහ සිසිය
	Oct.	Sarar	0 8 8 8	7888	71928	5.4 to 0	-7488	18888	40872
1924	Sept.	Suzau	48 45	-238°	g∞r-84	Öro≌æ	4-128	8800E	88888
nfluenza	Aug.	0-10-0	88753	-2282	P10-0-	P 28 2 2	10 12 to	41-08	88 gg 88
due to i	July	u-55e	12 1212	-4-54	71120	0412-0	7 7	~8≈3 1	48an
stered as	June	828833	2-8-5	18281	Sue Se	2884°	22.43	10 10 117	800 g
Deaths registered as due to influenza, 1924	May	\$-8\$8	83	e15551	\$2818	58821	-2-23	25208	83688
De	Apr.	85558	47 8 8 8 139 139	35 143 36 45 8	88823	683°	4=52	•8223 3	149
	Mar.	No.828	38°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°	106 117 75 40	82882	122 E 23	-21-23	260 28 20 3	\$1252 4
	Feb.	852882	8 40 8 8	135 118 58 62	38228	582-5	-82262	7 118 55 19 342	82884
	Jan.	2-258	81 78	.5223	25238	5¥20×2		2724.88	711520
	State	Alabama. Arkona. Arkansas. California. Colorado.	Connecticut Delaware District of Columbia. Florida Georgia	Idaho Illinois Indiana Iowa. Kansas	Kentucky Louisiana Maine Maryland Massachusetts	Michigan Minnesota Missouri Montana Nebraska	New Jersey New Mexico New York Nowr York	North Dakota. Obio Oklahoma. Oregon. Pennsylvania.	South Carolina. South Dakota. Tennessee. Texas.

780 Virginia. 193 Washington. 173 West Virginia. 411 Wisconsin. 23 Wyoming.
55 E E E E E E E E E E E E E E E E E E
28824
\$5.00 % a
2202
181
18200
Hew5w
800.4
55 112 10 49
88889
163 22 22 23 4
131 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3
211 24 24 24 24 24 24 24 24 24 24 24 24 24
Virginia Washington West Virginia Wisconsin

13

8*

20

Texas. Vermont. Influenza—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924

1, 344, 652		State State	State	Deaths reported State State State Inhab: death tants registered	Deaths reported State State State Inhab: death tants registered	Deaths reported registred inhabited french state	Cases Deaths Deaths reported per 1,000 regis-per 1,000 for each lahabi- tered inhabi- death tants regis-	See Cases Deaths Deaths reported e- per 1,000 regis- per 1,000 for each ted inhabi- tered inhabi- death tants 1924 tants reger tered
3, 442, 695 375, 600	\$F.348	3, 448, 3, 448, 3, 3, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	5.1 Alabama, Nebraska 1,344, Arizona, New Hampshire 445, 2.2 California, New Heresy 3,442, Colorado, New Mexico 375,	Arlabama. Nevraska 1,344, Arlansas. New Hampshire 445, California. New Hersey 3,445, Colorado. New Mexico 375,	5.1 Alabama, Nebraska 1,344, Arizona, New Hampshire 445, 2.2 California, New Heresy 3,442, Colorado, New Mexico 375,	0.27 5.1 Alabama. Nevrada. 1,344. 2.1 7.9 Arizona. Nevrada. 177. 2.2 California. New Hampshire 3,442. 2.4 Colorado. New Mexico 3,442.	652 0.27 5.1 Alabama, Nevada 1,344, 202 2.7 7.9 Arkansas. Nevadampshire 445, 13 2.2 California. New Hampshire 3,442, 2.40 Colorado. New Mexico 3,442, 13,442, 13,442, 144, 144, 144, 144, 144, 144, 144,	344 1.37 652 0.27 5.1 Alabama Nebraska 1,344 177 67 117 7.9 Arkansa New Hampshire 177 179 Arkansa New Hampshire 145 175
0, 974, 642 2, 722, 669 679, 232 6, 219, 330 2, 200, 307	New York 10, 974, 642 N. Carolina	Su eu	Connecticut. New York	Connecticut. New York 10, Delaware. N. Carolina 2, Dist. of Col. On Dakota 6, Florida. Oklahoma 2	Connecticut. New York	. 19 Connecticut. New York 10, 12, Delaware. N. Carolina	286 .19 Connecticut. New York	286 .19 Connecticut. New York
834, 665 9, 208, 986 633, 036 1, 761, 746 660, 956	Oregon - 834, 665 Pennsylvania - 9, 266, 598 Rhode Island - 1, 761, 746 S. Dakota - 600, 956	6 1	13 11 13 13 14 15 15 15 15 15 15 15	Oregon Pennsylvania 9, Rhode Island S. Carolina	13 11 13 13 14 15 15 15 15 15 15 15	.09 Idaho. Oregon 9, 1.3 Illinols. Pennsylvania 9, 1.9 Indiana. Rhode Island 1.1	1, 015 .15 .13 Illinois. Promas/venia 9, 705 .23 .19 Indiana. Rhode Island 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	. 19 1,015 1,5 1 1.3 Illinols. Pennsylvania 9, 23 119 1.9 Indiana. Rhode Island 1, 18 301 1.1 I.1 Kansas. S. Dakota 1, 18 201 1.1 I.1 Kansas.
2, 408, 846 5, 018, 602 1 352, 428 2, 423, 942	4 8 5 2 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Kentucky. Tennessee 2, 408, Louisiana. Texas	1.2 Kentucky. Tennessee 2, 408, 2.3 Louisiana. Teans 5,018, 1.3 Maine. Vermont	Kentucky. Tennessee 2, 408, Louisiana. Texas	1.2 Kentucky. Tennessee 2, 408, 2.3 Louisiana. Teans 5,018, 1.3 Maine. Vermont	. 22 1.2 Kentucky. Tennessee 2, 468, 2.30 2.3 Louisiana. Texas	556 .22 1.2 Kentucky. Tennessee 2,408, 560 .30 .23 Louisana. Texas. 5,018, 16 .21 .3 Maryland. Vernont. 5,018, 221 .43 Maryland. Vernont. 2,423, 93 .40 Maryland. 2,423,	. 26 556 . 22 1.2 Kentucky. Tennessee 2, 408, 77 164 . 21 1.3 Maine. Vermont Vermont 1.42 221 . 15 9.8 Marylane. Virginia. 2, 428, 10 894 07 1.4 Massachusetts.
1, 456, 106 1, 576, 143 2, 770, 291 216, 853	Washington 1, 456, 10 West Virginia 1, 576, 14 Wisconsin 2, 770, 28 Wyoming 216, 85	Michigan. Washington Minneota, Wisconsin Misslasippi. Wyoming Montana.	1.2 Minnesota. Washington. Westington. West Viginia. St. 9 Missispil. Wyoming	. 12	. 12 Mehigan. Washington	12 Michigan Washington 12 Michigan Westington 12 Minnesota Wisconsin 1,115 1,115 1,00 1.2 Minnesota Misconsin 1,115 1,00 1.2 Montana	11.36 12 Michigan Washington 11.36 121 34 33.9 Misslesippi. Wyoming 11.115 34 35.9 Misslesippi. Wyoming 11.115 35.9 Misslesippi. Wyoming 11.115 35.9 Misslesippi. Misslesippi. Wyoming 11.115 35.9 Misslesippi. Myoming Misslesippi. Mi	4, 066, 223 2, 531, 473 2, 531, 473 2, 534, 575 2, 53, 473 2, 53, 53 3, 455, 376 2, 53, 53 3, 455, 376 3, 456, 376

1 Population Jan. 1, 1920.

Cases of malaria reported, 1924

Alabama. Gl 60 81 115 315 </th <th>State</th> <th>Jan.</th> <th>Feb.</th> <th>Mar.</th> <th>Apr.</th> <th>May</th> <th>June</th> <th>July</th> <th>Aug.</th> <th>Sept.</th> <th>Oct.</th> <th>Nov.</th> <th>Dec.</th> <th>Total</th> <th>State</th>	State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
170 155 140 189 241 257 199 125 199 195	Alabama. Arizona		8	81	115	315	365	738	892	828	630	189	119	4.396	Alabama
2 4 Colon 15 46 12 12 16 12 12 16 12 16 12 16 12 16 12 16 12 16 12 16 12 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16<			155	140	186	241	22	280	636	£83 12	469	211	173	4,039	Arkansas. California.
2. 966 2. 844 3. 565 4. 61 151 128 3. 165 120 111	Connecticut Delaware			1	1	98	8	21-	0-	N 0-		64		* 55	Connecticut.
13 22 36 31 130 176 165 130 124 14 15 16 165 12 12 13 13 14 15 15 15 15 15 15 15	Georgia Kansas			±8-	82.53	24	152	88-	204	88	E¥.	88	28	1,002	Plorida. Georgia.
2 995 2 844 3, 585 4, 584 6, 315 10, 244 11, 938 12, 576 9, 722 7, 126 4, 630 3, 061 79, 631 Miss 14, 64 11	Louisiana Maine		SI	38	31	130	176	165	130	124	8	126	33	1, 104	Kansas. Louisiana.
2,995 2,844 3,585 4,595 6,315 10,244 11,938 12,576 9,722 7,126 4,630 3,001 70,631 Miss 1,1 1,1 1,1 1,1 1,1 1,1 1,1 1,1 1,1 1	Maryland Massachusetts Michigan	40	-		243	© # =	1-4	ero 40	20	11	œm-		-63	888	Maryland. Massachusetts.
4 5 4 6 6 11 13 8 11 2 3 11 9 28 11 9 28 11 0 Now 44 1 118 3 2 2 2 4 1 3 1 10 11 Now 4 1 118 3 2 2 4 1 1 Now 1 Now	ssissippiw Hampshire	of	2,844	3, 585	4, 595	6, 315	10, 244	11, 938	12, 576	9, 722	7, 126	4, 630	3,061	ಅ	Mississippi.
1 0 4 0 6 11 12 11 9 28 11 6 112 11 9 28 11 6 112 14 14 14 14 14 14 14 14 14 15 14 14 14 14 14 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 16	w Jersey w Mexcio	-	-	64	69-		S c	00-	2	1-69	60				New Hampshire New Jersey.
5 19 103 1 103 1 1 30 34 25 4 3 4 2 4 2 4 4 2 4 4 2 4 4 2 4 4 2 4 4 3 4 4 4 3 4 9 4 4 2 4 4 4 4 1 6 6 6 6 8 4 4 3 4 9 2 4 4 3 4 9 4 1 6 6 8 1 6 9 1 6 1 6 1 6 9 3 4 3	Ohio	2	0	118	0	0 80	= 8	5 61 80	I +«	o - a	8 3	# TE	9	E 1	New York.
5 16 1032 1, 032 1, 141 1, 330 1, 869 2, 463 2, 26 17 7 2 2, 22 2, 22 2, 22 2, 22 2, 22 2, 22 2, 22 2, 22 2, 22 2, 22 2, 24 3, 2 4, 2 3, 2 4, 0 2, 4 3, 1, 602 2, 4 421 1, 602 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 421 1, 6, 0 2, 485 121 7.9 1.17 2.14 3.16 4.71 3.85 2.96 2.96 2.96 2.46 4.51 86 2.46 4.51 4.61 4.71 3.96 2.46 3.96 3.96 3.96 3.96 3.96 3	nsylvania ode Island		+	-			1	-	-10	+	ca es		8	48.	Oregon. Pennsylvania.
	th Carolina. inessee. as ginia.	5 928 121	868	1, 032	103 1,141 117	1,330 1,330	34 1,899 316		3, 256 3,063 385	17 313 1,499 296	714 714 208	225 118	£21.28		Knode island. South Carolina Tennessee Texas. Virginia.

Deaths registered as due to malaria, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arkansas. Connecticut. Delaware.	œ8564	82	0 th th	170	25 g g g g	#8°	2804-	102 22 2	87	586	727	41 000 0	892	Alabama. Arkanasa. California. Connecticut. Delaware.
District of Columbia Florida Georgia Illinois.	81341	15	384	824-	8280	5000	ద్దజ్ఞయణ	8852	37 17 17	282-	-252-	=24	18281	Dist. of Columbia. Florida. Georgia. Illinois. Indiana.
Kansas Kentucky Louisiana Maine Maryland	10	6	10	73	171	1 63.2	-4-0	æ æ	o 25	16	48	11	272	Kansas. Kentucky. Louisiana. Maine. Maryland.
Massachusetts Michigan Missouri Nebraska New Jersey		1	9	10	œ	16	20	32	34	21,	13	10	182-0	Massachusetts. Michigan. Missouri. Nebraska. New Jersey.
New York North Carolina Ohio Oklahoma	810 0	84-	g	9	9 8	64±-8	4 113	21 23	18-81	1918	9 19	8-19	มนี.8	New York. North Carolina. Ohio. Oklahoma.
Pennsylvania. South Carolina. Tennessee. Texas.	-000	SANTON	10 10 00 00	240	9 12 8	41 11 15	28.21	8822	17 26 26 16	-458	125	8055	121111111111111111111111111111111111111	Pennsylvania. South Carolina. Tennessee. Texas.
Vermont Virginia West Virginia Wisconsin			1	1		9	IC)	10	8	1 2	10	2-	m	Vermont. Virginia. West Virginia. Wisconsin.

Malaria—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered,

State	Estimated population, July 1, 1924	Casss reported, 1924	Cases per 1,000 in- habitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered	State
Alabama	2, 445, 551	4, 396	1.80	228	0.00	19.3	Alabama.
Artzona. California. Colorado.	384, 331 1, 834, 596 3, 913, 236 1, 004, 803	4,039	. 888	2500	.01	10;4; 00:10	Arkansas. California. Colorado.
Connecticut	1, 503,	28.83	.02	91,	8.8.8	28.0	Connecticut. Delaware.
District of Columbia. Postrict of Columbia. Georgia.	1, 068, 520 3, 028, 728	1,002	25.	249	883	1.7	Florida.
Minots Indiana Kansas	6, 877, 737 3, 036, 775 1, 805, 555	14	10.	122	288	14.0	Illinois. Indiana. Kansas.
Louisiana		1,104	.50	275	. 15	4.0	Louisiana.
Maine. Maryland Masschusetts Michigan Missisippi	779, 900 1, 521, 190 4, 077, 589 4, 086, 223 11, 780, 618	5. 88848	4.500.08	365	88888	2182 2182 2182 2182 2182	Maryland. Maryland. Massachusetts. Michigan. Mississippl.
Missouri. Nebraska New Hampshire New Jersey. New Jersey.	3,455,376 1,344,652 448,882 3,442,695 375,669		10.00	183	£888	8.1. 0.80	Missouri. Nebraska. New Hampshre. New Jersey. New Mexico.
	9.	-	10.	112			New York.
Ohio. Oklahoma. Oregon	6, 219, 330 2, 200, 307 834, 065	20°	878	080	88	9.69	
Pennsylvania Phoda Peland	9, 208, 986			12	90.	17	Pennsylvania.
South Carolina Bouth Carolina Tennessee	1, 761, 746 2, 408, 846 5, 018, 602	1,082	1.58	119 181 141	988	1221	

		18.	
Vermont.	Virginia.	West virgin	W ISCOLISIES.
	75.3	-	
8	5.5	3.8	3
11	23		•
	1.03		
	2, 485		
1 352, 428	2, 423, 942	2, 276, 143	2, 110, 231
Vermont	Virginia	Wisconstr	1. · · · · · · · · · · · · · · · · · · ·

5, 018, 602

Tennessee Terus

Wisconstn						2, 770, 291	211				7-1	38		Wisconsin.	ginne.
1 Population Jan. 1, 1920.	920.				-		-								
Meask	Measles—Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive	thly est	imated e	x pectar	ıcy base	d on da	ta whic.	h are av	ailable ,	for the y	ears 19	17 to 1.	923, inc	lusive	
State	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arizona. Arkansas California. Colorado.	444044	76 103 1,606 102	117 19 280 3, 144 262	164 2,866 373	189 2, 259 489	1,830 581 581	1, 287 232	45888	6 170 13	E1-9081	01-E021	31.5 307 21.2	2.882	877 1, 578 15, 282 2, 158	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbis Florida Georgia	P4F00	88 155 129 129 129 129 129 129 129 129 129 129	671 123 207 63 63 210	869 85 305 1129 274	989 63 112 112 113 113	1,035 63 450 197	254 214 103 103	258 7 7 14 26	108 111 208 208	201-48	2 2 2 2 2 2 2 8	1 2228	31 31 14 48	6,329 580 1,847 523 1,308	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.
Idaho Ilihols Indiana Iowa Kansas	41101	2, 154 800 82, 154 82, 154	4,011 761 88 548	4, 982 744 168 824	5,343 625 172 1,360	5, 204 602 135 913	8,1,2 1,42 1,42 1,43 1,43 1,43 1,43 1,43 1,43 1,43 1,43	1,182 234 13	24 60 472	2848	58258	542 126 17 17	225 270 108 100	28, 117 4, 898 4, 772 4, 772	Idaho. Illinois. Indiana. Iowa. Kansas.
Louisians Mathe Maryland Massachueetts Michigan		2, 230 2, 230 511	98 171 761 2, 325 576	84 1,292 2,852 1,045	182 1.805 3,603 1,669	70 1,929 1,234 1,590	1,142 3,198 1,187	48 119 395 1, 274 519	39 25 338 127	\$4888 8	62 78 589 189	67 52 163 1,096 183	86 63 351 1,876	23,816 23,822 7,987	Louisiana. Maine. Maryland. Massachusetts. Michigan.
Minnesota Missisappi Montana Nebraska Nevada.	P-41-600	295 270 48 58	22.8 22.8 22.8 22.8 22.8	515 450 195 250 2	636 491 218 267 2	1,010 286 170 215 8	961 146 101 84 1	8 5 5 5 5 8 8 8 8	2583	887-51	82728	82-779	274 25 25 74	2,907 2,907 1,222 49	Minnesota. Mississippi. Montana. Nebraska. Nevada.
New Hampshire New Jersey New Mexico New York North Carolina	40460	1,381 8,701 711	1,925 106 4,566 670	1,963 1,963 123 6,366 904	2,411 7,842 7,842	3,757 11,712 868	2, 197 105 7, 629 457	3,612 172	145 4 954 87	7-18 9 88 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	113 179 653 653	7.5 4.5 1.0 1.0 1.0	42822 438	1, 661 15, 804 827 82, 486 5, 141	New Hampshire. New Jersey. New Mexico. New York. North Carolina.

Measles-Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive-Continued

State	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
North Dakota. Ohio. Dregon	444	1, 172	1, 754	2,298	3, 268	4,510	2,654	258	13 237	*##	300	28.23	38 507 41	534 18, 012 1, 159	North Dakota. Ohio. Oregon.
Pennsylvania Rhode Island	*30*	2,862	4, 158 88	5, 508	343	5, 100	4, 227	1,649	1.58	202	1,04	1,371	1,958	33,994	Pennsylvania. Rhode Island.
South Carolina South Dakota Texas Vermont Virginia		25. 128. 128. 128. 128. 14.	8, 151 181 181 181 181	8.838.88 8.838.88	2 3 4 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	205 205 266 1,694	36 126 227 233 908	13 61 81 272 391	ដឋដឋន	81-84 201	82048	83888	8228	15, 23, 419 15, 491	South Carolina. South Dakota. Texas. Vermont.
Washington West Virginia Wisconsin Wyoming	1-1-1-1-	334 588 46	201 m	£258	634 894 894 894	370 359 676 133	352 160 773 75	3841	2 224	137	305 305 11	3758	198 88 417 414	9,9,9,9 9,9,45,4 1,0,0,0,0 1,0,0,0,0,0 1,0,0,0,0,0 1,0,0,0,0	Washington. West Virginia. Wisconsin. Wyoming.

Cases of measles reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arkzona. Arkzona. California. Colorado.	2, 113 206 542 3, 250 1, 696	3, 214 436 1, 336 5, 013 2, 442	3, 076 1, 829 6, 015 2, 022	1,689 1,295 6,641 1,705	1,046 242 602 3,667 1,243	644 76 743 1,774 278	F8334	34 75 146	80 1 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31-880 8	887188 1381188	141 179 255 1865 8	12, 240 27, 279 27, 373 9, 482	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbia Florida Georgia	808 1,100 785	28 1124 151,1	782 700 1,082	28.8 57.8 28.8 57.8 28.8 28.8 28.8 28.8 28.8 28.8 28.8 2	82528	25888	261 115 9	80-48	2-400	\$-000	81-004	Eu3u8	4. 82. 82. 82. 82. 82. 82. 82. 83. 83. 83. 83. 83. 83. 83. 83. 83. 83	Connecticut. Delaware. Dist. of Columbia Florida. Georgia.
Idaho Illinois Indiana Iowa Kansas		1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	2, 659 2, 659 2, 241	8,2, 8, 20,2, 8, 20,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2	3, 125 1, 709 1, 709 1, 350	2, 28,52,52	81.88 1.88 1.88 1.88	58828	8848	482-8	343 100 124 134	28 25 25 25 25 25 25 25 25 25 25 25 25 25	20,20,144 20,20,144 20,20,144	Idaho Illinois. Indiana. Iowa. Kansas.

Kentucky. Louisiana. Maine. Maryland. Massachusetts.	Michigan. Minnesota. Mississippi. Missouri. Montana.	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	New York. North Carolina. North Dakota. Ohio.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont Virginia.	Washington. West Virginia. Wisconsin. Wyoming.
2,5,3,142 2,5,3,142 2,5,907	18, 290 5, 882 25, 697 10, 696 6, 049	6,998 614 11,958 15,787 4,244	70, 199 34, 938 4, 388 14, 550 4, 066	22, 24, 24, 24, 24, 24, 24, 24, 25, 045, 045, 045, 045, 045, 045, 045, 04	7,626 12,631 3,595 16,897	21, 372 2, 050 10, 925 2, 454
30 114 674	82788	3 33 338 153	22.22.22	1,917	154 277 71 346	\$552
2.885 2.885	22222	6 134 183	550 154 68 125 2	1,147	288 2115 249	8528
220 2120	324 40 40 16 16	47 103 125	25. 26. 26. 26. 36.	819	34880	2822
15 15 15 15 15 15 15 15 15 15 15 15 15 1	38 118 118 3	2-552	201 201 201 201 201 201 201 201 201 201	201 201 1	11718	882
58.83.83	25.52	24 11113	525 111 18 151	= 2 -24	23 24 81	223.
\$2888 \$2888	635 282 121 151	51 - 01 - 55 52 - 53 53 - 53 54 55 55 56 56 57 57 58 58 58 58 58 58 58 58 58 58 58 58 58	207.4 282.7.4281	1,055 1,055 18 4	71 168 95 246	103 113 119 119
182 257 621 621 2,392	2, 28, 80, 80, 80, 80, 80, 80, 80, 80, 80, 8	157 21 83 1,847 156	7,065 1,023 1,94 1,957 183	22 23 23 198 198	88888	336 1,160
500 515 441 3,355	2,487 1,903 1,242 154	290 53 2,815 563	10, 685 3, 132 134 3, 587	2, 669 39 83 88	612 997 2, 189	447 508 1,326 320
715 775 544 1,371 4,197	3,275 868 4,417 1,567	1, 104 84 424 3, 572 1, 079	14,348 6,294 3,292 1,186	2, 802 75 331 908	868 1,389 2,792	822 394 1,559 450
1,345 1,174 4,055	5,927 1,847 1,260	1,799 298 1,740 1,212	15, 028 9, 520 1, 177 2, 292 741	1,003 8,695 1,439 1,574	1,950 4,012 9,490	2, 200 318 1, 908 513
2, 361 3, 563 3, 563	1, 343 1, 460 1, 729 1, 982	1,894 124 203 1,990 438	9,950 8,098 1,140 1,122 218	1,290 2,981 6 1,348 1,585	1,873 4,145 757 3,492	6, 203 91 1, 817 384
323 1,025 559 2,335	2, 24, 312 1, 312 1, 985 1, 986	1,720 21 312 1,426 203	7, 725 6,014 1,028 934 973	2, 366 2, 366 36 1, 633	1, 203 1, 051 2, 735	11,418 77 1,308 625
Kentucky Louisiana Maine Maryland Massachusetts	Michigan. Minnesota. Mississippi. Missouri. Montana.	Nebraska. Nevada New Hampshire. New Jersey. New Mexico.	New York North Carolina North Dakota Ohio Oklahoma	Oregon Pennsylvania Rhode Island South Carolina South Dakota	Tennesseo Texas. Vermont.	Washington West Virginia Wisconsin Wyoming

69713°—25†—— 3

Kansas. 2, 333 5, 118 6, 241 3, 328 2, 350

Deaths registered as due to measles, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama		18	121	8	43	13	9	69	-	64	*00	ಣ	300	Alabama.
Arizona. Arkansas. California. Colorado.	 	25.32	2228	-855	282	222	5 10 5	1 6	+61-	80-	11-01	13	183 313 201	Arkansas. California. Colorado.
Connecticut.	-	п	9	0	10	10	2	1		0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			\$-a	Connecticut. Delaware. Dist of Columbia.
District of Columbia. Florida. Georgia.	-	150	181	1301	15	-1-10	3	1	61	110	-	1	214	Florida. Georgia.
Idaho Illinots Indiana Iowa. Kanaga		28826	89599	-2688	88822	=8°52°	00 1-0		8	1	44~0	-0 80	222 223 223 223 223 223 223 223 223 223	
Kentucky Louisiana Maine Maryland Massachusetts	834-5	28×48	22108	2882	22.23	48 00-3	00 CO	6160 H 10 60	6	9	1 49	8 B	34488	Kentucky. Louisiana. Maine. Maryland. Massachusetts.
Michigan Minnesota Missouri Montana			\$2128	128822	84810	Sorue	P401	2 1		89 -	844	*	255	Michigan. Minnesota. Missouri. Montana. Nebraska.
Nevada New Jersey New Mexico New York				1383		E off	289	4447	T +	8=8	988	11.7		Nevad New J New J
North Carolina North Dakota Ohio Oklahoma	2022	2012	115 22 25 23 25 25 25 25 25 25 25 25 25 25 25 25 25 25 25 2	5.000	8258	8728	41-01	0 80	10 T	- 0-	9 -	8-8	1662 1867 1887	North Carolina. North Dakota. Ohio.
Oregon	88*2	2888	1888	8558	458.84	4218	15.72	C 10 00 10 10 10 10 10 10 10 10 10 10 10	8-1-		11 6	20	265	Oregon. Pennsylvania. South Carolina.

72 Tennessee.	13 Virginia.	181 Washington. 66 West Virginia. 73 Wisconsin. 30 Wyoming.
ននៈ	2.	201-8
-4	7	10
-00	4	9
800	64	
œ	+	8
,	4	6 64-
92	-	404
0 E	101	10
		¥88.00 to
22.	32	Saou
25.00	45	1929
£2°	25	8000
.g	78	±882
Tennessee.	Virginia	Washington West Virginia Wisconsin Wyoming.

Measles—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923

		Estim	Estimated expectancy	tancy			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths	Deaths per 1,000 in- habitants	Fatalities per 100 cases	State
Alabama Arizona Arizonas California Colorado	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 803	Legele	877 1, 578 15, 282 2, 158	944 788888	12, 240 2, 102 6, 279 27, 373 9, 482	96.93.98 4.83.98 4.83.98	390 31 183 313 201	88. 88. 88. 88.	10-10-10 10-10-10	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbia Florida Georgia	1, 503, 869 232, 590 486, 936 1, 968, 520 3, 028, 728	P4100	6,329 580 1,847 523 1,308	444 22882	* * * * * * * * * * * * * * * * * * *	3. 8.3 1.3. 202 1.202	45 1 214 214 550	88283	1.0 5.6 15.2	Connecticut. Delaware. District of Columbia. Florida. Georgia.
Idaho Illinois Indiana Iowa Kansas	481, 125 6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555	40000	28, 117 4, 898 4, 772 4, 796	2. 1.4. 2.33 3.33 7.05	20, 20, 14, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	6.28 11.14 12.28 12.28	225 175 243 131	7885	91119	Idaho. Illinois. Indiana. Iowa. Kanses.
Kentucky Louisiana Maine. Massachusetts.	2,475,370 1,864,385 77,890 1,521,190 4,077,599	44444	4, 734 834 1, 278 8, 816 23, 822	1. 1. 46 6.05 14.05 14.05	8,0,0,0,0 110,0,0,0,0 120,0,0,0,0,0 120,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	73.4.3.7 73.8.32 75.88.32 75.88.32	24 44 44 50 50 50 50	54889	P.P.⊒ ∞614∞∞	Kentucky. Louisiana. Maine. Maryland. Massachusetts.

Measles—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923—Continued

		Estim	Estimated expectancy	tancy			1924				
State	Pstimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths registered	Deaths per 1,000 in- habitants	Fatalities per 100 cases	State	
Michigan Minnesota Mississippi	4, 066, 223 2, 531, 473 11, 790, 618	1-1-4	7,987 4,539 2,907	2.15 1.80 1.62	18, 290 5, 882 25, 697	25.23 25.33 25.33	221 137 211	0.05	-ioi .c	Michigan, Minnesota, Mississippi,	
Montana		7	937	1.08	6,049	9.62	68	.11	1.1	Montana.	
Nebraska Nevada. New Hampshre. New Jersoy. New Mexico.	1,344,652 177,407 448,882 3,442,695 375,600	98464	1, 222 49 1, 661 15, 804 827	8.6.5.8.4	6,908 614 1,958 15,787 4,244	62.7.4.4.11 62.88.88.00 6.00 6.00 6.00 6.00 6.00 6.00	8.8889	28889	488239	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	
New York North Carolina North Dakota Ohio Oklahoma	10, 974, 642 2, 722, 669 679, 332 6, 219, 330 2, 200, 307	1-12-1-	52, 486 5, 141 534 18, 012	5.02 1.97 3.10	70, 199 34, 938 4, 388 14, 550 4, 066	0.45 12.83 1.83 1.83 8.84 8.84 8.84 8.84 8.84 8.84 8.84 8	742 427 160 180 237	25881	511112 81013	New York. North Carolina. North Dakota. Ohio.	
Oregon Pennsylvania Rhode sjand	9, 208, 986	101	33,994	3.87	22,045	900 800 800 800 800 800 800 800 800 800	82	.10	1.6	Oregon. Pennsylvania.	
South Carolina South Dakota	1,		688	1 .1	4, 256	9.83	107	.06	1.7		
Tennessee Texas. Vermont Virginia	2, 408, 846 5, 018, 602 1,352, 428 2, 423, 942	7.7	2, 419 2, 034 15, 491	5.77	7, 626 12, 631 3, 595 16, 897	3, 17 10, 20 6, 97	292 44 213	1248	8.6.1.	Tennessee. Texas. Vermont. Virginia.	
Washington West Vigina Wesonsin Wyoming	1, 456, 106 1, 576, 143 2, 770, 291 216, 853	potetete	2,873 2,484 5,997	22.10 3.22 3.23 3.09	21, 372 2, 050 10, 925 2, 454	14.68 1.30 3.94 11.32	181 66 30	2.9.8.1	.e:	Washington. West Virginia. Wisconsin. Wyoming.	

Population Jan. 1, 1920.

Mumps—Average number of cases reported for the years 1922-23, by months

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama			88	88	20	97	=°	9	6	=	150	18	190	Alabama.
Arkansas California Colorado	240	241 e	8×88	213	235 131	135 135 58	1084	2.1°	252	7200	147	92 29	1,760	Arkansas. California. Colorado.
Connecticut.	_	182	132	138	22	8-	8-	22	=	8	16	153	1,065	Connecticut. Delaware.
Florida Georgia Ulinois	8088	703	808 808	40 697	257 257	2002	173	101	125	1 4 197	113	828 657	181	Florida. Georgia. Illinois.
Iowa Kansas		75 174	118	227	192	r-8×	e182-	8-	25.00	670	195	2024	1,581	Iowa. Kansas. Louisiana.
Maine. Maryland.	33.7	351	- £	424	210	303	182	300	16	38.5	16	88	2, 573	Maine. Maryland.
Massachusetts Michigan Mississippi Missouri Montana		20 20 20 20 20 20 20 20 20 20 20 20 20 2	38828	768 319 114 108 40	287 208 208 88 91	552 183 183 193 193 193 193 193 193 193 193 193 19	¥8581	88 19 12 12 8	88810	28832		88.98 88.88	6,033 2,106 869 597 225	Massachusetts. Michigan. Mississippi. Missouri. Monfana.
Nebraska				200	106	20	10	=-	9	8-	13	24	522	Nebraska. Nevada.
New Hampshire New Mexico	-	28	825	. e. 30	42	C9 00	-61		C4 C4	-100	23	19	153	New Hampshire. New Mexico.
New York Ohio	1,350	1,	1,473	1,482	1,507	1,088	52-	25	39	327 80	150	1,216	11,478	New York. Ohio.
Oregon		21	28	35	·83	16	.0	110	60	9	6	13	8	Oregon.
Pennsylvania Rhode Island South Carolina Texas	920	904 16 8 8 143	1,035 11 3 81	953 15 112 112	8000	<u>\$</u> -~8	8-48	28-45	102	221 4 7 10	433 8 18 18	698 34 52	6, 683 9 9 9 9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Pennsylvania. Rhode Island. South Carolina. Texas.
Vermont Washington Wisconsin			22.23 20.23	155	158	220	22.23	#8°	44.	35 30	23,622	113	1,320 315	Vermont. Washington. Wisconsin.
Wyoming				11	NO.	00	63		-			-	25	

Cases of mumps reported, 1924

State	Alabama. Arizona. Arkansas. California. Colorado.	Connecticut. Delaware. Florida. Georgia. Illinois.	Indiana. Iowa. Kansas. Kentucky. Louislana.	Maine. Maryland. Massachusetts. Michigan. Minnesota.	Mississippi. Missouri. Montana. Nebraska. Nevada.	New Hampshire. New Mexico. New York. North Dakota.	Ohio. Oklaboma. Oregon. Pennsylvania.	Rhode Island. South Carolina. South Dakota. Texas.
Total	1, 967 280 280 841 2, 810 2, 090	3,549 188 571 861 11,360	1,048 7,483 562 31	1, 955 1, 075 9, 431 7, 895 00	8,100 3,704 186 7	95 311 15,318 110	12, 267 80 23, 770	1,026 151 151 2,961
Dec.	121 8415 8415 875	2000000	871 7	255 77 296 296 4	1,397 45 3 3	2128 2128 2138 2138 2138 2138 2138 2138	605 1, 918	2000
Nov.	316 316 108	822328	36 119 378 18	225 200 178	800 00 00 00 00 00 00 00 00 00 00 00 00	0022	397 3 1,518	2,258
Oct.	នន្តន្តន	\$0128g	2002	253.52	25 8 8 4 1	363	263 717 780	15
Sept.	221227	Hug 53	112	81288	71 1	10 203 1	181 7 21 319	107
Aug.	24823	30 145 145	57.22.	\$888.	438	239	127	2448
July	98 44 119 119 119 119	104 133 405	197	292 282 1	0% 8% 4	3 675	316 9 17 797	10 7 35 35
June	203 112 230 61	305 15 45 47 1,051	398 398 12	880 880 910 1133	241	1,612	1,063 20 15 1,967	0 0 11 190
May	376 132 328 328	92 22 24 1. 22 22 22 22 22 22 22 22 22 22 22 22 22	110 777 88 8	315 157 1,159 1,473	787.1	2,175	2, 282 30 2, 927	20 1,332
Apr.	373 14 155 343 327	11.92 163 163 1,93 1,93	1,304 76 304 304	2 2 2 2 2 2 3 3 4	1,139 548 7-8	2, 682 13 13	2,488	161
Mar.	245 145 233 475	2, 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	1,529 174 6	#EF#	88 55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2,626	2, 518 3, 450	28.28 29.28
Feb.	81 82 82 84 85 84 84 84 84 84 84 84 84 84 84 84 84 84	\$ 25.85.0 1,400	1,035 97 6	1,410 839 839 839 839	281 182 43	25 1,714	1,387	202 322 175
Jan.	100 112 352 147	978 8 1 281,1	78185 200 5 cs	148 1,246 007 8		1,474	610 5 1.810	2232
State	Alabama. Arizona. California. Colorado.	Connecticut Delaware Florida Georgia		Maine Maryland Massachusetts Michigan Minnesota	Missippi Missouri Montana Nebraska Nevada	New Hampshire. New Mexico. New York. North Dakota.	Ohio Oklahoma Oregon Pennsylvania	Rhode Island

Vermont. Washington. Wisconsin. Wyoming.

1,962

133 682 4

128 317 19

8853

12882

2220

8822

4828

8283

\$25g

8572°s

13832

#F#

Vermont Washington Wisconsin Wyoming

			1 1 1			• • • • • • • • • • • • • • • • • • •	+1
-							
2	1	1			3 1 1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1
61-1	1	2		221	884	887	887

Mumps—Cases reported, deaths registered, and indicated morbidity and mortality rates, 1924; average and indicated annual rates based on the years 1922–1923

		Average	Average, 1922-23			1924			
State	Estimated population July 1, 1924	Cases	Cases per 1,000 inhabit- ants	Cases	Cases per 1,000 inhabit- ants	Deaths regis- tered	Deaths per 1,000 luhabit- ants	Cases reported for each death regis- tered	State
Аврата	2, 445, 551	180	0.08	1,967	0.80	32	0.00	393. 4	Alabama. Arizona.
Arizona	1, 834, 506	163	8.5	9 810	. 46				California.
	3, 913, 230	1,760	86	2,060	2.08	0	-		Colorado.
	1, 503, 869	1,		ස්	2.36	80	8.	1, 183. 0	Connecticut.
Connection Delaware Florida	1,068,520 3,028,728	1835	388		88	0-1	88	861.0	Florida. Georgia.
Georgia	6, 877, 737	2		11,	1.65			1, 021.	_
Indiana	3, 036, 775	1	-		. 42	00	00.	174.7	Iowa.
Iowa	805,	1,	88.	1-				1, 496. 0	-
Kansas Kentucky	2, 475, 370	36		31			00.	15.5	Louisiana.
Louislana	270 600			1				651.	Maine.
Maine	1, 521, 190							1,047.	
Massachusetts		2, 033	1.5.	7,895	1.95		88	1,315.8	Michigan.
Michigan Minnesota	01	L	!					6	
N design	11, 780, 618			8, 100	1.07		00	3, 704.0	-
	8, 400, 870			5			0		Montana.
Montana.	1,344,652	720	5.54		.09		0		Nevada.
Nevada								95.0	
New Hampshire.	375, 669	153	.42	;			0	9 188	New Mork.
New Mexico.	10, 974, 64			8 15,318			200		
North Carolina				110	01. 16	3	_		North Dakota.

	. 5	
Ohio. Oklahoma. Oregon. Pennsylvania.	Rhode Island. South Carolina. South Dakota. Texas.	Vermont. Washington. Wisconsin. Wyoming.
1, 533.4	151.0	751.0
88	.00	. 00
8500	010	0000
292	*XXX	1.03 1.03 1.28
12, 267 80 236 21, 770	304 1,026 151 2,961	1,502 1,940 1,940
2,83,8	. 05	1.59
1,822 55 180 6,683	99	562 1,320 315 57
6, 219, 330 2, 200, 307 834, 665 9, 208, 986	633, 036 1, 761, 746 660, 956 5, 018, 602	1352,428 1,456,106 2,770,291 216,853
Ohio Oklahoma Oregon Pennsylvania	Rhode Island. South Carolina South Dakota. Texas	Vernont Washington Wasonsin Wyoming

1 Population Jan. 1, 1920.

Cases of pellagra reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arkansas California Florida.	171	13	1388	88.89	\$g	160 82 15	110 44 18	25.2	82223	25 25 25	85200	151	312 38 38 126	Alabama. Arkansas. California. Florida.
Iowa Kansas Louisiana Maine	9	00 00	10	121	67.9	2.14	52	22	-22	31	18	16	111 250 2	Iowa. Kansas. Louisiana. Maine.
Maryland Massachusetts				1	-01	1	00	C4 -	1	m	64		18.3	Maryland. Massachusett
Mississippi	142	179	242	456	1,115	1,243	840	536	363	344	255	181	5, 896	Mississippi.
Pennsylvania Tennessee Texas Virginia	800	36	8214	52 115 115	8228	2021	801	2582	83 168 17	136	98 80 15	22.27.1	742 665 181	Pennsylvania Tennessee. Texas. Virginia.

Deaths registered as due to pellagra, 1924

Alaboma	Jan.	Feb.	Mar.	Apr.	May	June	July	Yng.	Sept.	Oct.	Nov.	Dec.	Total	State
and a second	8	22	a	R	88	*	9	37	24	29	8°	22	363	Alabama.
Arkansas California Colorado	1	8-	0	1-10	10	200	17 2	80	* *-	33	4	81	58.4	Arkansas. California. Colorado.
	og	Box	22	32 8	3,31	23	37	- 20 X	228	33.7	841	98	100 337 4	Connecticut. Dist. of Columbia. Florida. Georgia. Illinois.
	410	-95	100	1-1	782	8-15	- 42	271	1107	100	156	11	10 10 181 181	Indiana. Iowa. Kansas. Kentucky. Louisiana.
Maine Maryland Massachusetts Michigan Minnesota				7	7 6			100		1 2	1		H 03 40 H3	Maine. Maryland. Massachusetts. Michigan. Minnesota.
	18	16	8	17	1 24	8-12	18.2	33	19	1 71	8-28	14	272	Missouri. New Mexico. North Carolina. Ohio.
	17 17	16 6	1 88	* 88	33 3	8 23	30 4	33.11	5 24 14	22 22 25	1 15 17	29 6	297 297 256	Oklahoma. Oregon. South Carolina. Tennessee.
	Z 10.	13	16	8 00	21	15	35	2 00	34	24.0	20	31	296	Texas. Vermont. Virginia.

Pellagra—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924

State	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 in- habitants	Deaths registered, 1924	Deaths per 1,003 inhabitants	ported for each death registered	State
Alahama	2, 445, 551	269	23.	363	115	1.6	Alabama. Arizona.
Arkansas Arkansas	3, 834, 596 3, 913, 236	312	17.	161 26	85	1.6	Arkansas. California.
California Colorado	1,004,803		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4	80.		Colorado.
Connecticut	1, 503, 869		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 5	88		District of Columbia.
District of Columbia	3,008,520		.12	337	8.1.	1.3	Georgia.
Georgia Illinois	6, 877, 737			4			Ininois.
out	036,			C1 -	8.8		Indiana.
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2, 487, 106	1	10.	10		1.1	
Kansas Kentucky	2, 475, 370	299	.16	181	. 10	1.7	Louislana.
Voltstatia	779, 900	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		210			Maine.
Maryland	521,	1	8			2.0	-
Massachusetts.	4, 066, 223			*5 -	8.8		Minnesota.
Minnesota	3	-					
Wiseled two	11, 790, 618	5, 896	3, 29	413	8.8	14.3	
Missour	3, 455, 576		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				-
New Hampshire	375, 609	0		- 272			North Carolina.
North Carolina	2, 122, 009		1				Obio
Obio	6, 219, 330		•	57.0	88.		
Oklahoma	834,					0	Oregon, Pannsylvania.
Oregon Pennsylvania	9, 208, 986		.00	297	71.	7	1 1
South Carolina.					111	2	Tennessee.
Tennessee.	5,018,602	2 665	. 13			2	2 Texas.
Texas	1 352, 42	181	20	11		2	4 Virginia.
Virginia						0	West virginia.

1 Population Jan. 1, 1920.

Cases of pneumonia (all forms) reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama Confornia 1 Connecticut 1 Delaware Florida	546 560 131 35 188	808 519 175 37 200	747 301 225 38 38	£25 55 55 55 55	218 171 103 108	38 17 88 38 17 88	35 7 7 35	165 165 10 88	103 103 115 82	105 185 122 123 124	286 286 128 82 128 82 128 83	282223	4, 103 3, 658 1, 283 1, 263 1, 093	Alabama. California. Connecticut. Delaware. Florida.
Idabo Illinois Kansas Louisiana Maryland	1,713 390 299 590	1,798 362 381 774	2, 048 280 149 705	1, 643 233 332 332 512	1, 217 157 351 301	28 28 18 18 18	815 64 190 87	*8888	559 32 150 103	577. 151. 151.	747 268 272	1,440 133 492 453	25 14, 217 1, 890 3, 328 4, 184	Idaho. Illinois. Kansas Louisiana. Maryland.
Massachusetts 1 Michigan Minnesota Mississippi Montana	550 623 623 7,067 16	of	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	602 677 1, 262 8	£2525.	310 337 225 525 5	83557°	8888	881 148 188 2	299 197 89 513	404 244 163 1,627	2, 549 2, 549 2	4,552 4,664 1,913 14,236 83	Massachusetts. Michigan. Minnesota. Mississippi. Montana.
Nevada. New Jersey. New York. Pennsylvania. Rhode Island.	8. 8.04. 14.1	88 k. 824 k. 838 k.	0.857.8.8 578.88 0.00	8. 27. 8. 119. 119. 1	16 509 2,661 677	2.28.2 2.28.2	251.1 181.1 188.1	2482	180 780 176	1,850	2, 476 3,485 356	3, 572 574 574 8	6,060 29,526 5,813	Nevada. New Jersey. New York. Pennsylvania. Rhode Island.

Lobar pneumonia only.

Deaths registered as due to pneumonia (all forms), 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oet.	Nov.	Dec.	Total	State	
Alabama	096	667	027	915	169	119	80	99	126	133	919	417	9 045	Alohomo	
Arizona	40	78	101	08	98	39	30	39	22.2	18	38	11	651	Arizona.	
Arkansas	192	226	266	196	116	101	32	35	31	51	101	255	1,605	Arkansas.	
California	554	417	457	390	296	213	172	184	210	251	317	436	3,897	California.	
Colorado	189	141	180	151	120	69	2	\$	11	102	114	199	1, 435	Colorado.	
Connecticut	170	208	264	155	119	92	38	38	49	108	130	137	1,508	Connecticut.	
Delaware	35	35	88	40	19	90	1	00	15	12	21	R	200	Delaware.	
District of Columbia.	85	103	108	81	26	30	2	23	31	47	22	75	741	Dist. of Columbia.	
Florida	23	145	151	83	48	28	2	98	17	48	20	8	894	Florida.	
Georgia	400	427	472	346	193	104	75	22	200	170	251	305	2. 922	Georgia.	

Illinois. Indiana. Iowa. Kansas. Kentucky.	Louisiana. Maine. Maryland. Massachusetts. Michigan.	Minnesota. Missouri. Nebraska. Nevada. New Jersey.	New Mexico. New York. North Carolina. North Dakota. Ohio.	Oklahoma. Oregon. Pennsylvania. South Carolina. South Dakota.	Tennessee. Texas. Vermont. Virginia.	Washington. West Virginia. Wisconsin. Wyoming.
5,818 1,981 1,216 2,380	2, 045 833 1, 925 3, 333	1, 786 4, 165 1, 078 3, 669	409 13, 925 2, 924 5, 706	1, 363 648 13, 340 2, 098 420	2, 638 3, 107 2, 245 2, 175	922 1, 444 2, 417 237
208 208 1135 233	251 287 283 283	167 499 119 9	1,510 213 50 50 618	178 1,366 199 129	273 413 196 196	123 215 225 235
244 120 113 203	172 157 169 169 215	161 316 79 8 870	1, 158 200 200 464	1,069 1,069 118	207 197 19 142	53 122 145 18
322 210 80 80 129	95 58 115 134 165	216 216 46 9	21 139 33 314	100 748 88 88 81	132 149 104	69 95 117 18
242 119 82 26 102	79 10 10 10 10 10 10 10 10 10 10 10 10 10	62 161 35 131	13 541 81 12 186	456 84 84	22×4	37 122 10
18582	22848	127 33 44 94	466 468 143 143	24822	88.88	28842
25882	88878	134 27 14 14	1123 223 273 179	81 401 93 33	79 135 10 57	2536
330 145 142 59	25 101 122 217	124 187 184 3	88848	888888	102 124 102 102	36 1198 16
458 245 170 93	131 82 175 146 320	195 253 122 16 315	1, 268 231 43 524	93 1,035 169 33	230 230	208 208 23
252 252 202 202 203 203	214 92 251 257 474	226 556 142 14 142	1, 626 313 72 741	192 60 1,746 251 65	305 349 42 268	103 167 307 25
820 472 185 175 372	317 315 213 435	230 639 130 481	1,775 523 79 774	212 66 2, 106 361 57	446 510 35 367	286
362 236 177 356	316 97 332 237 442	177 534 140 13 478	1,614 511 70 730	3,728 347 49	373 362 349	282
715 280 201 348	267 282 249 460	242 543 131 14 487	1,560 481 74 735	143 1,630 42 42	381 347 21 322	306 306 39
Illinois Indiana Iowa Kapsas Kentucky	Louistana Marine Maryland Massachusetts I Michigan	Minnesota Missouri Nebraska Nevada New Jersey	New Mexico New York North Carolina North Dakota	Oklahoma. Oregon. Pennsylvania. South Carolina.	Tennessee. Texas. Vermont.	Washington West Virginia Wisconsin Wyoming

1 Lobar pneumonia only.

Pneumonia—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924,

State	Estimated population, July 1, 1924	Ca es reported, 1924	Cases per 1,000 in- habitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases re- ported for each death registered	State
Alabama. Aritona.	394	4, 103	1.68	2, 945	1.20	1.4	Alabama. Arizona.
	3, 913, 236 1, 004, 803	13,658	1.93	3,897 1,435	1.88 1.88		Arkansas. California. Colorado.
Connecticut Dischara Columbia	1, 503, 869	11,283	1.85	1, 508	823	1.0	Connecticut. Delaware. District of Columbia
Florida. Georgia	3, 028, 728	1,003	1.02	2,922	28	1.2	Florida.
daho. Ilinois ndiana	6, 877, 737 3, 036, 775	14, 217	2.05	5,818 2,981	88.	2.4	Idaho. Illinois. Indiana.
owa Kansas		1,890	1.05	1,882	. 67	1.6	Iowa. Kansas.
Kentucky Cousisians Kopos	2, 475, 370	3, 328	1.79	9,980	9.1.	1.6	Kentucky.
Maryland. Massachusetts.	1, 521, 190	14, 184	11.12		11.	1.0	Maryland. Massachusetts.
Michigan. Minnesota. Mississippi.	4, 066, 223 2, 531, 473 1, 790, 618	4, 664 1, 913 14, 286	1.15 .76 7.98	3,333 1,786 1,410	25.55	1.1	Michigan. Minnesota. Mississippl.
Montana	629, 003	22	. 13				Montana.
Nebraska. Nove Usamobica	1,344,652	181	1.69	1,078	8.4.8	1.2	Nebraska. Nevada.
New Jersey New Maxico	3, 442, 695 375, 669	6,060	1.76	65	868	1.7	
New York North Carolina North Dakota	10, 974, 642 2, 722, 669 679, 232	20, 526	2.69		1.27	2.1	New York. North Carolina. North Dakota.
Obio. Oklahoma	6, 219, 330			10°-	2.5		Ohio.

		lan. 1, 1920.	Population Jan. 1, 1920.	•			Lobar pneumonia only.
Washington. West Virginia. Wisconsin. Wyoming.	92 87 1.09	28.82	2, 1, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,			1, 456, 106 1, 576, 143 2, 770, 291 216, 853	Washington. West Virginia Wisconsin.
Virginia.		28	2, 175			2, 423, 942 2, 423, 942	ermont. Virginia
. 62 Texas.		1.10	3, 107	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2, 408, 846 5, 018, 602	0.00 mosses
South Carolina. South Dakota.	1.19	1.19	2,098			1, 761, 746	Mode Sand outh Carolina outh Dakota
Oregon. Pennsylvania. Rhode Island.	1.45 Pennsylv Rhode Is	1.45	13,340	8.8	15,813	9, 208, 986	rregon. ennsylvania.

21010	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	401	69	2	1	-	69	2	10	*	69	63	64-	1	27	Alabama.
Arizonas	969		2				1	2	67	69	60	•	9 1	14	Arkansas.
California	2-10	•	- 10	4	2	4	9-	10	98	30 00	œ	0-		30	California. Colorado.
Connecticut	-	1	1	-	1	1	1	64	0	=	6	40 .	1	43	Connecticut.
Delaware District of Columbia	-100								2	2	2	1	1	N 00	Dist. of Columb
Florida	940	1					24			1	1	1	C4	28	Florida. Georgia.
Ilinois	-	00.	100	00	1-1	0.	12	18	20	950	37	17	=	242	Illinois.
ndiana	11		C4 C4 -	N 61 -		- 64 6	-01-	046	229	000	200	P CO P	9 09 0	282	Iowa.
Kansas Louisiana	99	- 64	-63	- 64		N 64	- 63	04	200	200	- 01	900	7.	88	Louisiana.
Maine		16		-		-6		7=	85	-=	89	110	-01	13	Maine Maryland
Massachusetts	11	100		150	*	40	**	191	8,	88	50	15	140 0	168	Massachusetts.
Michigan Minnesota	- 1	F9 69	~	•	-	14 00	200	-=	72	17	00	* *	9 69	38	Minnesota.
Mississippi		10 -		es	4.	**	600	**	60 1	60 1	41	97	80 4	45	Mississippi.
Montana	11	1	-	1		•	-	000	000		- 61	- 64	•	188	Montana.
Nebraska. Nevada	96			-	1	1	-	64	9	9	9	2		800	Nebraska.
New Hampshire	*				1		1	-	63	60	64	-		11	New Hampshire
ew Jersey.		00	- 63	00	20	64		2000	20	=	2-	*	70	20 4	New Mexico.
New York North Carolina	111	00 04	20-	001	æ	1-64	7.00	*200	2000	5 %	12000	₹~	15	307	
North Dakota	91		Ì						10:	45	40	41	014	212	North Dakota.
Oregon.	-1-	•	-	0	-		9			- 10	1			000	
Pennsylvania Rhode Island		8	9-	2	10	60		8-	17	37	27	2-	9	158	Pennsylvania. Rhode Island.
South Dakota		1		-			-	C4 -	60 4	9	40		-	Z,	South Dakota.
Texas Vermont	1111	*-	- 64			- 04	-0-	-1-00	000	+ 40 · 40	4-0	-6-	140 -1	3,55	Texas.
Virginia	-	1 40	*	*	*	80	6	18	15	12	12	1	20	86	Virginia.
Washington West Virginia	-10		1		-		-01	-1-	#0	91-	00	64 00		32	Washington.

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	64	1			8	9	10	-		61			26	Alabama.
Arizona California	90	4	0-	4		4	10	-0-	17	51	28.0	36	192	California.
Connecticut	1	64	- 61	80		2	15	36	34	19	.00	. 64	120	Connecticut.
District of Columbia.				1	-		1		12	1001	8-		8-	Dist. of Columbia.
Idaho Minois Indiana	400	2	60-1		+	1	954	35	98	51 20	15	0.00	257 78	Idano. Illinois. Indiana.
Iowa Kansas		8		0189-	0100	1 2 3	-	604	Š∞4	∞ c4 4	9	4-0	27. 10.	Iowa. Kansas. Louisiana.
Maine Maryland	C4	69		60	-4	64	13	58	888	200	71	981	139	Maine. Maryland.
Massachusetts Michigan Minnesota Mississippi	46.11	98 1	084	P-0101	10 (01 00	10 64 60 ♣	ŭ o + u	30 31 31 31	30 30	35 159 41	828	113	22188	Massachusetts. Michigan. Minnesota. Mississippi. Missonri
Montana.				*			61-	· %	84	84	0	00 64	183	
Nevsda New Hampshire	CN 10			000	9		4	88 91	200	199	41-	64 63	298	New Hampshire. New Jersey.
New Mexico. New York	121		7	7	00	20	8	353	333	214		- 25	1,210	New Mexico.
North Dakota. Ohio. Oregon		61	0100-	-81	69	4	+	27.	35	3.48	288	300	157	
Pennsylvania Rhode Island	-	-		1	10		=======================================	£ 6	800		22	9	188	Pennsylvania. Rhode Island.
South Carolina South Dakota Vermont		9					8	6	OI COI FO	200	11	4	1881	South Dakota.
Virginia. Washington	•	œ	+0	20	4-	13	14	33	258	19 206	1129	48	127	Virginia. Washington.
West Virginia Wisconsin		- 69					60 4	12	21.0	-0	19	98		

Deaths registered as due to poliomyelitis (infantile paralysis), 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Yng.	Sept.	Oct.	Nov.	Dec.	Total	State
A la bawre				-		80			-	1	1	8-	20	Alabama.
Arizona.	00	7	40	20	12	19	-62-		7	10	-4-	1.00	80°°	Arkansas. California. Colorado.
Connecticut			- 61		1			•	-	201	-		814.	Connecticut. Delaware.
Delaware District of Columbia Florida				•	10		C	11	1	-64			18	
Idaho. Illinois			1 2	8 0 8 0 8 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0		6164	24-	800	988		-6	7 -	2821	
Iowa. Kansas.			•	1	64 6	69 69	- 6	en en		-	-		: 8:	Kentucky.
Kentucky Louisiana Maine		1111					- 16	446		61461			2888	
Massachusetts		; ;,		9			. 81-	1-			84-	1000-	118 80 71	Michigan. Minnesota.
Minnesota Missouri Montana		-			-	-		100	-	nee.				
Nevads New Jersey New York		8 8	-60	1	548	-21	611-	-8"	49-	:-0-		1 200	- 128 s	Nevada. New Jersey. New York. North Carolina.
North Carolina								-						
Oklahoma Oregon Pennsylvania		2 1	7 80		60	-010		0.00		80	1010	1	11-	42 Pennsylvania. 8 South Carolina.
South Carolina South Dakota Tennessee		- -	111	64		84		8 8 8	10100			0400	-04	22 Tennessee. 27 Texas. 5 Vermont.

-4	mated
103 West Virginia. 134 West Virginia. 24 Wisconsin.	924: esti
2552	18. 1
	u rat
20 00	d fatali
15	ditu. an
£.	u. morte
NO.44	morbidit
1001	ndicated
	and i
	naralusis)—Cases reported, deaths registered and indicated morbidity, mortality, and fatality rates, 1924; estimated
N (0100	deaths
- 0.0	reported.
1 1	-Cases
	ralusis)-
n n	intile pa
Virgina Washington West Virginia Wisconsin	Poliomuelitis (info

expectancy and indicated annual rates based on the years 1917-1923

		Estim	Estimated expectancy	tancy			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths registered	Deaths per 1,000 in- habitants	Fatalities per 100 cases	State
Alabama Arizona	2, 445, 394,	1000	2-:		88	9.0	O co	8.5.8	38.5	Alabama. Arizona.
Arkunsas California Colorado	3, 913, 236	01-40	420	585	192	96.	100	388	52.1 62.5	California. Colorado.
Connecticut	1, 503,	4=0	63		120	.08	87		18.3	Connecticut.
Pinaware District of Columbia Florida. Georgia	1, 068, 520 3, 028, 728	01-010	13888		7,23	90.	*-48	3889	57.1	District of Columbia Florida. Georgia
dabo	481,	4	949		118		20.00		45.5	Idaho.
ndiana owa Kansas	3, 036, 775 2, 487, 106 1, 805, 555	.00~	483	288	253	889	222	585	20.5 16.9 51.9	Indiana. Iowa. Kansas.
Kentucky	64						26	10.		Kentucky.
Louisiana Marie Maryland Massachusetts		01-1-1-	8228	2899	2192 272	282.50	1232	9899	() () () () () () () () () () () () () (Louisiana. Maine. Maryland. Massachusetts
Michigan. Minnesota	4, 066, 223	t-t-t	255	288	741	28.5	30	8.9.	20.8	Michigan. Minnesota.
Mississippi Missouri Montana	3, 455,	- 645	38.5		388	55.8				Mississippi. Missouri.

Population Jan. 1, 1920.

Poliomyelitis (infantile paralysis)—Cases reported, deaths registered and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923—Continued

		Estim	Estimated expectancy	taney			1024			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths registered	Deaths per 1,000 in- habitants	Fatalities per 100 cases	State
Nebraska Nevada New Hampshire New Hersey New Mexico	1,344,652 1,77,407 448,882 3,442,695 375,669	60414	84124	28889	47.5%°	28888	92270	9888	10.02 2.02 2.03 2.03 2.03	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.
New York. North Carolina. North Dakota. Ohio.	10, 974, 642 2, 722, 669 679, 330 2, 200, 307	1991	ខ្លួកនាន	8989	1,210 72 157	1 18	28 c 8 s	82228	15.2 12.5 24.8	New York. North Carolina. North Dakota. Ohlo. Oklahoma.
Oregon Pennsylvania Rhode i Shard South Carolina South Dakota	834, 665 9, 208, 986 633, 036 1, 761, 746 660, 956		∞ම්ල ස	289	82 1 188 8 1 1 88	88898	-10 BO	28 82	25.2 5.8 7.4	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.
Tennessee Tenas Tenas Vermont Virginia Washington West Virginia Wisconsin	2, 408, 846 5, 018, 602 1, 352, 428 2, 423, 942 1, 456, 106 1, 576, 143	440	3288 TSE	2222 238	E 25 25	28 488	85.08 823	6666 666	884 7.28	Tennessee. Texas. Vermont. Verginia. Washington. West Virginia.

Cases of rabies in animals reported, 1924

Cases reported, 1924	318
State	Rhode Island South Carolina Washington
Cases reported, 1924	176 84 89 16
State	Mississippi Missouri New Mexico. Oklahoma
Cases reported, 1924	20° 25' 28
State	California. Connecticut. District of Columbia. Florida. Maryland.

Rabies in man-Deaths registered, 1924

State	Deaths registered, 1924	State	Deaths registered, 1924	State	Deaths registered, 1924
labama. Kanasa alifornia	8468	Massachusetts Michigan Missouri Nissouri New Hampshire.	1981	Oklahoma South Carolina Tennessee	400 x
	4000	New Jersey New York North Carolina	4460	Virginia West Virginia	64 64

Cases of Rocky Mountain spotted, or tick, fever reported, 1924

												-		
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
alifornia Odorado.		-	1	8-24	el to the	101	9	1			1	2	& 12 T 30	California. Colorado. Montana. Oregon.
outh Dakota			1		-21 4	10	3	3		1	1	I	27.5	South Dakota. Wyoming. Wisconsin. Washington.

Deaths registered as due to Rocky Mountain spotted, or tick, fever, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
lorado				C4	600		64-		2			0 0 0 0 0 0 0 0	-512-	Colorado. Idabo. Montana. North Dakota.
abinaton				80	64						8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		10 -	Oregon.
ODDING			1		7	64			C				10	Wyoming.

Scarlet fever-Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive

State	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Aritona Arkansas California. Colorado.	1041010	\$22 508 201 201	\$25 51 103	¥1224 901	82228	82228	25 - 25 25 - 25 25 25 - 25 25 25 25 25 25 25 25 25 25 25 25 25 2	162 162 163 163 163 163 163 163 163 163 163 163	55 E E E E E	**## 8**#	355 £ 130	85.7 15.8 85.5 2.5 82.5 2.5 82.5 82.5 2.5 82.5 2.5 82.5 82.5 2.5 82.5 2.5 82.5 82.5 2.5 82.5 2.5 82.5 82.5 2.5 82.5 2.5 82.5 82.5 2.5 82.5	981 45 100 100	608 145 351 4,086 1,022	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbia Florida. Georgia.	reree	38 22 22 23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	2822	366 40 210 210 210 210 210 210 210 210 210 21	252 25 34 97 97 97	272	159 20 5 4 7 8	808808	282-2	582-2	\$2238	\$255 \$25 \$25 \$25 \$25 \$25 \$25 \$25 \$25 \$25	436 252 123 124 125 126	3,035 471 732 115 656	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.
Idaho Illinois Indiana Iowa Kansas	40000	1,95 2,55 3,55 3,55 4,55 5,55 5,55 5,55 5,55 5	1,817 548 339 403	1,390 270 348	880888 880888	33 316 249 215	475 196 122 122	2 1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	52225	13 526 195 125 272	1,082 420 220 854 854	1,307 445 328 460 400	35 1,314 490 338 458	371 12,056 2,710 3,565	Idaho. Illinois. Indiana. Iowa. Kansas.
Louisiana Maine Maryland Massachusetts Michigan		32 134 447 1, 207	81848	82889,1	24.8 73.6 923.9 923.9	16 81 175 755 726	08 1115 538 538	88 88 88 88 88 88 88 88 88 88 88 88 88	32525	16 112 281 522	SS 521 SS	41 286 661 1,150	39 106 329 917 1,164	278 925 7,709 9,77	Louisiana. Maine. Maryland. Massachusetts. Michigan.

Minnesota. Mississippl. Missouri. Montana. Nebraska.	Nevada. New Hampshire. New Jersey. New Mexico. New York.	North Carolina. North Dakota. Ohio. Oklahoma.	Pennsylvania, Rhode Island, South Carolina, South Dakota,	Tennessee. Texas. Vermont.	Washington. West Virginia. Wisconsin. Wyoming.
3, 649 3, 649 1, 741	4, 501 16, 236	2,046 864 12,697 476 756	14,940 569 166 1,317	936 839 671 1,940	1, 708 1, 863 5, 804 228
327 009 133 248	494 1,598	267 104 1,576 53	1,950	126 137 208	271 271 679 82
មីទនិននិ	386 386 1,417	353 1, 575 73	1,866 88.131	112 124 128 128	159 315 607 22
198 78 87 147	28588	1,310 86 38	1,389 47 26 115	2245	148 340 213 213
25 145 145 145 145	5 151 151 16 527	265 241 24 24 24 25 25	82233	22 23 23 23 23 23 23	135 195 213 16
33.25.2	283 883 883	88888	417 16 13 34	\$825	173 173 12
883988	136 136 8 875	327238	2818	5255 5255	200
28382 28382	35 292 18 1,079	88888	88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2288	112 57 339 17
25 28 29 29 20 20 20 20	31 485 27 1,745	888888	1,153 55 56 78	2882	258.22
\$25 55 55 55 55 55 55 55 55 55 55 55 55 5	2,423 2,423 2,423	70 1,135 25 69	1,312 54 6 111	8888	215 475 23
579 328 328 192	43 600 50 50 2, 237	1,264 28 28 28 35	1.674 54 8 127	8882	215 80 82 82
546 33 398 257	3 517 50 1,706	1,500 17	1,491 48 194	5828	217 127 227 228
366 48 438 1125 275	5 564 58 1,629	1,576 1,576 99	1,813 59 16 190	238852	280 28
	84841	9220		4468	
Minnesota. Mississippi Missouri Montana. Nebraska.	Nevada. New Hampshire. New Jersey. New Mexico. New York.	North Carolina. North Dakota. Ohio. Oklahoma.	Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont.	Washington West Virginia Wisconsin Wyoming

	State	Alabama, Arizona. Arkansas. California. Colorado.	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.	Idaho. Illinois. Indiana. Iowa. Kansas.	Kentucky. Louisiana. Maine. Maryland. Massachusetts.	Michigan. Minnesota. Mississippi. Missouri. Montana.	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	New York. North Carolina. North Dakota. Ohlo.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.
	Total	666 397 309 8, 955 1, 688	5,658 399 1,260 152 407	300 11, 702 4, 323 1, 892 3, 348	736 1, 305 3, 855 14, 410	12,995 10,116 474 6,628 1,042	962 1,051 6,461	21, 586 2, 255 1, 779 13, 601	1, 108 18, 458 2, 584 2, 208
	Dec.	88 55 67 737 136	25.0 173.0 28.0 28.0 28.0	1,516 462 215 215	86 149 389 1,411	1,227 1,001 61 937 61	F. 1888	2, 262 215 215 1, 718 1, 718	2, 1,633 104 8,835 8,835
	Nov.	115 22 24 25 25 25 25 25 25 25 25 25 25 25 25 25	432 442 77 86	1, 105 163 160 154	149 178 203 937	1,018 846 79 1,025 105	25 4 5 8 2 4 8 8	1,467 278 1,467 88	1,948 101 7
	Oct.	110 30 55 513 105	28802	71 2 4 2 5 2 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5	28225	887 287 287 287 287 287 287	E 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	276 276 1,186 1,186	1,3%
720	Sept.	252252	28 28 28	396 143 73 211	2088	825 252 252 253 253 253 253 253 253 253 2	¥882	\$51 \$51 \$8	57 630 16 17 112
orted, 15	Aug.	88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	24228	108 E85.	82282	255 43 37 37	31.010 000 000 000	354 74 55 801 9	375 25 25 25 25 25 25 25 25 25 25 25 25 25
Cases of scarlet fever reported, 1924	July	302 302 362 362	a∞8 ¤	383 118 95 95	38.38.212	202 203 45 45	8 78°	98 98 374 10	383 47 107
scarlet	June	22.23.23.23.23.23.23.23.23.23.23.23.23.2	##28°#	18281	25 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	917 557 343 38	37 575 516 81	1,576 114 97 610 25	1,062 130 1 150
Cases of	May	282282	242-4	1,009 383 137 212	1,44,1	1, 128 824 102 103 101	922 229 4 28 4	2, 347 214 120 952 81	1,491
	Apr.	1, 198 1, 198	52888	1, 148 188 188 188 188 188 188	81 65 129 607 1,719	1,416 1,061 27 508 100	82228	2, 938 223 131 1, 329 31	1,678 510 8 8
	Mar.	1,128 34 158 158	865 58	1,519 510 287 287	2, 167 167 100 100	1,866 1,219 28 665 107	104 61 828 33	3, 131 200 292 1, 742	2,154 496 15 250
	Feb.	35 24 1,176 226	¥2588	1,317 464 275 342	30 116 580 2,076	1,510 1,399 25 580 131	137 777 88	2,770 187 231 1,766	2, 208 413
	Jan.	1,68888 24888	1588 1888 1888	1,587 887 888 428	2, 082 120 120 120 120 120 120 120 120 120 12	1,617 1,371 202 502 155	22 13 151 38	2,763 245 225 1,692 50	2, 210 436 22 22 332
	State	Alabama. Arizona. Arkansas. California.	Connecticut Delaware District of Columbia. Florida. Georgia	Idaho Illinois Indiana Iowa. Kansas	Kentucky Louisiana Maine Maryland Massachusetts	Michigan Minnesota Missispipl Missouri Montans	Nebraska Nevada New Hampshire New Jersey New Mexico	New York North Carolina. North Dakota. Ohio	Oregon. Pennsylvania Rhode Island South Carolina. South Dakota.

Fennessee. Fexas. Vermont.	Washington. West Virginia. Wisconsin. Wyoming.
1,160 2,478	2, 155 1, 745 8, 598 273
	176 213 643 14
	159 452 38
	163 462 28
	111 206 12
	75 96 11 11
	284 252 2
	147 89 536 10
22.25	200 1137 657 44
86 48 88 148 88 88	214 95 1,005 17
	1, 414 1, 414 23
255 255 255	239 1,357 21
113 77 354	323 1,375 53
Tennessee Texas Vermont Virginia.	Washington West Virginia Wisconsin Wyoming

187 | 203 | 2,298 | South Dakota.

160

150 107 53

South Carolina.

Deaths registered as due to scarlet fever, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	4	63	1	1	80	-61	64			10000	*-		33°	Alabama. Arizona.
Colorado	12	1119	133	17	00	1-64	40	5	N CO PI	44	04	949	4520	Colorado.
Connecticut	00 61	00		22 0	10	•		1	-	10	61	69	85	Connecticut.
District of Columbia.		1	•			69					1	60	9000	Dist. of Columbia.
Georgia	00	8	-		- 69	-	1	1	1	63	2	64	.28	Georgia.
Idaho		233	01 Kg	200	80	20	400	+	9	6	15	30	206	
Indiana Iowa Kansas	-9-	-14	-1 <u>8</u> 0	+ Q m	700	*40		480-	40101	240	4014	¥ 80	433	Indiana. Iowa. Kansas.
Kentucky Louisiana	20		C9 C9	63	∞ -			69	-	1	60	7	77	MJ
Maine Maryland Massachusetts19	19	448	10 to 15	-~ n	644 13	22	888	80-140	10		142	e æ	ងដូច	Maryland. Massachusetts.
Michigan	823	88	22	518	82	919	125	21.00	21.0	16	28	នន	288	
Missouri Montana Nebraska		31-0	₹ −8	5-2	졌아~	10-4	œ	60 60	4	E 63 4	₩.	840	2000	222

Deaths registered as due to scarlet fever, 1924—Continued

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State
Nevada	1			-									-	Nevada.
New Jersey	9.		10		9	6	50	C4	-		eo -	40.0	30	New Jersey.
New York	37	-30	158	- G ==	-88	17		989	1000	-0-	15	, t. 4	28	New York. North Carolina.
North Dakota	67.3		48	æ 55	es 83	25	89.40	-0	13	13.2	78	282	25.28	North Dakota.
Oklahoma Oregon Pennsylvania	ကစည်	ကလည္	2 88	288		-21	g	8-2	1191	genn	7-2	30	335	Oklahoma. Oregon. Pennsylvania.
South Carolina.			140	c				2				*	200	South Carolina. South Dakota.
Tennessee	000	**	-81		00 01			-	-	161-		9-1	283	Tennessee. Texas.
Vermont			N (20			Α .		- 0	N 0		Virginio.
Washington Washington	1-10	10 KG K	70 4 0	0-6		00 10	0-8		40	9-0	0010	0 H 4	883	Washington. West Virginia.
Wisconsin	- 23 -	. K.	· 85 -	ลา	22.	15		100	200	=	121	61		Wisconsin.
and a supplied to	•	•		•				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•					

Scarlet fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923

		Estim	Estimated expectancy	tancy			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases per Cases re- nabitants ported	Cases pe 1,000 in habitan	r Deaths registered	Deaths per 1,000 inhabit- ants	Fatalities per 100 cases	State
Alabama Artzona Arkansas California Colorado.	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 803	1-41-1-1-	608 145 351 4,086 1,022	8.18.11 8.18.11	666 397 309 8, 955 1, 588	1. 29 1. 29 1. 28 1. 28	423 824	98889	911991 71601	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware	1, 503, 869	1-00	3,035	9 5 18 8 88	5,658	3.76	80	28	1.1	Connecticut, Delaware.

	3, 028, 728	910	115	=8	152	27.2	860	85	4	District of Columbia. Florida. Georgia.
idabo. Ilinois Indiana. Gwa. Kansas	481, 125 6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555	41-1-1-1-	12,056 2,341 3,710 3,565	.11.12 21.12 21.28 21.00	11, 702 4, 323 1, 892 3, 348	1.1.2 242.1 83.2 83.2 83.2 83.2 83.2 83.2 83.2 83.2	206 72 72 41 41	88888	44144 98709	Idaho. Illinois. Indiana. Iowa. Kansas.
Kentucky Jouisiana Maryland Maryland Massachusetts.	2, 475, 370 1, 864, 385 779, 900 1, 521, 190 4, 077, 599	44448	25. 25. 26. 26. 26. 26. 26.	11.820.13	736 1,305 3,855 14,410	98528	2222	2888	81111 111884	Kentucky. Louisiana. Maine. Maryland. Massachusetts.
Minnesota. Misnesota. Missisppl. Missouri.	4,066,223 2,531,473 11,790,618 3,455,376 629,003	40444	9 8 8 2 10 8 2 10 8 2 10 8	11.19	12,995 10,116 474 1,0428	88888	207 207 10 32	28288	99999	Michigan. Minnesota. Mississippi. Missouri. Montana.
Nebraska. Nevada. New Jersey. New Jersey.	1,344,652 1,77,407 448,582 3,442,695 375,669	@8454	1, 74 48 39 103, 48	828248	962 1,051 6,461	. 944.1 28.28.88	8-112 x	89888	8 .4-14 60000	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.
New York North Carolina North Dakota Ohio	10, 974, 642 2, 722, 669 679, 232 6, 219, 330 2, 200, 307	1-01-10	16, 226 2, 046 12, 697 476	21. 138 82. 19 19 19 19	21, 586 13, 2255 13, 691 622	1.44. 2828	55 88 88 88 88 88 88	85895	44949	New York. North Carolina. North Dakota. Ohio.
Oregon Pennsylvania Rhode Isania South Carolina South Dakota	834, 665 9, 206, 986 633, 036 1, 761, 746 660, 956	Persona	14, 940 16, 940 166 1, 317	85458	1, 108 18,458 2, 584 2, 288	-144 .8 8888	335 23 23	82 82	11 81	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.
	2, 408, 846 5, 018, 602 1 352, 428 2, 423, 942	4400	838 839 671 1,940	8.1.38 8.88	1, 160 2, 478	1.33	2222	2882	81111 27-84	Tennessee. Texas. Vernont. Virginia.
Washington West Viginia Wisconsin Wyoming	1, 456, 106 1, 576, 143 2, 770, 291 216, 853	le te te te	1,798 5,863 238 238	1121	2, 155 1, 745 8, 598 273	1,3,1,1 2,01 2,01 2,01 2,01	8827	22.28	16646	Washington. West Virginia. Wisconsin. Wyoming.

Population Jan. 1, 1920

Cases of septic sore throat reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Solorado Sonnecticut Jeorgia Hillinois Maine	801-30	-340	HISPOR	w 21 +			100 AC	0400	no-	2404	89 SE	084ra	8.85 5.88 8.83 5.88	Colorado. Connecticut. Georgia. Illinols. Maine.
Maryland. Massachusetts. Missouri Montana	44ges	8 11 16	73544	87194	7.88.50	⊕ 46∺	954×	45°5	พะอัล	r-084	este.	2883	250 170 170 171	Maryland. Massachusetts. Michigan. Missouri. Montana.
Dshire	•	•	8	-			63		64	1	60	80	82	ZZ
New Mexico	30	w 3	82	mg.	88	40	88	55	10	14	CH IO	30	351	New Mexico. New York.
North Carolina.	=4.	-20	200	13	08	08	986	828	17.	83	14	580	143	North Carolina. Ohio.
South Carolina	110	900	9 69	-	7 !	200	10.	1		8	3	9	8	South C

Deaths registered as due to septic sore throat, 1924

6 84 64 65 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
0 4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Connecticut	-		1	1	-		64				64	1	10	Connecticut.
20 4 20 4 20 20 20 20 20 20 20 20 20 20 20 20 20	ware iis nna			1212	-04	1112	102	-66	200	-1010	5040	8 8	800	118	Illinois. Indiana. Iowa.
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	siana	40	6-1	60 64	64	64	1	604	8-1	-81	-64	6160-	-	22.	Kansas. Louisiana.
6 5 6 77 77 88 88 88 88				4-80	9	w m	-8		m 61	60		- 00 04	∞ 4	484	Maryland. Massachusetts
	York	9		-0	\$	90	7	10	00		40	7	19	81	

2 10 Oregon.	2 A	2 2		
-0	-	69		
1				
	-			
•	-			
0-1	6.9			
	1			
•				
-			-	
000			-	
	-			
			-	

Septic sore throat—Cases reported, deaths registered, indicated morbidity and mortality rates, and cases reported for each death registered, 1924

Stato	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 in- habitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases re- ported for each death registered	State
Colorado Connecticut Delaware Georgia	1,004,803 1,503,869 232,590 3,028,728	28 8	0.0 .04	028	0.01	6.6	Colorado. Connecticut. Delaware. Georgia.
Lilinots. Indiana Iowa Kansas Anti-	6, 877, 737 3, 036, 775 2, 487, 106 1, 864, 385 1, 864, 385 779, 900	28 98	10.	116 97 27	8 9989	2.6	Illinois. Indiana. Iowa. Kansas. Louisiana. Maine.
Maryland. Masachusetts Michigan Missouri Montans	1, 521, 190 4, 077, 599 4, 066, 223 3, 455, 376 629, 003	250 171 171 171 171 171 171	22888	428	8.0	3.6 3.6 17.0	Maryland. Masschusetts. Michigan. Misouri.
Nebraska. New Hampshire New Mexico. New York North Carolina.	1, 344, 652 448, 882 375, 669 10, 974, 642 2, 722, 669	85 18 143	22888	9026	9. 00.	20.4 20.4	Nebraska. New Hampshire. New Mexico. New York.
North Dakota Orlio Oklahoma Oregon	679, 232 6, 219, 330 2, 200, 307 834, 665	543	60.	2 83 2	9. 10.		North Dakota. Ohio. Oklahoma. Oregon.
Rhode Island. South Carolina. Vermont.	633, 036 1, 761, 746 1 352, 428 216, 853	38	89	100	.01		Rhode Island. South Carolina. Vermont. Wyoming.

1 Population Jan. 1, 1920.

Smallpox—Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive

Stats	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oet.	Nov.	Dec.	Total	Stata
Alabama Arizona Arkansas California Colorado.	*000.0	82 ± 82 ± 82 ± 82 ± 82 ± 82 ± 82 ± 82 ±	26 26 26 26 26 26 36 36 36 36 36 36 36 36 36 36 36 36 36	38188	E8888	58823	37 15 39 148	34883	21 411	1-112	2 - o 5 3	8-885	÷+8888	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.	Alabama Arizona. Arkansas. California Colorado
Connecticut Delaware District of Columbia Florida Georgia	P80-00	8-682	uo-ag	.0883sos	10888	116611	80485	10873		20-02	-0-00	-0463	-0823	33 2 50 151 813	
Idaho Illinois Indiana Iowa Louisiana	44448	222 223 223 223 223 223 223 223 223 223	28 462 366 157 158	433 443 218 153	ងខ្លួននួន	22522	282 314 165 165	25E82	52153	58883	7.7 126 74 26	522 622 622 823 823 823 823 823 823 823 823 823 8	228 228 170 29 20 20 20 20 20 20 20 20 20 20 20 20 20	245 2,900 3,197 1,777	
Matne. Maryland. Massefusetts. Michigan. Minnesota.	PP-PP	2022	12 12 273 872	14 17 266 276	261 261 272	14 13 257 230	10 6 230 192	01 - 18 118 118	10 136 136 59	18 18 18 18 18 18 18 18 18 18 18 18 18 1	9 2 137 125	9 171 198	192 270	2, 393 2, 393 3, 393 3, 393	Maryland. Massachusetta. Michigan. Minnesota.
Mississippt Missouri Montana Nebruska. Nevada.	861-818	52 52 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5188124	28.5 2.5 2.5 2.5 3.5 4.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5	28 118 128 128	18881	88 86 88 88 88 88 88	882*-	8272	232821	888811	52300	85320	859 986 18	Mississippi. Missouri. Montana. Nebraska. Nevada.
New Hampshire. New Jersey New Mexico. New York North Carolina.	4401-0	242 241 241	38520	02581	110 110 870	128 23 22 328 228 228 228 228 228 228 228	148241	82000		00014	10014	04468	126.521	2,257,22 s	New Hampshire. New Jersey. New Mexico. New York. North Carolina.
North Dakota. Obio Oklahoma. Oregon Pennsylvania.	P-480P	26333	282 173 141 151 151	857 88 88 88 88	280 185 172	252 252 252 252 253 253 253 253 253 253	82828	55848	22283	058 a & &	821 888 888	83820	125223	3, 104 1, 143 506 193	North Dakota. Ohio. Oklahoma. Oregon.

Rhode Island. South Carolina. South Dakota. Texas. Vermont.	Virginia. Washington. West Virginia. Wisconsin.
278 818 1,120	
08242	25 25 25 c
-18821	22 22 25 E
085EL	5222.
15533	r4282
123370	2527°
o5\$1-	48880ge
26 162 1	101 83
08 172 1	81 127 36 175 8
28921	86 134 112 10
04832	96 165 136 6
255 139 3	82854
-22522	125 205 4
r-1-4-	041-0 <i>d</i>
Rhode Island. South Carolina South Dakota Texas.	Virginia Washington Wast Virginia Wisconsin

Cases of small pox reported, 1924

	Jan.	Feb.	Mar	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arizona. California. Colorado.	1, 443 1, 443	130	228 6 1, 196 11	278 3 44 1,746	328 21 27 57 11	85 85 84 84 84	126 431 10	80011	1 2 2 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	107 205 327 0	28 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	252 252 253 1	2, 394 160 467 1 9, 425 75	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware Dist. of Columbia Florida Georgia	208888	£2881-7	29 17 17 183	30222 2022 2022 2022 2022 2022 2022 202	2128012	x0r48	208	-0-0	00	00-00	40	00001	100 147 117 2,107	Connecticut. Delaware. Dist. of Columbia. Florida.
idaho. Ilinois Indiana Iowa. Kansas	367 367 252 121	374 374 195	28822	1119228	162 162 615 110 110	241 458 80 80 105	28528	25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	22220	12122	28 28 28 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	78 166 219 33 35	3,751 3,751 1,154	Idaho. Illinois. Indiana. Iowa. Kansas.
Kentucky Louisiana Maine Maryland Massachusetts	250mg	чэрын	27422	88 a 80	15 mm	មនិត្ត	ភិភពមម	82000	20-0	201-60	28000	88000	322 489 10 97	Kentucky. Louisiana. Maine. Maryland. Massachusetts.
Michigan Minnesota Mississippl Missouri Montana	543 244 20 33 212	549 275 102 51 108	23.8 24.2 111.2 1 1 1 1	88 88 88	571 251 888 71	98 146 25 25 25 25 25 25 25 25 25 25 25 25 25	82228	111 85 83	155228	362 56 362 36 38	458 432 437 437 437 437 437 437 437 437 437 437	882228	4, 527 3, 125 711 635 950	Michigan. Minnesota. Mississippi. Missouri. Montana.

20 cases, month not given.

Cases of small pox reported, 1924—Continued

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Nebraska		10		80	22	17	8.	10	89	90	78	07		Nebraska.
New Hampshire. New Jersey. New Mexico.	102.00	-12	. v 2 v	0080	-010	08	11.8	110	150	om	goñu goñu	0000	365	New Hampshire. New Jersey. New Mexico.
New York North Carolina North Dakota Ohio Oklahoma	8878%	52423		13 661 661 115	255 719 105	86.88 86.88 86.88	85 5 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		22232	27.00 27.00 31.00	155 78 350 71	152 152 356 356 27	3,845 5,397 1,007	New York. North Carolina. North Dakota. Ohio.
Oregon Pennsylvania Rhode Island South Carolina South Dakota	82083	\$1.08°a	FE-58	21 of 51	880 88 0 72	33008	88018	\$8000	ggora	88015	\$1°8\$	80088	286 388 286 388 286 388	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.
Tennessee Texas. Vermont Virginia.	82233	1814		196	414 240 1 62	105	24.8		15 50 s	22008	138	162	3, 100 1, 380 295 295	Tennessee. Texas. Vermont. Virginia.
Washington West Virginia Wisconsin Wyoming	362	25.25.0		263 47 135	205 112 2	115 206 4	125 13 85 2		8 04 8	E-20	12889	2449	1,973 1,236 2,23	Washington. West Virginia. Wisconsin. Wyoming.

Deaths registered as due to small pox, 1924

State	Jan.	Feb.	Mar	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama				1	12	0101	7						202	Alabama. Arizona.
Arkansas. California. Connecticut.	60	40	61 61	9	C4	-69	1		60	14	14	2 2	480	Arkansas. California. Connecticut.
Georgia	es ==		+01	10 00	99	67		1		1	1	64	25	Georgia. Illinois.
ndiana lowa Kansas	7 2		7 7	+	- 1 1	1	1	64		1		00	8 I 4	Indiana. Iowa. Kansas.
Kentucky			-	1				61	64				1001	Kentucky.
Massachusetts. Michigan. Minnesota.	-81	-40		12	100	25 ac	15	111	2	72	1 98	140	2,208	Massachusetts. Michigan. Minnesota.
Missouri Montana Mohadra	1		1	1									cam.	Missouri.
New Jersey.					-		1	- 00	- 2	64-	61	9	-32 %	New York.
North Carolina.		80	•	10	9	-		1	1		5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-	24	North Carolina
Ohio Oklahoma Oregon		1	8-	8-1	· -	82 -	10	13	69	8	80	64-	· go n	Ohio. Oklahoma. Oregon.
Pennsylvania South Carolina South Dakota Tennessee		1 2	64 64		21	4-1	=	9 2	10	2	+	2 1	80000	Pennsylvania. South Carolina South Dakota. Tennessee.
Virginia Washington				1	1			-					. 0101	Virginia.
Wisconsin		1	1	1		1	1	2		1		60	17	West Virginia. Wisconsin.

Smallpox—Cases reported, deaths registered, and indicated morbidity, mortality and fatality rates, 1924; estimated expectancy and indicated annual rates based on the years 1917-1923

			Rstim	Estimated expectancy	tancy			1924			
	State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths registered	Deaths per 1,000 inhabit- ants	Fatalities per 100 cases	State
Alabama Arizona Arkamas California Colorado	Alabama Aritona Arkansas Colifornia	2, 445, 551 384, 331 1, 834, 566 3, 913, 236 1, 004, 868	40.01.10	245 154 1,631 147	9. 82.25.	2,394 160 467 9,445 75	0.98 12.24 14.00	28480	0.0 0.0 0.0 0.0 0.0	9.21	Alabama. Arkanaa. Arkansaa. California. Colorado.
Connecticut Delaware District of Columbia Florida. Georgia	Connecticut Delaware District of Columbia Florida Georgia	1, 508, 869 232, 590 486, 636 1, 068, 520 3, 028, 728	Per p	33 20 151 813	89113	100 1 147 1117 2, 107	58838	4000%	90.	5.0	Connecticut. Delaware. District of Columbia. Florida. Georgia.
Idaho. Illinois Indana Iowa Kansus	daho. Ilinois odiana owa. Gnesa.	481, 125 6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555	-1448	245 245 24,197 777,1	3.582	3,751 3,751 872 1,154	18282	0985	8888	22.2	Idaho. Illinois. Indiana. Iowa. Kansas.
Kentucky Louisiana Maine Mayland Massachusetts	Kentucky Louisiana Malio Marsiand Massachusetts	2, 475, 370 1, 864, 385 779, 900 1, 521, 190 4, 077, 500	90000	######################################	18889	282222	28288	20000	88 8	1.6	Kentucky. Louisians. Maine. Maryland. Massachusetts.
Michigan Minnesota Missisippi Missouri Montans	Michigan Minnesota Mississippi Missouri Montans	4, 066, 223 2, 531, 473 11, 790, 618 3, 455, 376 629, 003		4,4,2,338 838 858 858 858 858	13.431	4. 8.128 117 888 980	12	202	82888	29. 088.	Michigan. Minnesota. Mississippi. Missouri. Montana.
Nebraska Neveda New Hampshire New Jersey New Mexico	Nebraska Nevada New Hampshire New Jersey New Mexico	1, 344, 652 1, 77, 407 448, 882 3, 442, 695 375, 669	0100 4 4 10	82 × 85	ដង់នទំនំ	84588	*******	-0-20	8 88	8. 10.0 4.4	Nebraska. Nevada. New Hampshire. New Jersey.

North Carolina North Dakota Ohio. Oktahoma	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2	-61-40	2, 283 3, 104 1, 143	22882	3, 845 575 5, 597 1, 007	24.8884	2-8°	82828		North Carolina. North Dakota. Ohio. Oklahoma.
Oregon Pennsylvania Rhode Island. South Carolina	834, 665 9, 208, 986 633, 036 1, 761, 746 660, 956	1111111	306 193 278 818	20053	338 338 388 388 388 388 388 388 388 388	82883	8 9 10 R	88 88	11.5	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.
Tennessee Texas Vermont Vignis	2, 408, 846 5, 018, 602 1, 352, 428 2, 423, 942	41-00	1,120	288	3, 100 1, 380 64 295	1.28	00 00 00	88 8	8.1. 1.	Texas. Vermont. Virginia.
Washington West Virginia Wisconsin Wyoming	1, 456, 106 1, 576, 143 2, 770, 291 216, 853	41-88	1, 202 367 1, 459	******	1,973	8838	8810	888	-100	Washington. West Virginia. Wisconsin. Wyoming.

Population Jan. 1, 1920.	1920.				Cases	of syph	Cases of syphilis reported, 1924	rted, 192	7:					
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama Arizona Arkansas California	252 260 200 200 200 200 200 200 200 200 20	1,087	597 32 235 1,120	58883	98 13 196 196 196	30 30 227 795	621 14 204 812	246 939	808388	624 122 232 199	265 10 791	574 183 183	6, 976 24, 778 10, 639	Alabama. Arizona. Arkansas. California.
Connecticut. Connecticut. Plorida Florida Georgia	8 8 8 56 16	s 68 28 2	270 270 545 11	197 197 188 188 188	218 15 467 7	348 348 567	131 15 398 479 5	281 18 392 18	8 8 8 8 8 8	118 1462 451 6	25 28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 11 8 8 12 8 8	1,389 169 169 4,316 5,764	Connecticut, Delaware, Florida, Georgia, Idaho,
Illinols. Indiana Iowa Kansas. Kentucky	831 156 158 198 91	781 187 117 96 2,413	916 144 100 81 81	2, 431 126 126 127 138 138	1,013 142 132 135 2,463	874 126 63 81 81 2,361	747 147 247 97 1, 949	1,056 135 252 252 52 52 3,490	837 208 208 61 2 495	989 172 92 46 2, 643	759 175 65 42 2, 597	2, 257 88 88 857 87 87 87 87 87 87 87 87 87 87 87 87 87	10,549 1,858 1,654 925 29,243	Illinois, Indiana, Iowa, Kansas, Kentucky,
Louisiana Maine Maryland Massachusetts Michigan	\$52842 \$62842	381 68 267 492 1, 157	327 39 288 288 517 1,067	396 35 262 262 1, 224	\$2 12 2 \$5 \$3 12 12 2 \$6	391 27 187 1,033	383 50 237 1, 131	343 36 215 479 874	393 275 275 548 1, 292	32 28 45 47 47 47 47 47 47 47 47 47 47 47 47 47	251 60 195 195 1,047	303 30 174 1,116	4, 22, 23, 23, 24, 25, 260, 27, 291, 290, 290, 290, 290, 290, 290, 290, 290	Louisiana. Maine. Maryland. Massachusetts Michigan.

Cases of syphilis reported, 1924—Continued

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Yng.	Sept.	Oct.	Nov	Dec	Total	State
Minnesota Miselscippi Miseuri Montana Nebraska	478 589 340 340 115	405 266 286 122	384 738 415 113	£82528	86228	254 256 256 256 256 256 256	85 228 817 85 88	225 225 225 240 240	282 282 282 282 282 282 282 282 282 282	858 888 888 888 888 888 888 888 888 888	353 912 100 100	248 248 248 25 25 25	4,00,00 8,00,00 1,00 1,00	Minnesota. Mississippi. Missouri. Montana. Nebraska.
New Hampshire New Jersey New Mexico New York North Carolina	380 380 2, 204 233	2,179 303	323 323 323 323 323 323 323	280 280 2, 126 288	25 5 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	2, 25, 4, 25, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	2 228 242 242	2, 140 2, 140 281	15 291 1,808 316	2,084 310 341	2 808 146 154 154	2, 301 2,301	3, 586 3, 586 27, 475 3, 152	New Hampshire. New Jersey. New Mexico. New York. North Carolina.
North Dakota Ohio Oklahoma Oregon Pennsylvania	8688 K	188±5	518 518 485 845 845 845 845 845 845 845 845 84	188828	8252	231 231 212	71 181 182 183 183 183 183 183 183 183 183 183 183	12188	ដងិដូននិ	25288 28288	528 286 197 197 197 197 197 197 197 197 197 197	208 208 218 218	5, 539 3, 602 2, 626 2, 626	North Dakota. Ohlo. Oklahoma. Oregon. Pennsylvania.
Rhode Island South Carolina South Dakota Tennessee	20112	8 137 8 272	8528	386 156 296 296	248 280 248	175 145 260	280\$	321 321 15 347	38.0 S.	191 101 279	58 197 111 275	222	2, 445 2, 521 3, 718	Rhode Island. South Carolina. South Dakota. Tennessee.
Texas Utah Vermont Virginia	1, 181	1,125	1,483	119 200	87 81 181	8°24	941 122 6 136	208 12 15 113	2222	794 16 195 195	F2 22	839 118 149	10, 438	Texas. Utah. Vermont. Virginia.
Washington West Virginia Wisconsin Wyoming	258 258	343 513 10	25.88.83	188 1	330 40 19	379 379 50 50 51	38800	15 2 2 1	63 551 49	445°	55 410 42 5	419 52 9	4, 463 676 1.93	Washington. West Virginia. Wisconsin. Wyoming.
Total	16, 296	16,675	17,420	16,450	16,830	15, 249	15, 938	15, 362	16, 761	17, 438	15, 550	16,000	195, 969	

1 Information not available for the entire year.

Syphilis—Cases reported and indicated morbidity rates, 1924

Cases per 1,000 in- habitants	9.1 28.2.28	2.1.15 2.1.5 2.08	88888
Total cases re-	2, 539 2, 602 2, 562 2, 626	2, 521 2, 521 3, 718 10, 438	2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Estimated popula- tion, July 1, 1924	679, 232 2, 200, 330 2, 200, 307 834, 665 9, 208, 986	633, 036 1, 761, 746 660, 956 2, 408, 846 5, 018, 602	1 352, 428 2, 423, 942 1, 456, 106 1, 576, 143 2, 770, 201
State	North Dakota Ohio Oklahoma Oregon Pennsylvania	Rhode Island. South Carolina. South Dakota. Tennessee. Texas.	Vermont Virginia Washington West Virginia Wisconsin
Cases per 1,000 in- habitants	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5.32 5.32 7.46 19.	.14.1 52835 1
Total cases re- ported	4, 231 5, 234 5, 791 12, 990	4,9,9,4, 8,82,1, 1,25,22,1	3, 586 3, 586 27, 475 3, 152
Estimated popula- tion, July 1, 1924	1, 864, 385 779, 900 1, 521, 190 4, 077, 599 4, 066, 223	2, 531, 473 11, 790, 618 3, 455, 376 629, 003 1, 344, 652	448, 882 3, 442, 695 375, 669 10, 974, 642 2, 722, 669
State	Louisiana Maine Maryland Massachusetts Michigan	Minnesota. Mississippi Missouri Montana. Nebraska.	New Hampshire
Cases per 1,000 in- habitants	20.12 20.12 20.12 20.12 20.13	21.284	25.1 26.1 26.1 28.11
Total cases re- ported	6, 976 2, 744 2, 778 10, 639	1, 380 109 4, 316 5, 764	10, 549 1, 858 1, 654 20, 243
Estimated popula- tion, July 1, 1924	2, 446, 551 304, 331 1, 834, 596 3, 913, 236 1, 004, 803	1, 503, 869 232, 590 1, 068, 520 3, 028, 728 481, 125	6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555 2, 475, 370
State	Alabama Arizona Arkansas California Colorado	Connecticut Delaware Florida Georgia	Illinois. Indiana Ilowa Kansas. Kentucky

1 Population Jan. 1, 1920.

Cases of tuberculosis (all forms) reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	147	125 826	1119	1,129	196	155	324	317	213	416	109	144 819	2, 414	Alabama. California.
Colorado Connecticut Delaware	184	35	1351	552	151	158 153 15	218 163 25	287 135 37	137	258	8228	2112	1,736 368	Colorado. Connecticut. Delaware.
District of Columbia. Florida Illinois. Kansas Maryland	1, 328 340 340 173	107 135 1,077 180 180	1,1120 1,111 166 169	102 1,482 291 291	107 136 1, 262 210 234	1,223 1,223 203 203 203	1,582 1,582 1,582 1,582 1,583	1,799 1,799 147	1, 135 194 194 308	11.237 1.230 200 247	117 138 880 193 250	92 925 192 217	1, 330 1, 522 15, 041 2, 554 3, 125	Dist. of Columbia, Florida. Illinois. Kansas. Maryland.
Massachusetts Michigan Minnesota Mississippi Montana	82 3 3 3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	25.7 25.7 25.7 25.7 25.7 25.7 25.7 25.7	25.5 20.5 20.5 20.5 20.5 20.5 20.5 20.5	603 916 416 317 63	654 600 415 331 54	536 508 439 275 37	282 467 468 468 468 468 468 468 468 468 468 468	514888 888 888 888	467 405 343 314 76	82 EEE EEE	463 281 281 351	25 5 2 8 2 8 5 2 8	9,4,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,5,	Massachusetts. Michigan. Minnesota. Mississippi. Montana.
New Jersey New Mexico New York Ohio	32 t 888	415 415 1,391 513	439 1,916 1,916	2, 436 436 45 863	433 1, 878 104	448 1,900 173	4.65 1,932 569 668	61,987 1,987 1,984	336 1, 491 485	1,888,888	368 1,001 489	379 39 1, 542 536	4, 938 1, 105 7, 930 7, 930	New Jersey. New Mexico. New York. Ohio.
Oregon Rhode Island Washington Wisconsin	1925	202 1902 1903	8898	177.091	E 2 1 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	200	36 201 178 178	2833	96 37 182 154	\$8888 \$888	130 130 136	62 81 154 132	2, 202 1, 972	Oregon. Rhode Island. Washington. Wisconsin.

Deaths registered as due to tuberculosis (all forms), 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Vlabama	186	241	221	245	247	192	203	196	135	166	1771	178	9 384	Alahama
Vrizona	136	110	138	134	155	98	16	81	12	25	8	108	1,296	Arizona.
Onliferation in	8	101	150	136	145	172	122	127	26	106	101	174	1, 539	Arkansas.
Colorado	157	135	841	135	252	164	473	430	408	414	427	526	6,023	California.
Connections		91	200	201	901	arr	011	130	err	7117	121	142	1,600	Colorado.
omiecucué	202	112	33	100	113	120	104	101	200	105	20	26	1, 221	Connecticut.
District of Columbia	35	25	70	100	82	200	12	7.5	16	13	7	13	255	Delaware.
Florida	116	28	8	114	200	18	88	2 1	35	200	73	900	259	Dist. of Columbia
Georgia	204	227	261	248	259	238	213	211	200	180	25	181	9,690	Georgia.
Idabo	30	œ	15	11	10	20	48	0	8	9.	8	8	-	Tach
llinois	503	463	542	202	628	32	455	300	317	200	88	22		Idano.
ndiana	216	204	267	222	149	220	211	204	170	107	160	102	0,001	Indiana.
owa.	65	16	8	133	87	81	96	8	67	29	2	2	1, 018	Iowa Iowa
Kansas	72	3	89	26	72	127	99	49	20	52	29	*	162	Kansas.
Kentucky	284	244	280	292	277	217	252	201	182	212	177	107	068 6	Kontucku
onisiana	177	187	161	182	202	197	175	133	140	155	152	196	2,087	Lonisiana
Maine	48	7	52	49	45	49	38	35	42	37	35	20	529	Maine
aryland	93	166	196	162	175	143	170	143	126	150	127	127	1.851	Marvland.
M assachusetts	317	187	321	348	345	331	287	284	270	245	233	243	3,508	Massachusetts.
Michigan	198	273	200	274	266	275	249	231	230	218	161	200	2, 953	Michigan.
Missouri	925	130	200	200	188	158	164	131	130	116	=======================================	128	1,705	Minnesota.
Montana	200	32	37	45	33	228	25	202	902	88	202	233	2,807	Missouri.
Nebraska	45	21	200	42	42	25	3.4	35	100	250	28	38	414	Montana.
Nevada	7	9	+	+	2	*	65	10		*	9 80	8	40	Nepplases
New Jersey	238	239	268	273	300	257	269 1	234	239	228	202	240	2 997	New Jersey
W Mexico	3	120	22	19	67	70	20	83	56	39	47	19		New Mexico.
North Carolina	026	2000	8/8	2000	1,005	850	808	202	778	792	722	792	10, 295	\sim
North Debote	18	000	76	38	202	212	218	203	186	190	167	180		
Ohio	464	44.0	405	530	98	61	88	818	201	16	10	15	240	North Dakota
Oklahoma	107	103		1961	144	201	000	1961	110	838	400	363	5,080	Ohio.
Oregon	09	52	47	3	19	200	44	33	46	34	44	45	1, 250	Oklanomu.
Pennsylvania	699	609	202	753	719	099	593	553	532	536	248	609	7.486	Pennsylvania
South Carolina	101	122	137	118	146	117	131	107	26	76	78	1111	1 365	South Carolina
South Dakota	12	2	18	42	32	36	8	27	30	15	130	88	302	South Dakota
ennessee	100	305	202	344	310	296	311	314	220	248	258	282	3, 539	Tennessee.
Vermont	22	007	318	98	203	273	262	782	082	262	257	370	3, 398	Texas.
rainio	110	070	900	000	000	9	77	11	3	25	16	77	288	Vermont.
Washington	101	200	101	222	250	200	242	88	188	202	188	108	2,714	Virginia.
West Virginia	124	102	118	139	901	114	117	108	101	100	83	140	2, 183	Washington
Wisconsin	141	139	153	159	188	153	139	124	140	126	124	111	1,607	Wisconein
w yoming	14	101	*	14			63			-				The second states

Tuberculosis (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924

Delaware. District of Columbia. New York. North Carolina. North Dakota. New Hampshire. Maine. Maryland. Massachusetts. State New Jersey. New Mexico. Michigan. Minnesota. Mississippi. Missouri. Montana. Connecticut. Ohio. Oklahoma. Kentucky. Louisiana. California. Colorado. Alabama. Arkansas. Florida. ndiana. Arizona. Georgia. Kansas. Cases re-ported for each death registered 161 Deaths per 1,000 inhabitants Deaths registered, 1924 2,581 1,018 7918 3, 851 8, 851 8, 861 1. 288888 11.41 53853 Cases per 1,000 in-habitants Case reported, 2,414 18,041 2, 475, 370 1, 864, 885 779, 900 1, 521, 190 4, 077, 899 4,066,223 2,531,473 11,790,618 8,455,376 629,008 877, 737 036, 775 487, 106 805, 565 2, 445, 551 394, 331 1, 834, 506 3, 913, 236 1, 004, 803 2500000 Estimated population, July 1, 1924 6,877, 2,036,7 1,867,1 1, 508, 3,088, 28,08, 28,08, 28,08,0 New York
North Catolina.
North Dakota
Ohlo. Kentucky Marine Maryland Mastachusetts. Michigan Minesota Mististippi Misouri Montana Nebraska Novada. Now Hampshire. Now Jersey. New Restico. ndlane ouislana Mexico. Alabama. Arizona \rkansae..... Selaware Barriet of Columbia Plorida California Connecticut Jeorgia..... Colorado

Pennsylvania. Rhode Island. South Carolina.	Tennessee. Texas. Vermont. Virginia.	Washington. West Virginia. Wisconsin. Wyoming.
8.1		1.0
92.4. 8.8	1 82 1. 12	1.50
7, 486 1, 365	3, 539 3, 396 2, 288 17, 2	2, 183 1, 297 1, 697
78. 87.		1.51
. 87. 827 87. 888		2, 202
834, 965 9, 208, 986 633, 636 1, 761, 746 680, 956	2, 408, 846 5, 018, 602 1, 552, 428 2, 423, 942	1, 456, 106 1, 576, 143 2, 770, 291 216, 838
Dregon Pennsylvanis Pennsylvanis South Carolina South Dakota	Pennessee. Status Germont //rginia	Washington West Virginia Wisconsin Wyoming

1 Population Jan. 1, 1920.

Cases of tuberculosis (pulmonary) reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
lifornia. nnecticut. daware. strict of Columbia.	864 167 292 241	808 133 16 99 181	80 125 21 21 21 21	1,101 142 26 26 152	783 134 102 103	816 128 13 106 119	888 142 134 135	25 25 25 25 25 25 25 25 25 25 25 25 25 2	556 128 138 128	22 22 110 211 211	628 115 225 109 131	812 105 18 87	9, 424 1, 560 1, 266 1, 263 1, 467	California. Connecticut. Delaware. Dist. of Columbia. Florida.
nois naes utsiana aryland assechusetts	1,295 310 173 470	1,067 167 188 192 192 418	1,080 149 205 204 484	1,452 266 184 220 220 481	1,230 197 312 224 553	1, 201 187 256 261 450	1, 28,82¢	45. 181 182 183 183 183 183 183 183 183 183 183 183	1,116 163 215 361 436	1,230 186 217 223 446	321128	808 167 230 215 362	14,697 2,311 3,652 3,063 5,376	Minois. Kansas. Louisiana. Maryland. Massachusetts.
New York Oklahoma Rhode Island	1,842		1,800	1,923	1,743	1,872	1,806	1,574	1, 402	F. 2.58	1,618	1, 5887	20, 113 96 487	New York. Oklahoma. Rhode Island.

Deaths registered as due to tuberculosis (pulmonary), 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arkansas. California. Colorado. Connecticut	271 28 8 5 7 2	215 95 501 127	702 252 247 262 247 263 245 245 245 245 245 245 245 245 245 245	12225	28639	175 166 111 110	186 120 103 103 103	169 369 118 83 124 83	122 25 E	151 101 103 103 88	164 285 119 119	95 163 184 184 184 184 184 184 184 184 184 184	2,170 1,441 1,493 1,064	Alabama. Arkansas. California. Colorado. Connecticut.
Delaware District of Columbia Florida Georgia. Idabo.	181181	23821-	28282	85880	82822	នគ្គនគគ	18 39 187 43	22829	17821	39 65 157	25142	23553	222 474 978 2,4114 202	Delaware. Dist. of Columbia. Florida. Georgia. Idaho.
Illinois Indiana Iowa Kansas Kentucky	\$2 × 8 ×	25 27 25 27 25 25 27 25 25 27 25 25 27 25 25 27 25 25 27 25 25 27	20 12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	28 5 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	185 185 116 186	381 188 138 13 15 15 15 15 15 15 15 15 15 15 15 15 15	25 25 25 25 25 25 25 25 25 25 25 25 25 2	361 147 160 160 160	373 178 18 195	35 143 25 25 25 25 25 25 25 25 25 25 25 25 25	58288	2, 800 872 676 64 68	Illinois. Indiana. Iowa. Kansas. Kentucky.
Louisiana Maine Maryland Massachusetts Michigan	252 252 252 252 252 252 252 252 253 253	51 × 12 × 25 × 25 × 25 × 25 × 25 × 25 ×	271 272 282 283	167 48 145 208 232	174 38 161 290 215	82584	85 2 143 85 143	22 22 243 281	126 113 127 198	220 120 190 190	25 25 26 26 26 26 26 26 26 26 26 26 26 26 26	182 45 118 101 161	1, 900 1, 663 2, 963 4, 475	Louisiana. Maine. Maryland. Massachusetts. Michigan.
Minnesota Missouri Nebraska New Jersey New Mexico.	214 214 88	250 21,17 21,17 21,17 21,17	252 252 253 253 253 253 253 253 253 253	135 236 247 61	258 22 22	22.88.25	135 193 238 23	858 888 898	88883	8228	85828	106 217 208 59	2, 489 378 2, 642 730 730	Minnesota. Missouri. Nebraska. New Jersey. New Mexico.
New York North Carolina North Dakota Obio	231 231 399 399 33	F2128.4	25 2 2 2 3 8 2 2 2 2 3 8	25 25 25 25 35 35 35 35 35 35 35 35 35 35 35 35 35	82222	88 158 88 88 288 88	700 196 17 369 75	202 71 215 215	253 253 253 253 253 253 253 253 253 253	851 82 82 83 83	88°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°°	0171 102 124 124 124 124 124 124 124 124 124 12	9,4, 4, 1,52,28,4	New York. North Carolina. North Dakota. Ohio. Oregon.
Pennsylvania. South Carolina. South Dakota. Tennessee	28558	533 117 264 263	1125 172 310 310	858 110 309 205	626 138 31 278 330	570 102 254 254 152	514 222 208 250	£8888	\$ 88 85 55 5	450 214 234 236	ft. gg	102 226 337 337	6,527 1,252 276 3,118 9,174	Pennsylvania. South Carolina. South Dakota. Tennessee. Texas.
Vermont Virginia Washington West Virginia Wisconsin	71 190 190 110 121	182181	82428	ងនឹកដីង	82823	138 P 281	210 210 104 118	3164 427 601	258 258 711	811 82 10 10	22322	25828	2,414 892 1,136 1,459	Vermont. Virginia. Washington. West Virginia. Wisconsin.

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1924

State	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 in- habitants	Deaths registered,	Deaths per 1,000 inhabitants	Cases re- ported for each death registered	State	
Arkabama. Arkanasa California. Confortiou	2,445,551 1,834,596 3,913,236 1,004,803 1,503,869	9, 424	2.41	9.1.2.1.1 5.1.2.2.1.1 5.1.2.2.2.1.1	0.89 . 79 1.36 1.49	1.8	Alabama. Arkansas. California. Colorado. Connecticut.	
Delaware District of Columbia. Florida. Georgia daño.	222, 500 486, 936 1, 068, 520 3, 028, 728 481, 125	266 1, 263 1, 457	1.14 2.50 1.36	82828		122	Delaware. District of Columbia. Florida. Georgie. Idaho.	
Minois Indians Jowa Kansas Kentucky	6, 877, 737 3, 636, 775 2, 487, 106 1, 805, 555 2, 475, 370	14, 697	1.28	2, 589 872 9, 676 7, 688	1.88.89.1	3.0	Illinois. Indiana. Iowa. Kansas. Kentucky.	
Louisiana Maine May'and Massachusetts Michigan	1, 864, 385 778, 900 1, 521, 190 4, 077, 588 4, 066, 223	2, 652 3, 053 5, 376	1.42	1, 900 442 1, 663 2, 963 475	1.02	4 8 1	Louisiana. Maine. Maryland. Massachusetts. Michigan.	
Minnesota Mississippi Missouri Motsaku New Hampshire.	2, 531, 473 11, 790, 618 3, 455, 376 1, 344, 652 448, 882			1, 418 1, 687 2, 480 278 251	82288		Minnesota. Mississippi. Missouri. Nebrasta. New Hampshire.	
New Jersey. New Marico. New York. North Dakota.	3, 442, 096 375, 609 10, 974, 642 2, 722, 609 679, 232	20, 113	1.83	9, 9, 9, 7, 7, 130 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	1.2.2.8.8	22	New Jersey. New Mexico. New York. North Carolina. North Dakota.	
Ohio Oklaboma	6,219,	96	. 10.	4, 281		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
Oregon Pennsylvania Rhode Island I Population Jan. 1, 1920.	834, 665 9, 208, 986 633, 036	437	69	6, 527	71.		Oregon. Pennsylvania. Rhode Island.	

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death

State	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inf- habitants	Cases per Deaths 1,000 iff- habitants 1924	Deaths per 1,000 inhabitants	Cases re- ported for each death registered	State
outh Carolina outh Dakota. Fannessee eans.	1, 761, 746 660, 956 2, 408, 846 5, 018, 602 1 352, 428	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1, 252 276 3, 118 3, 174 245	E3885		South Carolina. South Dakota. Tennessee. Texas. Vermont.
Binia. shington. st Viginia.	2, 423, 942 1, 456, 106 1, 576, 143 2, 770, 291	3, 261	1.35	2,414 892 1,136 1,459	1.00 1.22 2.53	1.4	Virginia. Washington. West Virginia. Wisconsin.

Population Jan. 1, 1920.

Typhoid fever-Monthly estimated expectancy based on data which are available for the years 1917 to 1923, inclusive

State	Number of years included	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama		948	95	38	22-	16	169	267	294	180	85	E 4	21-	1,410	Alabama.
Arkansas. California. Colorado.	1111	282	82.4	141	122	168	282	112	8 8 8	1122	18 18	552	152	202 203 204 204	Arkansas. California. Colorado.
Connecticut Delaware District of Columbia Florida Georgia	. 1.41.00	x4028	1-4088	= 4±8	16 85 85 85 85 85 85 85 85 85 85 85 85 85	28482	24 6 13 54 105	22.00 22.00 de	ដ្ឋខន្លង់	58882	88888	881188	33517	388 114 167 571 1,092	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.
Idabo Illinois Indiana Kansas Louisiana	40000	~388 2	22222	4 2 8 8 L	288378	461468	4526534	8 2 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	241 134 245 245 152	2867	240 145 118	•E85E	183	95 1,690 867 997 1,095	Idaho. Illinois. Indiana. Kansas. Louisiana.

Maine. Maryland. Massachusetta. Michigan.	Mississippi. Missouri. Montana. Nebraska. Nevada.	New Hampshire, New Jersey. New Mexico. New York. North Carolina.	North Dakota. Ohio. Oklahoma. Oregon.	Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont. Virginia.	Washington. West Virginia. Wisconsin. Wyoming.
1,386			2489 170 170		1, 130 830 106 2, 194	351 64
38458	2500c	178822 28822	51 913	186 8 8 8 8 8 8	N2°2	2284
130 130 126 57	205 111 112 81	25 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8823	Ess.	\$215	**************************************
2023 1988 888	********	98 171	8388	250128	22.82.72	5552
7281 841 1845 1845	152888°	228622	ងនិទ្ធន	277.75	350 320 320	8228
288 126 126 50 50 50 50 50 50 50 50 50 50 50 50 50	25 E E E E E	130 35 395 422	8282	818 108 108 108 108 108 108 108 108 108	249 130 517	522 88 9
uzuss -	\$2120c	£22.86.8 £75.8	263 122 14	836 119 8	55.25 28.05	4824
22828	82548	47 18 136 278	2881	110.01	20, 103	8584
¥9588	180 1190 120 120 130	12083	- 25 8 a	174 5 5	85238	272.2
e7418	12 10 10 1	48°088	4550	22.42.8	28,2	8587
98152	E 50 4 50	# % 088	బజిటిల	62264	22803	ឧឌឌ๓
25.832	100 8 2 1	25 8 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	≈624±	H-6-	25.25	355-
23258	Samu	31 15 18 37	8 8 11 8	30 mm 4	2788	7887
	1-01-04	41.41.0			46-1-	-1-1-1-
Maine Maryhad Masaschusetta Michigan Minesota	Mississippi Missouri Montana Nebraska Nevada	New Hampshire New Mexico New York. North Carolina.	North Dakota. Ohio. Oklahoma. Oregon.	Pennsylvania Rhode Island South Carolina South Dakota	Tennessee. Texas. Vermont.	Washington West Virginia Wisconsin Wyoming

Cases of typhoid fever reported, 1924

		umbia.		tts.	-6	shire.	ota.	ling.
State	Alabama. Arizona. Arkansas. California. Colorado.	Connecticut, Delaware, Dist. of Columbia. Florida. Idaho.	Illinois. Indiana. Kansas. Kentucky. Louisiana.	Maine. Maryland. Massachusetts. Michigan. Minnesota.	Mississippi. Missouri. Montana. Nebraska. Nevada.	New Hampshire, New Jersey. New Mexico. New York. North Carolina.	North Dakota Ohio. Oklahoma. Oregon.	Pennsylvania. Rhode Island. South Carolina South Dakota.
Total	2, 079 99 974 1, 777	238 55 133 611	1,469 744 582 707 1,252	338 566 336 336	2, 672 130 130 131	3, 458 1, 318 1, 318	1,453	2, 082 70 450 169
Dec.	8,88	8-840	202228	82228	24°°°	182 288 282 282 282 283	107 217 11	161 15 16 8
Nov.	115 158 11	20023	81818	88482	Stran	-58¥8	126	180
Oct.	245 123 141 30	841118	22 82 82 83 83	28822	\$580 × 00	8187 287 122 122	19181	=288
Sept.	361 148 188 88	8=83\$	191 103 119 125 131	468 62 63 63 63 63 63 63 63 63 63 63 63 63 63	307 152 17 7	202 203 208 208	250 165 40	3211
Aug.	522 168 94	\$-8E8	168 138 119 151	48884	\$25 \$25 \$26 \$26	333472	138°s	317 822 837
July	387 13 160 160	20000	124 48 67 52 146	28228	848	252 352 352	7 155 102 22	182 121 171
June	95 111 107 18	Se	98 46 13 98	22223	214 25 13	39 17 226 108	9650	103
May	25888	52 5 5 5 6	84248	822483	80004	251 218 38 38	482 1	30 30
Apr.	2°88°	w-42-	22822	128821	8198	-8=28	2886	2000
Mar.	51 303 10	2012	42122	22828	&25c−	12 5 E 1	ə584	400m
Feb.	2.855	ro co m gran	28283	======	857 P-10 H	08050	61 to 00	127
Jan.	\$200 at	81-25G	158 251128 3501142	24822	101 88 a.1	*8588	1581	202 8 8 8
State	Alabams. Arizona California. Colorado.	Connecticut Delaware District of Columbia Florida Idaho	Illinois Indiana Kansas Kentucky Louisiana	Maryland Massachusetts Michigan Minnesota	Missistippi Missouri Montana Nebraska Nevada	New Hampshire. New Jersey New Mexico New York. North Carolina.	North Dakota. Ohio Oklahoma. Oregon	Pennsylvania. Rhode Island. South Carolina.

Tennessee. Vermont Virginia Washington West Virginia Wisconsin.	582 8 82 11819 8 248	88-3 %E8	52×18 0111	33.4 288	4805 ¥84	24.25 25.71	22 28 25 27 1 1 68 30 27 1 1 68 30 27 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	388 1118 350 350 156 19	25 22 25 8 26 27 27 8	251 251 251 252 283	877 82 825 877 8 825 878 878	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.	1, 465 1, 238 1, 510 1, 510 1, 019	Tennessee. Teras. Vermont. Virginia. Washington. West Virginia.
w younds		-	9	Dea	Deaths registered as due to typhoid fever, 1924	s tered as	due to t	yphoid f	ever, 192			8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$	w yoming.
State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arizona. California. Colorado.	11 41 11	71 99 99	E 8 0 2 2 4	72223	40000	22222	20.20.4	5.0818	\$-25°	2-822	21-88	2-25°	352 320 320 320 320 320 320	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut. Delaware. District of Columbia Florida. Georgia.	1 16 18	8-1 08	4 102	1 681	13 13	e- 12	21 21 10	88-18B	8 8 9 11 12 12 12 12 12 12 12 12 12 12 12 12	4-458	160	21-28	38 157 157 681	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.
Idaho. Illinois Indiana Iowa. Kansas	*8200	81.00 E	-5544	0.000	-204-	922	e884r	~242°	-12412	8 4 8 4 8	13825		2230	Idaho. Illinois. Indiana. Iowa. Kansas.
Kentucky Louisiana Maine Maryland Massachusetts	82287-8	≅ 864€	82 **	87 m m m	5541-4	Steens	2 tan	2002r	88041	36 8 21 11 12 13	\$20 - 5 m	82000	<u>2</u> 22338	Kentucky. Louisiana. Malne. Maryland. Massachusetts.
Michigan	-	∞÷	16	30	18	200	15	900	17	44 8	4	54	149	Michigan. Minnesota.
Missouri Montana Nebraska	27	13	∞ ca	6 1	21-2	13	8 -6	844	8-4	9 +	20.4	21-22	280	Missouri. Montana. Nebraska.
Nevada New Jersey New York New York North Carolina	ce ∞ ⊠ 4	989	244	12021	22 4	4-82	30 co 25 GB	27.7.28	21-32	11 7 7 10 10 10 10 10 10 10 10 10 10 10 10 10	97.87	19 87 11	232422	New Jersey. New Mexico. New York. North Carolina.

Deaths registered as due to typhoid fever, 1924—Continued

State	Jan.	Feb.	Mar.	Apr.	. May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
North Dakota	212	217			252	879		***	-24	-88	198	88	នុក្ខន	North Dakota. Ohio. Oklahoma.
Pennsylvania	es 28	5 co		100	es 22	20.00		33.0	25	200	25.5		356	Oregon. Pennsylvania.
South Carolina.	13		===	772	700	38		33	55 - 56	892	28 8 2	25 4 4	391	South Carolina South Dakota.
exas.	22-			-	*			3-	\$	- 4	\$ m	1	315	Texas.
Virginia. Washington West Virginia.	No.	0 44 E	448	r 82	01-48	2020	16.7 25.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0	Sulla	22-28	202	2084		8428 8428	Virginia. Washington. West Virginia.
				-	CI			64	********	***************************************	*		=	Wyoming.

Typhoid fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924; estimated expectancy and indicated for the years 1917-1923

		Estim	Estimated expectancy	ctaney			1924			
State	Estimated population July 1, 1924	Number of years	Cases	Cases per 1,000 in- habitants	Cases re-	Cases per 1,000 in- habitants	Deaths	Deaths per 1,000 inhabit- ants	Fatali- ties per 100 cases	State
Alabama. Aritona. Arkansas. California.	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 803	1-10-1-	1, 410 713 703 993 406	88383	2,079 99 974 1,777	88234	22222	18.1.99	82524 92524 92994	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut Delaware District of Columbia Florida Georgia	1, 503, 869 232, 590 486, 936 1, 068, 520 3, 028, 728	P4F00	388 114 167 167 1.092	*****	238 133 611	344P	38 15 16 16 16 16 16	88938	16.0 25.3 25.7	Connecticut. Delaware. District of Columbia. Florida. Georgia.

Idaho. Illinois. Indiana.	Kansas.	Kentucky. Louislana. Maine. Maryland. Masgachusetts.	Michigan. Minnesota. Mississippi. Missouri. Montana.	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	New York. North Carolina. North Dakota. Ohio.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont. Virginia	Washington. West Virginia. Wisconsin. Wyoming.
25.22 25.22 25.23	13.2	25. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	10 10 10 10 10 10 10 10 10 10 10 10 10 1	40049	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	17.0 17.0 18.0	25.25.0 13.25.0 14.00	2552 2523 2523
5858	35	ដឋននន	203820	82282	85892	82 88	¥888	8128
8812	35	\$2588 \$2588	288 339 138 138 138 138 138 138 138 138 138 138	\$-55¢	a a a a a a	391 391	580 315 11 210	ទគ្គន ដ
ន្តតុតុ	. 32	86427	55.55	81858	84584	នគន្លង់	2823	8888
1, 469	582	1, 252 338 973 566	2, 2382 6770 130 130	a=#18	, 1, 1, 338 1, 453 1, 4	2, 092 79 160 160	1, 465 1, 238 42 1, 510	1,019
ដង់ន	83.	#5888	មមន្តមម	ระเมร	skuas	818181	4882	75 SE E E
1, 690 867	286	1, 146 1, 085 1, 398 1, 398	2, 2, 26, 20, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	25 ± 25 ± 25 ± 25 ± 25 ± 25 ± 25 ± 25 ±	44 4 850 841 888 888	5. 28 8 8 8 8 8	1, 130 830 106 2, 194	1, 296 351 64
41-1-	-	-1-1-10		0441.4	P00	04444	4400	4444
481, 125 6, 877, 737 3, 036, 775 2, 487, 106	805,	2, 475, 370 1, 864, 385 1, 521, 190 4, 077, 599	4, 066, 223 2, 531, 473 1, 790, 618 3, 455, 376 629, 003	1,344,652 1,777,407 448,882 3,442,695 375,669	10, 974, 642 2, 722, 669 679, 232 6, 219, 330 2, 200, 307	834,665 9,208,986 633,036 1,761,746 660,966	2, 408, 846 5, 018, 602 1, 352, 428 2, 423, 942	1, 456, 106 1, 576, 143 2, 770, 291 216, 853
daho Ilinois indiana	Kanas	Kentucky Louisiana Maline Mayland Massachusetts	Michigan Minnesota Missisppi Missour Montana	Nebraska Nevada New Hampshre New Hency New Mexico	New York North Carolina North Dakota Ohio Okiaboma	Oregon Pennsylvania Rhode Island South Carolina.	Tennessee Texas Texas Vermont Vermon	Washington. West Virginia Weomsin.

69713°-25†---- 6

Florida 3, 028, 728 Georgia

Population Jan. 1, 1920.

Cases of typhus fever reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
California Maryland New York Texas		1		6		1	20	11 13	=	2 20	1001	+	17 818	California. Maryland. New York. Texas.

Deaths registered as due to typhus fever, 1924

State	Jan.	Feb.	Mar. Apr.	May	June	July	Aug.	Sept.	Oct,	Nov.	Dec.	Total	State
fa. York	1							2 1	1			8	Georgia. New York. Texas.

		-0	- Q	
	State	Arkansas. California. Colorado. Connecticut.	Delaware. Dist. of Colum Florida. Georgia. Idaho.	Illinois. Kansas. Louisfana. Maine.
	Total	1,382 4,342 1,154 2,433	94 253 253 267 125	9.4 -1.4 257.2 27.2 -1.5 27.2 -1.5 2
months	Dec.	E85283	28584	1288 2
13, by me	Nov.	22828	77438	75 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
1922-1923, by	Oet.	28.528	*\$-11	22 22 22
years	Sept.	58822	8222s	919 921 931 931 931 931
reported for the	Yng.	2821282	+9182	282
s reporte	July	18823	.878°	1,046 316 55 58 86 86
r of cases	June	28.25.28 8.25.28	1838°	1,002 255 255 255 255 255 255 255 255 255
-Average number of	May	254 724 160 180	35288	28258
-Averag	Apr.	021 282 283 280 280 280 280 280 280 280 280 280 280	112428	305 745
d cough-	Mar.	218 308 308 308 308 308	*8222	24252
Whooping	Feb.	84846	28085	568828
	Jan.	88222	18223	855 885 818 818
	State	Alabama. Arkansas. Colorado. Colorado.	Delaware. District of Columbia. Florida. Georgia. Idaho	Djinois Kansas Louisiana Maine

Massachusetta, Michigan. Minnesota. Mississippi.	Montana. Nebraska. Newada. New Hampshire. New Jersev.	New Mexico. New York. North Carolina. North Dakota. Ohio.	Oregon. Pennsylvania. Rhode Island. South Carolina.	South Dakota. Tennessee. Teras. Vermont.	Washington. West Virginia. Wisconsin.
8, 718 6, 630 11, 359 10, 670	2505 205 207 205 205 205 205 205 205 205 205 205 205	165 15, 867 11, 490 8, 817	12, 823 344 407	1,854	2,141 1,199 6,588 178
234 234 234 234 234	13 20 20 501	1, 367 891 25 535	.883	28881148	608 508 508 508
741 360 78 658 179	22 38	1,367 817 817 28 410	1585	8838	នននិដ
342 342 529 162	321128	1, 135 619 20 417	2582	23.25	ឧដដិន
85 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	34 8 10 3 34 8 18 20 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1,000 1595 15 473	22228	5225	410 13 13 13
682 665 810 810	38 n 3 2 n 3	1,203 1,203 14 800	4822	106 163 127	160 708 7
787 112 914 48	22.22.22	1, 221 1, 108 1, 124	271.1 25.58	918	182 1,008 1,008
533 728 1,278 415	ឧន-ឧធិ	1, 284 1, 238 1, 037	1,225	16 270 270 119	243 117 484 4
828 687 193 1, 227 255	48458	1,355 1,502 1,082	1, 139	120	340 86 603 12
900 689 191 1,370 163	\$522E3	1, 427 1, 250 1, 250 815	1,300 1,300 80	387 166 89	328 454 5
1,200 619 153 1,075 135	10 70 72 525	1,455 1,149 20 866	1,285 35 35	15 121 78	270 388 11
503 77 937	4782237 2	1,351 898 11 655	2882	205 82 118	169 49 339 13
929 500 58 675 95	28 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1,442 721 19 653	12882	158 38 202	86 8 8 8
Massachusetts Michigan Minnesota Mississippl.	Montana Nebraska New dampshire New Hampshire New Jersey	New Mexico New York North Carolina North Dakota	Oregon Pennsylvania Rhode Island South Carolina	South DakotaTennesseeTexasVermont	Washington. West Virginia. Wisconsin. Wyoming.

Cases of whooping cough reported, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama	171	305	282	247	293	168	216	169	000	106	3:	180	2, 423	Alabama.
Arkansas	287	200	25	179	226	195	111	114	65	88	98	123	1, 786	Arkansas.
Colorado	22	12	28	100	181	182	178	118	16	18	35	28		Colorado.
Connecticut	313	188	187	107	100	74	212	148	171	307	305	222	2,237	Connecticut.
District of Columbia.	200	38	223	22	33	201	22	+12	8	*8	* 8	20	487	Dist. of Columbia.
Florida. Georgia.	193	238	176	8:3	23	49	88	84	91-	25	85	15	5 43	Florida. Georgia.
Idaho	13	8	15	œ	9	=	38	-	40	•			130	Idaho.
Illinois	579	88	089	250	888	524	242	782	230	641	875	980	8, 238	Illinois.
Iowa	100	47	8	18	18	=	31-3	601	22	800	2*	29	339	Indiana.
Kansas	900	ş	900	375	200	717	202	167	18	132	22	102	3, 359	Kansas.
Kentucky	88	200	130	28	106	88	128	88	25	37	58	28	74	Kentucky.
Maine	12	38	311	106	121	18	88	12	32	172	43	3 5		Maine.
Massachusetts	83	461	32	394	378	E	252	i i	222	328	302	367	4,735	Maryland. Massachusetts.
Michigan	102	224	348	342	808	388	547	866	463	106	800	394	4 304	Michigan
Minnesota	22	123	135	170	20	181	121	5	8	2	121	115		Minnesota.
Missouri		263	300	1, 262	1, 334	1, 225	127	102	85	3 2	4	374	11,035	Mississippi.
Montana		62	22	=	8	31	74	37	45	•	8	2		Montana.
Nebraska		81	4	85	37	n°	51	R	10	∞.	20	0,	382	Nebraska.
New Hampshire		7	98	22	- 00	•	8		•		*	300	188	New Hampshire.
New Jersey.	526	386	15	101	822	989	880	813	729	22	1 2	1,026	7,937	New Jersey.
New York		2,008	2,086	2,016	1,075	1,864	2, 161	1,796	1,560	1,377	1,126	1.440		New York.
North Carolina	2, 228	1, 708	1, 823	1,380	1, 307	1,071	1,010	888	29	978	360	454	12,945	North Carolina.
Ohio	953	1,054	1, 200	1, 151	1,235	1,067	1, 163	28	515	3	203	208	, 10, 608	Ohio.
Oklahoma			-	-	15	•	15	-	•	\$	20	130	368	Oklahoma.
Oregon		-	1 663	200	200	1.81	1 963	910	9:		1001	919	182	Oregon.
Rhode Island South Carolina	86	101	107	155	12.5	103	35	88	2	8-1	18	000	025	Rhode Island.
South Dakota			22	22	8	a	28	=	8	28	9	8	523	South Dakota.

Tennessee. Texas. Vermont.	356 78 486 2,675	2, 230 230 24, 487	225 128 128 189	306 125 185 2, 201	313 183 17, 824	339 170 116 1, 549	261 191 92 1, 334	888	588.5 588.5	115	255 255 167 698	196	3, 156 2, 139 1, 848 17, 710	Tennessee. Texas. Vermont.
Washington West Virginia Wisconsin Wyoming	868 868 86	8609 242 24	128 741 32	76 5780 84 8		814		252 252 262 263 263 263 263 263 263 263 263 26	នធន្លត	ខ្មខ្មំន	2820	155 441	3, 547 6, 585 269	Washington. West Virginis. Wisconsin. Wyoming.

3

- 16

27 30 23

- 00

South Dakota..... 123

Deaths registered as due to whooping cough, 1924

State	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
Alabama. Arizona. Arkansas. Colorado	10 10 2	## 8 EE	क ∞8¥-	84554	1 ∞225	1+88°	\$012°	జోనికే	Suu-2+	94×00	20200	16	¥45¥8	Alabama. Arizona. Arkansas. California. Colorado.
Connecticut. Delaware. District of Columbia Florida. Georgia.			82222	පස පිසි	1 10 10 75	41100	пинед	6031	o- eg	8000	@m-mQ	2222	F111 8111 435	Connecticut. Delaware. Dist. of Columbia. Florida. Georgia.
Idaho Illinois Indiana Iowa Kansas	12332		42233	-3822	24450	171 29		44.04	-8724	LEVII	-84:0	Z+sz	265 205 1120 1130	Idaho. Illinois. Indiana. Iowa. Kansas.
Kentucky Louisiana Maine Maryland Massachusetts	#355°2	41 18 13 13 14	22223	27 13 13 13 14	22222	8 12 8 18 8	12821	88-11	7,00,00	¥0040	81-111-4	50458	291 141 141 141	Kentucky. Louislana. Maine. Maryland. Massachusetts.
Michigan Minnesota Missouri Montana Nebraka	- 3.6u-		25.22.00	42321	2788-1	22787	120gwa	1808	8000	× 64 × -4	-80	10 5	288 288 288 288 288	Michigan. Minnesota. Missouri. Montana. Nebraska.

Deaths registered as due to whooping cough, 1924—Continued

State	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	State
New Jersey.	00		Su.	305	81-15	202	17-8	200	8-2	8-8	8 5	30	15.25	New Jersey. New Mexico.
North Carolina North Dakota	8		8-1	35*	\$1-	200	17	800	254	28-	120	:a-	475	North Carolina North Dakota.
Ohio. Oklahoma.		200	81-6	900	227	320	\$21-	Se-	800	13	50	8°°	105	Ohio. Oklahoma.
Fennsylvania South Carolina		80	282	·63	233	*88	149	25.5	146	9	800	20°00	147	Pennsylvania. South Carolina.
South Dakots.	98	28	24.55	*2	mg:	-8	36	02	14	88	38	20	268	South Dakota.
Texas Vermont Virginia	9	200	Z-8	2008	8 8	5-3	9	31.2	83.3	200	24.8	18-0	526 512	Texas. Vermont.
Washington West Virginia Wisconsin	829	331	*89	68	283	e a	181	ത്യൂയ	-50	21	01-4	61	282	Washington. West Virginia. Wisconsin.
Wyoming			64	-	1			-				-	9	_

Whooping cough—Cases reported, deaths registered, and indicated morbidity and mortality rates, 1924; average and indicated annual rates based on the years 1922-1923

		Average	Average, 1922-23			1924		-	
State	Estimated population July 1, 1924	Саѕез	Cases per 1,000 inhabit- ants	Case	Cases Do re librabile.	Deaths regis- tered	Deaths per 1,000 inhabit- ants	Cases reported for each death regis- tered	State
Alabama Arikona Arikona Colifornia	2, 445, 551 394, 331 1, 834, 596 3, 913, 236 1, 004, 808	1, 382 4, 342 4, 154	0.57	2, 1,8,1,8,1,2,1,2,1,2,1,2,1,2,1,2,1,2,1,2,	82.52	¥2172	31898		6.1 Alsbama. 2.0 Arizona. 10.4 Arkansas. 19.4 California.

Connecticut. Delaware. District of Columbia. Florida. Georgia.	Idaho. Illinois. Indiana. Iowa. Kansas.	Kentucky. Louisiana. Maine. Maryland. Massachusetta.	Michigan. Minnesota. Mississippi. Missouri. Montana.	Nebraska. Nevada. New Hampshire. New Jersey. New Mexico.	New York. North Carolina. North Dakota. Ohio. Oklahoma.	Oregon. Pennsylvania. Rhode Island. South Carolina. South Dakota.	Tennessee. Texas. Vermont.	Washington. West Virginia. Wisconsin. Wyoming.
24.75 2.05 2.05 2.05 2.05	5,500 5,000	44450.89 00040	25.8 11.1 53.8 19.4	13. 6 29.7 19.9	22.22.23 22.22.29 23.20.20 23.20.20	15.8 23.8 4.8 12.8 12.8	11.8 18.8 71.1 34.6	30.5 10.9 44.8
86834	88588	22:32	28182	8 588	87.928	88 88	1862	2232
######################################	349 349 1130 1130	182 183 184 184	109 205 326 226 25	2046 0 28	472 462 105	633	268 114 26 512	326 127 6
25.84E	7.5. 1.8. 1.8.	12.1.30	6.58 125 125 125 125 125 125 125 125 125 125	28	4.75 4.75 1.71 1.71	82855	1. 37 7. 24 3. 24 3. 34	199.
4 181 184 48 84 84 84 84 84 84 84 84 84 84 84 8	3, 23, 23, 33, 33, 33, 33, 33, 33, 33, 3	74, 389 4,735 562 260 260	4,364 1,471 1,866 1,866	382 286 7,937 379	21, 619 12, 945 10, 608 368	15, 072 200 793 525	3,156 2,139 1,848 17,710	
2 . 4 8 4 2 4 8	1.38	2.1.196 1.196 1.196 1.196	2	8.5.6.1.3.	4.3 1.33 1.45	25.55 3.55 3.55 3.55 5.55	5.38 38.30	2, 1, 50 2, 73 85 85 85 85
2, 433 948 253 667	9,300	803 1, 519 3, 278 8, 718	8,1,0,4, 88,00,0,4, 88,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	508 50 5,404 165	15, 867 11, 490 219 8, 817	22 22 22 24 24 24 24 24 24 24 24 24 24 2	1,854	2, 141 1, 199 6, 588 178
1, 503, 869 232, 590 486, 936 1, 068, 520 3, 028, 728	481, 125 6, 877, 737 3, 036, 775 2, 487, 106 1, 805, 555	2, 475, 370 1, 864, 385 779, 900 1, 521, 190 4, 077, 599	4, 066, 223 2, 531, 473 11, 790, 618 3, 455, 376 629, 003	1,344,652 1,77,407 448,882 3,442,695 375,669	10, 974, 642 2, 722, 669 679, 232 6, 219, 330 2, 200, 307	834, 665 9, 208, 986 633, 036 1, 761, 746 660, 956	2, 408, 846 5, 018, 602 1, 352, 428 2, 423, 942	456, 576, 216,
Connecticut. Delaware. District of Columbia. Florida. Georgia.	dabo. Ilinois Indiana Indiana Kansas.	Kentucky Louisiana Maine Mayand Mayasachusetts	Michigan Minnesota Missisppl Missour Montana	Nebraska Nevada. New Hampshire New Hersey. New Mexico.	New York. North Carolina. Onch Dakota. Ohlo.	Oregon. Rhode Island. South Carolina. South Dakota.	Tennessee Tenss. Vermont Virgins	Washington West Virginia. Wisconsin.

Colorado.

Population Jan. 1, 1920.

Hawaii 1-Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924

Disease	Jen.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	Rate per 1,000 inhabit- ants	Fatal- ities per 100 cases
Cerebrospinal meningitis: Cases. Deaths.	83	g+	•	-	21-		800	61-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	81-	•	-	22	0.19	30.6
Cases Deaths	=	8	8	8	75	8-	=	16	118	=	22	13	283	8.8	
Diphtheria: Cases. Deaths	п	8-	910	St.	80	0.0	99	220	700	88	98	200	223	.13	17.0
Influenza: Osesa Deaths Malaria:	ă*	147	20	866	80	54 ,	13	ga -	8	ž.	œ es -	io m	Ēå ,	1.65	ಹ
Measles: Cases Deaths	81	97	•	٥	82	. 81	g a	. 2	•	•	. 21	20	182 0	3 28	66
Deaths. Pneumonia (all forms):										- :			-	8.	
Poliomyelitis: Deaths	5	8	8	\$	20	70	2	200	8	8	8 -	8 -	980	8 6	
Scarlet fever: Cases. Deaths	87	-	69		*	C4					-	1	7-	88	7.
Smallpox: Cases. Deaths	C4	-											80	6.	
Tuberculosis (all forms): Cases Deaths	88	52	97	258	33	121	28	88	25	5.E	22.2	E8	1,027	1.35	37.
Cases Deaths	5.8	88	378	22	272	105	22	71 25	288	88	300	28	340	3.16	37.7
Cases Cases Deaths	200	21-	1-01	38	33	=-	0	6000	1-01	•	0	20	22	28	21.0
Cases Cases Deaths	85.1	200	200	200	20	\$6	49	77		*	9	-	25.	1.02	

Estimated population July 1, 1924, 285,576.

Porto Rico 1—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924

Disease	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	Rate per 1,000 inhabit-	Fatali- ties per 100 castes
Anthrax: Desting maniputities	1	64									-	1		1	
Cases.			1				1					-	80	0.0	
Cases		7	•	13	+	63	1	1	-			60	L	.08	
Cases Deaths	Se.	280	101	30	800	99	28	*0	2,	71	42	12	272 208	28	
Deaths.		13	-		9	-	64	4	61	80	9	37	8	.07	:
Cases Deaths Isles:		48	0.88	\$23	17	8.5	113	75	103	521	211	141	1, 205	.76	i
Cases. Deaths mps:			-		ce	00	98	C+ C+	9	81	22	28	188 70	18	
Cases. Preumonia (all forms):	-											0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-	8.	
	60 0									-		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10	8.	
Scarlet fever: Deaths							-	• -	•				0 0	8	
Tuberculosis (all forms): Deaths Typhoid fever:	200	244	246	210	257	164	310	225	35	262	212	262	2, 870	2.07	
Cases. Deaths. Whooping cough:	88	99	25	\$2	57	14	12.82	28	22	88	\$8	83	810	. 10	i
Cases Deaths		**	014	91	- 6	32	9 00		12	246	2.	8:	380	8	i

¹ Estimated population July 1, 1924, 1,384,068.

New York City 1-Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1924

Disease	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	Rate per 1,000 inhabit- ants	Fatali- ties per 100 cases
Anthrax:			-										-0		
Deaths Cerebrospinal meningitis: Cases Deaths Chicken pos:	15	12 8	000	138	10 10	187	23 23	7.e 801	2° 8	01 9 818	586 10	211 888	156 104 8, 260	89.	06.7
Cases Deaths	7, 100	1	-	•	-	•	m						-	8.	
Diphtheria: Cases	288	875	008	770	1,062	1, 139	82.83	38	B H	300	828	85	9,687	1.61	1.7
Deaths. Influenza: Cases.		360	362	230	88	82	15	918	27	23	175	140 84	1,753	88	31.3
Deaths. Malaria: Casos		5 4	8 -	3 *			*-		80	61-		•	84	9.8	10.3
Deaths. Measles: Cases	2,485	4,369	8,248	8,669	5, 600	2,96	98	121	Eu.	52	81	220	33,561	88.	1.5
Deaths.		855	1, 139	1, 181	855					28	Se.	8	5,602	.95	
Deaths.					60		64			_	-		6	•	
Deaths (all forms): Cases	1, 705	1,920	2, 263	2, 272	1,73	1,391	814	325	347	1,256	1,724	2, 498	18, 594	1.52	40.2
Deaths. Poliomyelitis: Casca. Deaths		-		*					586	22.0	82	8r-	#8E	85	26.2
Rabies (in animals) Scarlet fever: Cases	1,017	1,017	1,10	1, 163	1,0	16	260				836	925	8,390	1.40	100
Deaths Sore throat:	-							•		_	_	5 13	_	10.	1

	46.1	104	10.9		9.7
8	88	.28	88		28.
**	12,384	11,924	1,687	13	8, 244
	975 463	306	855	-	ជីង
	85	1,000	142	e,	88
	982	952	822	0.	58
	85 52 52	368	146	1	83
	458	847	163	-	82
-	1, 109	1,057	88	C	250
	1, 108	1,067	161	1	843
	1,040	976	80		31.
	1,203	1,152	\$ e	0	25 SE
-	1,248	1, 188	S.a.	1	68
	763	397	880	1	156
-	1, 203	1,172	28	-	12
Smallpox: Cacs. Deaths	Cases. Deaths Tuberculosis (pulmonary):	Cases. Deaths. Typhoid fever:	Cases. Deaths.	Cases	Whooping cough: Cases. Deaths

Estimated population July 1, 1924, 6,015,504.

DEATHS DURING WEEK ENDED DECEMBER 5, 1925

Summary of information received by telegraph from industrial insurance companies for week ended December 5, 1925, and corresponding week of 1924. (From the Weekly Health Index, December 9, 1925, issued by the Bureau of the Census, Department of Commerce)

Department of Commerce,	Week ended Dec. 5, 1925	Corresponding week, 1924
Policies in force	62, 275, 844	57, 890, 437
Number of death claims	11, 651	10, 658
Death claims per 1,000 policies in force, annual rate	9. 8	9. 6

Deaths from all causes in certain large cities of the United States during the week ended December 5, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924. (From the Weekly Health Index, December 9, 1925, issued by the Bureau of the Census, Department of Commerce.)

		ded Dec. 1925	Annual death rate per		s under year	Infant mortality
City	Total deaths	Death rate 1	1,000 corre- sponding week, 1924	Week ended Dec. 5, 1925	Corresponding week, 1924	rate week ended Dec. 5, 1925 3
Total (66 cities)	7, 139	12.9	13. 9	764	847	3 61
Akron.	37			6	7	67
Albany 4	35	15. 2	9.2	5	i	109
Atlanta	67	10. 2		11	0	100
White	38			-4		
Colored	29	(5)		7	**********	
Baltimore 4	221	14.5	14.5	22	38	66
White	156	14.0	14.0	9	-	33
Colored	65	(8)		13		209
Birmingham	57	14.5	23.6	9	14	200
	25	14. 3	20.0	2	14	
White		(3)		7		
Colored	32 225	15.0		20	22	53
Boston	32	10.0	14.4	20	6	32
Bridgeport	163	15.0	10.0	20	14	81
Buffalo.		15. 3	12.2	20	6	33
Cambridge	31	14. 4	21.0	8	1 1	127
Camden	42	17. 0	12.4			
Chicago 1	694	12.1	11.9	75	81	66
Cincinnati	121	15. 4	16.9	10	18	59
Cleveland	204	11.4	11.1	18	22	45
Columbus	83	15. 5	14.0	6	7	55
Dallas	37	10.0	13.0	9	6	
White	29			9		
Colored	8	(3)		0		*********
Denver	86	16.0	17. 2	9	18	
Des Moines	36	12.6	10.4	0	2	0
Detroit	298	12.5	9.8	44	42	76
Duluth	16	7. 5	8.7	2	1	43
El Paso	25	12.4	16.1	4	7	
Erie	23			4	0	78
Fall River 4.	42	18. 1	13.4	7	3	102
Flint	17	6, 8	5.5	4	3	63
Fort Worth	25	8.6	6.3	2 2	2	
White	22			2		
Colored	3	(3)		0		
Grand Rapids	40	13.6	13.0	6	5	94
Houston	52	16. 4	8.5	7	6	
White	33			5		
Colored	19	16.1		2		
Indianapolis.	111	16.1	9.7	8	7	57
Jersey City	56	9.3	13. 2	6	9	43
Kansas City, Kans.	28	11.8	12.4	4	1	79
White.	20			3		67
Colored	8	(5)		1		184

Annual rate per 1,000 population.
 Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1924. Cities left blank are not in the registration area for births.

Data for 60 cities.
 Data for 60 cities.
 Deaths for week ended Friday, Dec. 4, 1925.
 In the cities for which deaths are shown by color, the colored population in 1920 constituted the following per cents of the total population: Atlanta 31, Baltimore 15, Birmingham 39, Dallas 15, Fort Worth 14, Houston 25, Kansas City, Kans., 14, Louisville 17, Memphis 38, Nashville 30, New Orleans 26, Norfolk 38, Richmond 32, and Washington, D. C., 25.

Deaths from all causes in certain large cities of the United States during the week ended December 5, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924. (From the Weekly Health Index December 9, 1925, issued by the Bureau of the Census, Department of Commerce.)—Continued

		ded Dec. 1925	Annual death rate per		s under rear	Infant mortali
City	Total deaths	Death rate	rate per 1,000 corre- sponding week, 1924	Week ended Dec. 5, 1925	Corresponding week	rate week ended Dec. 5 1925
Kansas City, Mo.	106	15.0	10.7	5	10	
Los Angeles	236			18	29	
Louisville	72 53	14.5	15.9	5 4 1	3	
WhiteColored	19	(8)		1		3
owell.	32	14.3	13.1		6	
ynn	18	9.0	911	4 2 8 4	1	
demphis.	66	9. 0 19. 7	9. 1 19. 7	8	8	
White	30			4		
Colored.	36	(5) 11.3		4		
filwaukee	109	11.3	11.1	22	17	1
finneapolis	32 18 66 30 36 109 94 43 28 15	11.5	15. 6 13. 9	22 12 5 2 3	13	
lashville 4	43	16. 5	13.9	5	8	
WhiteColoredew Bedford	28			2		*******
Colored	15	(4)		3		******
ew Bedford	28 49	10.8	9.0	7	3	
ew Haven	147	14. 3 18. 5	13.3	14	13	
White	93	18. 0	20.0	11	10	******
WhiteColored	54	(8)		3		
ew York	1, 302	11.1	12.0	128	169	*******
Bronx Borough.	122	7.0	10.2	10	20	1
Brooklyn Borough	448	10.4	10.6	49	46	
Manhattan Borough	585	13. 5	13.6	58	86	
Queens Borough	99	9.0	11.4	10	13	
Richmond Borough	48	18.7 12.7	25. 1	1	4	
Queens Borough Richmond Borough ewark, N. J	110	12.7	11.1	14	14	
orfolk.	34 22			1 14 2 2 0 7 3 7	7	
White	12			2		
Colored	63	12.9	17. 3	9	7	
aklandklahoma City	16	12.9	11.0	- 4	ó	
maha.	66	16.3	17.3	7	7	
aterson	31	11.4	13.0	6	6	1
hiladelphia	558	11.4	13. 0 15. 7 14. 8	63	60	
ittsburgh	182	15.0	14.8	28	23	
ortland, Oreg	69	12.7	11. 3 15. 2	63 28 3	3	
rovidence	50	10.6	15, 2	6 7 3	6	
ichmond	54	15. 1	15.0	7	4	
White. Colored	37 17	********				
Colored	17	9.9		6		1
chester	933		11.7	16	7 17	
Pant	63 223 57 29	14. 2 12. 1	14.5 11.5		3	*
It Lake City i	29	11.5	12.6	2 3 7 3 4 2 6 3 1	ő	
Paul alt Lake City 4 an Antonio	47		12.6 17.2	7	17	
n Diego	36	12.4	14.6	3	3	
in Francisco	145	13.6	13. 3	4	6	
henectady	26 52 24	13. 3	12.5	2	1	
attle	52			6	2	
merville	24	12.3	9.9	3	1	
ookane	24 29	11.5	12.5	1	4	
oringfield, Mass	42	9.9	9.1	6	4 7	
acoma	21	10.5	10.6	6	il	
oledo	61	11.1	14.9	3	13	
renton	50	19.7	18.9	3	7	1
rentonashington, D. C	145	15. 2	15. 3	14	14	
White	95			4		-
White. Colored	50	(5)		10		1
aterbury	18			2	3	1
ilmington, Del	32	13.7	14.8	2 3 5	4	
orcester	49	12.8	12.8	5	11	
onkers	19	8.9 7.5	6.7	5	0	1
Youngstown	23	7.5	10. 1	5	7	

Deaths for week ended Friday, Dec. 4, 1925.
 In the cities for which deaths are shown by color, the colored population in 1920 constituted the following per cents of the total population: Atlanta 31, Baltimore 15, Birmingham 39, Dallas 15, Fort Worth-14; Houston 25, Kansas City, Kans., 14, Louisville 17, Memphis 28, Nashville 30, New Orleans 26, Norfolk 38, Richmond 32, and Washington, D. C., 25.

PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES

CURRENT WEEKLY STATE REPORTS

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers

Reports for Week Ended December 12, 1925

ALABAMA	Cases	ARKANSAS—continued	Cases
Chicken pox		Smallpox	
Dengue		Trachoma	. 3
Diphtheria		Tuberculosis	12
Influenza		Typhoid fever-	16
Malaria	. 18	Whooping cough	. 6
Measles	. 4	CALIFORNIA	
Mumps	. 23	California	
Paratyphoid fever	. 1	Cerebrospinal meningitis:	
Pellagra	. 9	Los Angeles	. 4
Pneumonia	. 113	Oakland	. 2
Poliomyelitis	. 1	Chicken pox	
Scarlet fever		Diphtheria	
Smallpox		Influenza	
Tetanus		Lethargic encephalitis:	
Trachoma		Los Angeles County	1
Tuberculosis		San Gabriel	1
Typhoid fever		Measles	
Whooping cough		Mumps	249
	1514	Poliomyelitis:	
AR:20NA		Compton	1
Chicken pox	. 15	Fresno County	2
Diphtheria	. 5	San Francisco	1
Measles	. 2	Scarlet fever	122
Mumps	. 33	Smallpox:	
Paratyphoid fever		Los Angeles	8
Poliomyelitis		Oakland†	16
Scarlet fever	. 25	Sacramento	11
Tuberculosis		Scattering	13
Typhoid fever		Typhoid fever	9
••		Whooping cough.	72
ARKANSAS	17	W nooping cough.	
Cerebrospinal meningitis	. 1	CONNECTICUT	
Chicken pos.		Chicken pox	104
Diphtheria		Conjunctivitis (infectious)	1
Hookworm disease		Diphtheria	58
Influenza		German measles.	3
Malaria.		Influenza	11
Mensles		Lethargic encephalitis	1
Mumps		Malaria	1
Paratyphoid fever		Measles	142
Pellagra		Mumps	7
Scarlet fever		Paratyphoid fever	i
DUM ICE ICYCL	10	I many priores level	•

connecticut—continued	Cases	ILLINOIS—continued	Cases
Pneumonia (broncho)	. 24	Poliomyelitis:	
Pneumonia (lobar)		Iroquois County	. 1
Poliomyelitis		Rock Island County	
Scarlet fever		Searlet fever	
Septic sore throat		Smallpox:	-
Tuberculosis		McLean County	8
Typhoid fever		Scattering	
Whooping cough		Tuberculosis	
DELAWARE		Typhoid fever: Cook County	7
Chicken pox	. 6	Scattering	
Diphtheria		Whooping cough	
Measles		The state of the s	
Pneumonia		INDIANA	
Scarlet fever		Anthon Vandon Country	
Tuberculosis		Anthrax—Jennings County	1
Whooping cough		Chicken pox	
	-	Diphtheria	49
FLORIDA		Dysentery	21
Chicken pex	13	Influenza	24
Dengue		Measles	42
Diphtheria		Pneumonia	10
Influenza		Poliomyelitis	1
Malaria	22	Scarlet fever	216
Measles	5	Smallpox	23
Mumps	20	Trachoma	4
Pneumonia		Tuberculosis	69
Poliomyelitis		Typhoid fever	9
Scarlet fever	-	Whooping cough	28
Smallpox		IOWA	
Tuberculosis			
Typhoid fever		Chicken pox	83
Whooping cough	6	Diphtheria	41
		German measles	2
GEORGIA		Measles	3
Chicken pox	16	Mumps	18
Diphtheria	23	Pneumonia	4
Dysentery	7	Poliomyelitis	1
Hookworm disease	7	Scarlet fever	62
Influenza	198	Septic sore throat	1
Malaria	23	Smallpox	21
Measles	4	Tuberculosis	6
Mumps	20	Typhoid fever	1
Paratyphoid fever	2	Whooping cough	17
Pellagra	7	TAVALA	
Pneumonia	75	KANSAS	
Poliomyelitis	2	Cerebrospinal meningitis:	
Scarlet fever	6	Colby	1
Septic sore throat	6	Eureka	1
Smallpox	7	Chicken pox	111
Tetanus	1	Diphtheria	25
Tuberculosis	33	Influenza	11
Typhoid fever	30	Lethargic encephalitis	1
Whooping cough	8	Malaria	1
		Measles	11
ILLINOIS		Mumps	18
Cerebrospinal meningitis:		Pellagra	1
Cook County	2	Pneumonia	54
Gallatin County	1	Poliomyelitis-Haven	1
Sangamon County	1	Scarlet fever:	
Diphtheria:		Kansas City	9
Cook County	67	Scattering	52
Sangamon County.	5	Smallpox	4
Scattering	26	Tetanus	1
Influenza	23	Tuberculosis	51
Measles	118	Typhoid fever	9
Pneumonia	228	Whooping cough.	45

LOUISIANA	Cases	MICHIGAN C	Cases
Diphtheria		Diphtheria	143
Influenza		Measles	271
Malaria		Pneumonia	196
Pneumonia		Scarlet fever	385
Poliomyelitis	. 1	Smallpox	13
Scarlet fever		Tuberculosis	32
Smallpox		Typhoid fever	14
Tuberculosis.	43	Whooping cough	189
Typhoid fever		MINNESOTA	
Whooping cough			
		Cerebrospinal meningitis	1
MAINE		Chicken pox	154
Cerebrospinal meningitis	. 1	Diphtheria	42
Chicken pox	. 18	Measles	2
Diphtheria	. 2	Pneumonia	6
Measles	. 3	Poliomyelitis	3
Mumps	. 19	Scarlet fever	236
Pneumonia	. 11	Smallpox	5
Scarlet fever	. 16	Tuberculosis	48
Tuberculosis	. 3	Typhoid fever	8
Typhoid fever		Whooping cough	13
Whooping cough	. 17	MISSISSIPPI	
		Diphtheria	22
MARYLAND I			12
Chicken pox		Scarlet fever	6
Diphtheria			11
German measles		Typhoid fever	**
Influenza		MISSOURI	
Measles		Chicken pox	110
Mumps		Diphtheria	69
Paratyphoid fever		Influenza	12
Pneumonia (broncho)		Measles	4
Pneumonia (lobar)		Mumps	8
Rables		Ophthalmia neonatorum	1
Scarlet fever		Pneumonia	5
Septic sore throat		Poliomyelitis	1
Tuberculosis		Scarlet fever	140
Typhoid fever		Septic sore throat	1
Whooping cough	. 41	Smallpox	4
MASSACHUSETTS		Trachoma	1
MASSACHUSETIS		Tuberculosis	35
Cerebrospinal meningitis.	. 4	Typhoid fever	7
Chicken pox	280	Whooping cough	12
Conjunctivitis (suppurative)	. 5		
Diphtheria	101	MONTANA	
German measles	. 20		
Influenza	. 11	Chicken pox	24
Lethargic encephalitis	. 2	Diphtheria	2
Measles	1, 258	Measles	100
Mumps		Mumps	108
Ophthalmia neonatorum		Scarlet fever	42
	159	Smallpox	15
Pneumonia (lobar)			
Poliomyelitis	. 4	Trachoma	
Poliomyelitis	222	Tuberculosis	3
Poliomyelitis	222 2	Tuberculosis	8
Poliomyelitis	. 4 . 222 . 2 . 1	Tuberculosis	8
Pollomyelitis Scarlet fever Septic sore throat Tetanus. Trachoma.	222 2 1 2	Tuberculosis	8
Poliomyelitis Scarlet fever Septic sore throat Tetanus Trachoma Trichinosis	4 222 2 1 2	Tuberculosis Typhoid fever. Whooping cough	8
Poliomyelitis Scarlet fever Septic sore throat Tetanus Trachoma Trichinosis Tuberculosis (pulmonary)	222 2 1 2 1 2 105	Tuberculosis Typhoid fever Whooping cough NEBRASKA Cerebrospinal meningitis	3 8 10
Poliomyelitis Scarlet fever Septic sore throat Tetanus Trachoma Trichinosis Tuberculosis (pulmonary) Tuberculosis (other forms)	4 222 2 1 2 1 105 21	Tuberculosis Typhoid fever Whooping cough NEBRASYA Cerebrospinal meningitis Chicken pox	3 8 10
Poliomyelitis Scarlet fever Septic sore throat Tetanus Trachoma Trichinosis Tuberculosis (pulmonary)	4 222 2 1 2 1 105 21 6	Tuberculosis Typhoid fever Whooping cough NEBRASKA Cerebrospinal meningitis	3 8 10

NEBRASKA—continued	Cases	OKLAHOMA	Cases
Measles		(Exclusive of Tulsa and Oklahoma City)	
Mumps		Cerebrospinal meningitis:	
Scarlet fever	40	Canadian County	1
Smallpox		Tillman County	i
Tuberculosis	1	Chicken pox	21
Typhoid fever	1	Diphtheria	41
Whooping cough.	17	Influenza	103
NEW JERSEY		Malaria.	29
NEW JERSET		Measles	4
Cerebrospinal meningitis	1		3
Chicken pox	448	Mumps.	5
Diphtheria	119	Pellagra	
Dysentery	1	Pneumonia.	73
Influenza	13	Poliomyelitis—Marshall County	1
Malaria	2	Scarlet fever	38
Measles	379	Smallpox	7
Paratyphoid fever	1	Typhoid fever	34
Pneumonia	127	Whooping cough	22
Poliomyelitis	1	OREGON	
Scarlet fever	148		25
Trichinosis	1	Chicken pox.	20
Typhoid fever	14	Diphtheria:	10
Whooping cough	44	Portland	13
	**	Scattering	13
NEW MEXICO		Influenza	3
Chicken pox	24	Measles	4
Conjunctivitis	3	Mumps	27
Measles	1	Pneumonia	26
Mumps.	3	Poliomyelitis	1
Pellagra	1	Scarlet fever:	
Pneumonia	5	Portland	14
Scarlet fever	9	Scattering	34
Septic sore throat	1	Smallpox:	
Tuberculosis.	47	Portland	9
Typhoid fever	4	Scattering	21
Whooping cough	9	Tuberculosis	10
w hooping cough		Typhoid fever	1
NEW YORK		Whooping cough	27
(Exclusive of New York City)		RHODE ISLAND	
Diphtheria	85	Chicken pox	12
Influenza	16	Diphtheria	12
Lethargic encephalitis	1	German measles	2
Measles	775	Influenza	3
Pneumonia	331	Measles	216
Poliomyelitis	5	Pneumonia	3
Scarlet fever	181	Scarlet fever	7
Typhoid fever	24	Septic sore throat	1
Whooping cough.	232	Tuberculosis	2
		Typhoid fever-Providence	1
NORTH CAROLINA		Whooping cough	15
Cerebrospinal meningitis	1	SOUTH DAKOTA	
Chicken pox	125	BOUTH DAKOTA	
Diphtheria	60	Chicken pox	22
German measles	4	Diphtheria	8
Measles	35	Mumps	62
Poliomyelitis	1	Pneumonia	7
Scarlet fever	67	Scarlet fever	71
Smallpox	10	Smallpox	3
Typhoid fever	24	Tuberculosis	1
Whooping cough	66	Whooping cough	6
			-
Deaths.			

TENNESAEE		WASHINGTON—continued	Cases
Cerebrospinal meningitis-White County	Cases 1	Smalfpox:	_ and
		Tacoma	2
Chicken pox		Yakima County	19
Influenza.	-	Scattering	4
Malaria		Tuberculosis	2
	-	Typhoid fever	7
Mumps	_	Whooping cough.	28
Pellagra	-		-
Pneumonia		WEST VIRGINIA	
Scarlet fever		Cerebrospinal meningitis:	
Tuberculosis.			,
Typhoid fever		Hinton	-
Whooping cough	22	Diphtheria	12
TEXAS			14
ILAAS		Scarlet fever	
Cerebrospinal meningitis	2	Typhoid fever:	,
Chicken pox		Charleston	
Diphtheria	65	Clarksburg	1
Influenza		Fairmont	1
Mumps	2	Hinton	-
Peliagra	_	Huntington	
Pneumonia	9	Montgomery	1
Scarlet fever.	35	Weston	1
Smallpox		WISCONSIN	
Tuberculosis	16	Milwaukee:	
Typhoid fever	1	Cerebrospinal meningitis	:
Whooping cough	30	Chicken pox	192
m nooping cought	00	Diphtheria	41
UTAH		German measles	1
		Mumps	32
Cerebrospinal meningitis	1	Ophthalmia neonatorum	2
Chicken pox	134	Pneumonia	14
Diphtheria	24	Scarlet fever	12
Measles	4	Smallpox	1
Mumps	13	Tuberculosis	16
Pneumonia	10	Whooping cough	43
Scarlet fever	4	Scattering:	
Smallpox—Cedar City	1	Chicken pox	191
Tuberculosis	2	Diphtheria	38
Typhoid fever	1	German measles.	10
Whooping cough	16	Influenza	25
		Measles	166
VERMONT		Mumps.	97
Chicken pox	42	Pneumonia	16
Measles	12	Poliomyelitis	5
Mumps.	1	Scarlet fever	143
Poliomyelitis	2	Smallpox	230
Scarlet fever	7		16
Whooping cough	18	Tuberculosis	
w nooping cough	10	Typhoid fever	7
WASHINGTON		Whooping cough	101
		WYOMING	
Cerebrospinal meningitis:		Combonatal manipolitic Charidan Country	
Spokane	1	Cerebrospinal meningitis—Sheridan County	1
Thurston County	1	Chicken pox	33
Chicken pox	130	Diphtheria	2
Diphtheria	29	German measles	3
German measles	4	Impetigo cantagiosa	1
Measles	6	Mumps	11
Mumps	22	Scarlet fever	7
Poliomyelitis—Tacoma	1	Smallpox—Sweetwater County	7
Ecarlet fever	81	Whooping cough	6

Reports for Week Ended December 5, 1925

DISTRICT OF COLUMBIA	Cases	NORTH DAKOTA—continued	Cases
Chicken pox	. 21	German measles	. 4
Diphtheria		Influenza	. 10
Measles	. 4	Measles	. 6
Pneumonia		Mumps	
Scarlet fever	. 15	Pneumonia	7
Tuberculosis	22	Scarlet fever	83
Typhoid fever	. 2	Smallpox	3
Whooping cough	. 10	Tuberculosis	3
NORTH DAKOTA		Typhoid fever	1
Chicken pox	23	Whooping cough	25
Diphtheria	-		

SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cere- bro- spinal menin- gitis	Diph- theria	Influ- enza	Ma- laria	Mea- sles	Pella- gra	Polio- mye- litis	Scarlet fever	Small- pox	Ty- phoid fever
October, 1925 Arkansas Hawaii Michigan November, 1925	1	47 24 474	109 8 22	256	3 14 160	28	2 10	16 2 667	13	132 0 216
Arizona Connecticut Michigan Vermont	1	26 173 474 22	1 29 16 0	0	5 261 411 14	0	4 3 13 9	64 185 875 91	0 0 18 0	30 17 84 1

PLAGUE-ERADICATIVE MEASURES IN THE UNITED STATES

The following items were taken from the reports of plague-eradicative measures from the cities named:

Los Angeles, Calif.	
Week ended Nov. 28, 1925:	
Number of rats trapped	1,841
Number of rats found to be plague infected	0
Number of squirrels examined	192
Number of squirrels found to be plague infected	0
Number of mice trapped	2, 953
Number of mice found to be plague infected	0
Date of discovery of last plague-infected rodent Nov. 6, 1925.	
Date of last human case, Jan. 15, 1925.	
Oakland, Calif.	

(Including other East Bay communities)

Week ended Nov. 28, 1925:	
Number of rats trapped	558
Number of rats found to be plague infected	0

Totals:

Totals.	
Number of rats trapped Jan. 1 to Nov. 28, 1925	76, 555
Number of rats found to be plague infected	21
Number of squirrels examined May 1 to Aug. 1, 1925	7, 277
Number of squirrels found to be plague infected	0
Number of mice trapped Jan. 1 to Nov. 28, 1925	27, 800
Date of discovery of last plague-infected rat, Mar. 4, 1925.	
Date of last human case, Sept. 10, 1919.	

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended November 28, 1925, 37 States reported 1,660 cases of diphtheria. For the week ended November 29, 1924, the same States reported 1,978 cases of this disease. One hundred and two cities, situated in all parts of the country and having an aggregate population of about 29,000,000 reported 886 cases of diphtheria for the week ended November 28, 1925. Last year for the corresponding week they reported 965 cases. The estimated expectancy for these cities was 1,469 cases. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-four States reported 2,580 cases of measles for the week ended November 28, 1925, and 848 cases of this disease for the week ended November 29, 1924. One hundred and two cities reported 1,179 cases of measles for the week this year, and 325 cases last year.

Poliomyelitis.—The health officers of 38 States reported 38 cases of poliomyelitis for the week ended November 28, 1925. The same States reported 83 cases for the week ended November 29, 1924.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-seven States—this year, 2,837 cases; last year, 2,997 cases. One hundred and two cities—this year, 1,135 cases; last year, 1,279 cases; estimated expectancy, 939 cases.

Smallpox.—For the week ended November 28, 1925, 37 States reported 467 cases of smallpox. Last year for the corresponding week they reported 614 cases. One hundred and two cities reported smallpox for the week as follows: 1925, 89 cases; 1924, 213 cases; estimated expectancy, 42 cases. One death from smallpox was reported by these cities for the week—at Los Angeles, Calif.

Typhoid fever.—Four hundred and ninety-five cases of typhoid fever were reported for the week ended November 28, 1925, by 36 States. For the corresponding week of 1924, the same States reported 454 cases of this disease. One hundred and two cities reported 76 cases of typhoid fever for the week this year and 161 cases for the corresponding week last year. The estimated expectancy for these cities was 99 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia were reported for the week by 95 cities, with a population of more than 28,000,000, as follows: 1925, 754 deaths; 1924, 752.

City reports for week ended November 28, 1925

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1915 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

		Chick-	Diphi	theria	Infl	ienza				
Division, State, and city	Population July 1, 1923, estimated	en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	Mea- sles, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported	
NEW ENGLAND		-								
Maine:										
Portland.: New Hampshire:	73, 129	4	2	1	0	0	0	0	2	
Concord	22, 408	0	1	0	0	0	0	0	1	
Manchester	81, 383	0	5	0	0	0	0	0	1	
Vermont: Barre	1 10, 008	1	0	3	0	0	0	0	2	
Burlington Massachusetts:		ů	, i	ő	ő	ŏ	1	ő	â	
Boston	770, 400	46	64	13	3	3	85	5	19	
Fall River	120, 912	1	5	1	1	0	71	5 2 1	3	
Springfield	144, 227	1	5	1	1	1	1		4	
Worcester Rhode Island:	191, 927	2	6	4	0	0	27	0		
Pawtucket		0	.2	2	0	0	.0	0	1	
Providence Connecticut:	242, 378	0	14	5	0	1	113	0	0	
Bridgeport	1 143, 555	2	11	11	1	0	20	0		
Hartford	1 138, 036	6	10	ī	Ō	0	13	ŏ	8	
New Haven	1 138, 036 172, 967	20	4	0	0	0	3	1	9	
MIDDLE ATLANTIC										
New York:										
Buffalo	536, 718	19	31	9	4	0	2	1	15	
New York	5, 927, 625	179	190	150	12	9	377	21	157	
Rochester	317, 867	14	6	7	1	0	17	.0	5	
Syracuse New Jersey:	184, 511	10	13	1	0	0	1	11	7	
Camden	124, 157	5	5	4	0	0	4	0	5	
Newark	438, 699	29	18	6	Ö	ŏ	9	2	12	
Trenton	127, 390	7	6	0	1	1	0	1	2	
Pennsylvania:										
Philadelphia	1, 922, 788	134	76	101	0	3	54	9	47	
Pittsburgh	613, 442 110, 917	28 13	34 6	17	0	3	6 2	0	33	
EAST NORTH CENTRAL										
Ohio:										
Cincinnati	406, 312	11	21	7	0	3	0	0	10	
Cleveland	888, 519	55	50	71	2	3 0	74	2	27	
Columbus	261, 082	7	14	2	2 2 0	1	1	ō		
Toledo	268, 338	16	18	10	0	0	13	0	4 2	
Indiana:			_	_						
Fort Wayne	93, 573	0	5	3	0	0	1	0	7 1 1	
Indianapolis	342, 718	15	22	11 3	0	0	10	0	7	
South Bend Terre Haute	76, 709 68, 939	17	3	0	ő	0	0	0	1	
Illinois:	00, 939	•	3	9	0	9	0	0		
Chicago	2, 886, 121	120	211	77	1	2	8	7	42	
Peoria	79, 675	9	. 3	0	0	0	0	2	1	
Springfield	61, 833	8	4 1	2	0	0	1	6	0	

Population Jan. 1, 1920.

			Diph	theria	Infl	uenza	Mea-		Pneu-
Division, State, and city	Population July 1, 1923, estimated	Chick- en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	sles, cases re- ported	Mumps, cases re- ported	monia, deaths re- ported
EAST NORTH CENTRAL— continued									
Michigan:								-	
Detroit	1, 155, 000 117, 968	12	79 16	26	0	0	70	0	27
Grand Rapids	145, 947	17	6	i	2	ŏ	i	ŏ	4
Wisconsin:									
Madison	42, 519 484, 595	30 189	30	15	0	0	0	17	8 2 0
Racine	64, 393	4	2	2 0	0	0	0	2 0	2
Superior	1 39, 671	0	1	0	0	0	0	0	0
WEST NORTH CENTRAL	1								
Minnesota:	101 000	-							
Duluth	106, 289 409, 125	23	5 29	19	0	0	3	0	6
St. Paul.	241, 891	80 17	22	14	0	ő	2	2	. 0
Iowa:					0	-	0	0	
Davenport Sioux City	61, 262 79, 662	8	3	3	0	*******	1	0	
Waterloo	39, 667	2	1	Ö	0		2		
Missouri:	871 018						1		
Kansas City St. Joseph	351, 819 78, 232	36 10	15 5	4	0	1 0	1	0	8
St. Louis	803, 853	31	66	30	0	0	2	0	
North Dakota:	24, 841	3	0		0	0	0	30	1
Fargo	14, 547	1	1	0	0	0	1	0	
South Daketa:									
Aberdeen	15, 829 29, 206	14	0	0	0	0	0	20	
Nebraska:						0			
Lincoln	58, 761	7	8	1	0	0	. 0	0	0
Omaha	204, 382	. 8	8	2	0	0	0	0	6
Topeka	52, 555 79, 261	16	9	0	0	0	1 0	0	10
SOUTH ATLANTIC									
Delaware:								17.4	
Wilmington	117, 728	3	3	8	0	0	1	. 0	2
Maryland: Baltimore	773, 580	98	. 44	26	12	2	160	55	18
Cumberland	32, 361	0	1	0	3	0	0	0	1
Frederick	11,301	1	0	0	0	0	1	0	0
District of Columbia: Washington	1 437, 571	19	26	24	2	1	3	0	6
Virginia:							- 1		
Lynchburg	30, 277 159, 089	4	6	1 0	0	0	0	0	1 4
Norfolk Richmond	181, 044	i	15	18	0	ő	i	2 0	3
Roanoke	55, 502	0	4	5	0	0	0	0	4
West Virginia: Charleston	45.597	1	4	3	0	0	0	1	2
Huntington	45, 597 57, 918 1 56, 208	0	3	1	0	0	2	0	1 2
Wheeling	1 56, 208	2	3	0	0	0	1	0	2
North Carolina: Raleigh	29, 171	1	3	3	0	0	0	.0	1
Wilmington	29, 171 35, 719		1						
Winston-Salem South Carolina:	56, 230	0	3	3	0	0	4	0	1
Charleston	71, 245	0	3	4	0	0	0	0	20
Columbia	71, 245 39, 688 25, 789	0	1	1	0	0	0	3	0
GreenvilleGeorgia:	25, 789	0	1	2	0	0	0	0	1
Atlanta	222, 963	2	7	8	34	2	0	1	19
Brunswick	15, 937	0	0	0	0	0	0	0	0
Savannah	89, 448	0	4	0	7	0	0	1	1
St. Petersburg	24, 463	2	1	0	0	0	1	0	1 2
Tampa	56,050	0	2	2	2	0	0	0	2

Population Jan. 1, 1920.

	10000		Dipht	heria	Infl	ienza			
Division, State, and city	Population July 1, 1923, estimated	Chick- en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	Mea- sles, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
EAST SOUTH CENTRAL	-								
Kentucky:									
Covington	57, 877	0	3 13	0 5	0 2	0	0	0	1 3
Louisville Tennessee:	257, 671		13		2	0	0		
Memphis	170,067	7	14	3	0	1	0	0	10
Nashville	121, 128	. 0	6	4	0	0	4	0	
Birmingham	195, 901	4	7	4	10	2	2 0	0	7
Mobile	63, 858	0	0	2 3	8	2 2		0	2
Montgomery	45, 383	0	1	3	0	0	0	14	
WEST SOUTH CENTRAL									
Arkansas:									
Fort Smith	30, 635 70, 916	3 0	3	2 2	0	0	0	0	0
Louisiana:	70, 910		3	-	U	0	U		
New Orleans	404, 575	0	12	6	10	3	1	0	17
ShreveportOklahoma:	54, 590	3	0	2	0	1	0	0	0
Oklahoma City	101, 150	3	4	1	0	0	0	0	2
Texas:		-							
Dallas Galveston	177, 274 46, 877	7 0	14	13	1 0	0	0	0	0
Houston	154, 970	ŏ	5	11	ő	1	ő	0	4
San Antonio	154, 970 184, 727	0	4	2	0	2	0	0	6
MOUNTAIN							•		
Montana:									
Rillings	16, 927	11	1	0	0	0	0	9	1
Great Falls	27, 787	5	2 0	1 0	0	0	0	81	0
Helena Missoula	1 12, 668	4	0	ő	0	0	ő	0	1 0 1
Idaho:									
Boise Colorado:	22, 806	2	0	1	0	0	0	0	0
Denver	272, 031	22	15	2	0	1	1	0	10
Pueblo	43, 519	2	4	4	0	0	0	0	1
New Mexico: Albuquerque	16, 648	11	1	1	0	0	0	1	0
Arizona:	10,040	**	- 1	•		0	U		
Phoenix	33, 899			2	0	0	0		3
Utah: Salt Lake City	126, 241	37	4	6	0	0	0	11	3
Nevada:	140, 241						0		
Reno	12, 429	0	0	0	0	0	0	0	0
PACIFIC									
Washington:									
Seattle	1 315, 685	29	7	2	0		4	18	
Spokane Tacema	104, 573 101, 731	41	5 3	4 3	0	0	0	0	1
Oregon:	101,101								•
Portland	273, 621	8	7	8	0	0	2	4	6
California: Los Angeles	666, 853	15	40	38	7	0	2	6	18
Sacramento	69, 950	3	3		ó	0	í	1	
San Francisco	539, 038	42	23	3 7	i	il	2	6	7

¹ Population Jan. 1, 1920.

	Scarle	t fever		Smallpo	X	Tuber-	Ty	phoid f	ever	Whoop-	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	culo- sis, deaths re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
NEW ENGLAND											
Maine:		_									
Portland New Hampshire:	1	7	0	0	0	2	0	2	1	0	22
Concord Manchester	1 2	13	0	0	0	1 0	0	0	0	0	9
Vermont:							. 0	0	0	0	14
Barre Burlington	1	0	0	0	0	0	0	0	0	0	3
Massachusetts:											
Boston Fall River	36	47	0	0	0	12	2	0	0	32	207 27
Springfield Worcester	7	3	0	0	0	2 2	0	0	0	0	43
Rhode Island:	10	11	0	0	0	2	0	2	0	7	*******
Pawtucket	1	1	0	0	0	0	0	0	0	0	23
Providence Connecticut:	9	7	0	0	0	3	1	3	0	9	67
Bridgeport	5	4	0	0	0	1	1	0	0	1	29
New Haven	6 5	5	0	0	0	3 2	0	0	0	8 2	38 44
MIDDLE ATLANTIC						-					-
New York:											
Buffalo	117	13 97	0	0	0	3	1	5	0	8	115
New York Rochester	10	6	0	0	0	1 101	19	19	0	47 14	1, 314
Syracuse	13	1	0	0	0	1	0	0	0	14	43
New Jersey: Camden	2	12	0	0	0	0	. 0	0	0	0	26
Newark Trenton	16	13	0	0	0	8 5	2	0	0	4	96
Pennsylvania:		4		1	0	1	0	0	0	0	32
Philadelphia	52 29	66	0	0	0	31	6	3	0	24	412
Reading	2	4	0	0	0	0	0	0	0	3	174 30
EAST NORTH CENTRAL											
Ohio:									- 1		
Cincinnati	14 28	15 16	0	0	0	15	3	1	0	35	96 217
Columbus	10	8	1	6	0	3	1	o	o l	0	69
ToledoIndiana:	15	16	0	0	0	0	3	4	1	0	45
Fort Wayne	1	0	0	0	0	1	0	0	0	0	30
Indianapolis South Bend	11 3	16	3	35	0	1	0	0	1 0	2	93 11
Terre Haute	3	12	0	ō l	o l	2	0	0	1	o	21
Illinois: Chicago	118	116	1	1	0	43	5	9	0	20	610
Peoria	6	3	0	0	0	0	0	0	0	0	13
Springfield Michigan:	2	0	0	0	0	0	1	0	0	1	11
Detroit	70	67	2	0	0	18	3	0	0	26	262
Flint Grand Rapids.	10	18	0	0	0	2 0	0	0	0	36	27 31
Wisconsin:											
Madison Milwaukee	29	5 9	0	0	0	8	0	0	0	13 20	92
Racine	29 3 1	6	0	0	0	2	0	0	0	5 0	11 12
WEST NORTH CENTRAL								0		0	14
dinnesota:											
Duluth Minneapolis	3 33	18 71	1 2 3	1 0	0	4	0	0	0	8	28 90 55

¹ Pulmonary tuberculosis only.

	Scarle	t fever		Smallpe	x		Ty	phoid f	ever	Whoop-	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	Tuber- culosis, deaths re- ported	meted	Cases re- ported	Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
WEST NORTH CEN- TRAL-contd.											
Iowa:											
Davenport	1 3	1	0	3			0	0		0	
Sioux City Waterloo	3	0	Ô	1			ő	1		0 3	
Missouri:											
Kansas City St. Joseph	10	13	1 0	0	0	1	1 0	0	0	10	98
St. Joseph St. Louis	32	56	ő	0	ŏ	10	0 3	0 2	i	5	209
North Dakota:	2		0					0			
Grand Forks.	1	6	1	0	0	0	0	0	0	8	7
South Dakota:											
Aberdeen	1	5	0	0			0	0		1	
Sioux Falls Nebraska:	1		0	0	0	0	0	0	0	0	6
Lincoln	1	1	0	0	0	0	0	0	0	31	10
Omaha Kansas:	4	8	1	2	0	3	0	0	0	1	48
Topeka	2	2	0	0	0	4	1	1	1	3	19
Wichita	4	2	0	0	0	0	0	0	0	1	25
SOUTH ATLANTIC			-								
Delaware:											
Wilmington Maryland:	4	2	0	0	0	3	1	0	0	0	30
Baltimore	20	12	0	0	0	18	4	5	2	23	193
Cumberland	1	0	0	0	0	0	0	0	0	1	7
Frederick Dist. of Columbia:	0	0	0	0	0	0	0	0	0	0	3
Washington	18	21	0	0	0	12	3	4	1	7	121
Virginia:											
Lynchburg	1 2	1	0	0	0	1 0	0	0	0	0	5
Richmond	7	15	0	0	0	4	1	1	0	1	59
Roanoke	1	2	0	0	0	1	1	0	0	4	15
West Virginia: Charleston	1	0	0	0	0	3	0	1	0	3	18
Huntington	2	2	0	0	0	1	0	0	1	0	20
Wheeling North Carolina:	2	7	0	0	0	0	1	1	0	0	14
Raleigh	1	3	0	0	0	2	0	0	0	0	16
Wilmington	1		0				1				
Winston-Salem South Carolina:	1	3	0	1	0	1	0	0	0	2	16
Charleston	1	0	0	0	0	3	0	1	1	0	33
Columbia	0	0	0	0	0	0	0	0	0	0	
Greenville Georgia:	1	1	0	0	0	0	1	0	0	0	11
Atlanta	6	0	2	0	0	2	1	1	0	0	81
Brunswick Savannah	0	0	0	0	0	1	0	0	0	0	3 25
Florida:	1	0	0	0	0	4	1	0	0	0	20
St. Petersburg	0	1 0	0	0	0	2	0	0	0	0	16
Tampa EAST SOUTH CENTRAL	0		0	0	0	1	0	0	0	0	21
Kentucky:											
Covington	2	2	0	0	0	2	0	1	0	0	20
Louisville	4	7	1	1	0	9	2	0	1	5	76
Tennessee: Memphis	4	14	0	1	0	2	1	0	9	1	54
Memphis Nashville	3	3	1	Ô	0	3 2	i	0	0	0	36
Alabama:			0		0	2					***
Birmingham Mobile	5	4	1	0	0	4	2	3	0	2 0	70 29
Montgomery	i	2	0	0	Ö	o l	0	0	Ö	Ö	17

	Scarle	t fever		Smallpo	x		Ту	phoid f	ever	Whoop-	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re-	Cases, esti- mated expect- ancy	re-	Deaths re- ported	Tuber- culosis, deaths re- ported	esti- mated		Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
WEST SOUTH CENTRAL											
Arkansas:											
Fort Smith	2	1	0	0			1	0		0	
Little Rock	2	i	i	0	0	2	1	3	0	0	
Louisiana:	-		1								
New Orleans	6	9	1	1	0	10	2	2	1	2	132
Shreveport	1	3	1	0	0	0	1	0	1	0	24
Oklahoma:											
Oklahoma City	3	2	0	0	0	0	0	3	1	0	22
Texas:											-
Dallas	4	10	0	0	0	1	2	0	0	14	39
Galveston	1	0	0	0	0	0 2	1 0	1	0	0	6
Houston	1	2	0	0	0	6	1	1 0	0	0	52 62
San Antonio	1		0	1	0					0	02
MOUNTAIN											
Montana:											
Billings	1	1	0	0	0	0	1	0	0	0	8
Great Falls	1	2	1	0	0	0	0	0	0	0	4
Helena	0	0	0	0	0	0	0	0	0	0	5
Missoula	1	0	0	1	0	0	0	0	0	0	0
Idaho:					0	0	. 0	0	. 0	1	9
Boise	1	0	0	0	0	0	. 0		. 0	1	, ,
Colorado:	9	11	5	0	0	10	1	0	0	16	76
Denver Pueblo	2	0	0	0	ő	1	Ô	0	0	1	9
New Mexico:	-										
Albuquerque	1	8	0	0	0	5	1	1	0	0	9
Arizona:	-		1		-						
Phoenix		5		0	0	13		0	0		31
Utah:								-		_	
Salt Lake City.	3	4	1	0	0	1	0	2	1	7	32
Nevada:	-							0	0		3
Reno	0	0	0	0	0	G	0	0	0	0	
PACIFIC											
Washington:											
Seattle	7	22	1	3			1	1		0	
Spokane	6	21	1	1			1	0		1	
Tacoma	2	1	0	24	0	0	0	0	0	0	23
Oregon:											
Portland	7	15	4	0	0	0	1	1	0	0	
California:		-				10	-				
Los Angeles	18	23	0	6	1	18	3	0	0	0	211
Sacramento	10	15	0	0	0	9	1	0	0	9	14 136
San Francisco.	10	10	01	U	0	9		- 1	U		130

	Cereb	rospinal ingitis	Let	hargic phalitis	Pel	llagra	Polion	yelitis paraly	(infan- sis)
Division, State, and city	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, esti- mated expect- ancy	Cases	Death
NEW ENGLAND									
Massachusetts:									
BostonFall River	0	0	0	0	0	0	0	1 0	6
MIDDLE ATLANTIC			1	•	Ů			0,	,
New York:									
New York	0	1	3	2	0	. 0	5	5	2
Syracuse Pennsylvania:	1	0	0	0	0	0	0	0	0
Philadelphia	1	0	1	1	0	1	0	0	0
Pittsburgh	1	1	0	0	0	0	0	1	0
EAST NORTH CENTRAL									
Ohio: Cincinnati	0	0	1	0	0	0	0	0	
Cleveland	0	0	0	0	0	0	0	i	0
Toledo Indíana:	0	0	0	1	0	0	0	0	Ö
Indianapolis.	1	0	0	0	0	0	0	0	0
Illinois:									
Chicago	0	0	2	0	0	0	1	1	0
Detroit	0	0	2	1	0	0	0	0	0
WEST NORTH CENTRAL									
Minnesota:									
Minneapolis	0	0	1	1	0	0	0	0	0
Missouri: 1 Kansas City	0	0	2	2	0	0	0	1	0
SOUTH ATLANTIC									·
District of Columbia:	1		1						
Washington	0	0	1	0	0	0	0	0	0
North Carolina:					- 1	1			·
Raleigh	0	0	0	0	0	1	0	0	0
Charleston	0	0	0	0	0	1	0	0	0
Georgia: Savannah	0	0	0	0	1	0	0	0	
EAST SOUTH CENTRAL								-	
	2.1		- 1				-		
Alabama: Birmingham	0	0	0	0		0			
. Mobile	1	1	0	0	0 2	0 3	0	0	1 0
WEST SOUTH CENTRAL									
Arkansas:									
Little Rock	0	0	0	0	0	0	0	1	1
Louisiana: New Orleans	0	0	1	1	0	1	0	0	0
New Orleans	0	0	ô	ô	o l	i	0	0	ő
Oklahoma: Oklahoma City	0	1	0	0	0	0	0	0	0
MOUNTAIN						1			-
Utah:									
Salt Lake City	0	0	0	0	0	0	0	1	0
PACIFIC Oregon:									
Portland	0	1	0	0	0	0	0	0	0
California:	0	0		0	0	0			-
San Francisco	0	0	0	0	0	0	0	0 5	0

¹ Typhus fever-1 case, St. Louis.

The following table gives the rates per 100,000 population for 103 cities for the 10-week period ended November 28, 1925. The population figures used in computing the rates were estimated as of July 1, 1923, as this is the latest date for which estimates are available. The 103 cities reporting cases had an estimated aggregate population of nearly 29,000,000, and the 96 cities reporting deaths had more than 28,000,000 population. The number of cities included in each group and the aggregate populations are shown in a separate table below:

Summary of weekly reports from cities, September 20 to November 28, 1925-Annual rates per 100,000 population 1

DIPHTHERIA CASE RATES

*	Week ended—											
	Sept.	Oct.	Oct. 10	Oct. 17	Oct. 24	Oet. 31	Nov.	Nov.	Nov.	Nov. 28		
103 cities	1 102	1 120	140	154	4 168	1 182	166	• 174	• 181	1 160		
New England	84	77	99	124	1 97	137	97	127	144	10		
Middle Atlantic	81	84	114	129	129	149	126	141	143	150		
East North Central	113	3 140	. 164	174	189	195	187	194	189	163		
West North Central	155	195	207	236	259	282	267	240	226	178		
South Atlantic	117	225	191	224	9 268	228	211	252	7 289	7 22		
East South Central	63	69	97	97	109	97	137	69	132	120		
West South Central	79	65	83	93	102	264	199	213	176	181		
Mountain	1 195	134	200	162	372	* 176	286	5 340	16 322	134		
Pacific	107	107	107	110	142	157	148	145	186	163		

MEASLES CASE RATES

103 cities	1 36	1 41	55	70	4 93	1 105	154	• 176	6 230	7 212
New England	184	250	385	447	· 599	604	852	937	1, 130	827
Middle Atlantic	32	35	47	65	87	110	159	171	256	239
East North Central	24	8 26	26	25	47	57	74	88 10	103	124
West North Central	24	8	6	10	10	12	15	10	15	31
South Atlantic	31	25	16	55	9 40	59	154	232	7 293	7 358
East South Central	11	11	11	6	40	17	17	17	51	34
West South Central	0	0	0	0	14	5	9	9	9	5
Mountain	2 29	10	38	10	29	1 20	38	* 75	10 29	10
Pacific	20	3	12	29	12	15	17	20	32	26

SCARLET FEVER CASE RATES

103 cities	2 66	3 91	96	126	132	* 160	170	* 192	184	7 204
New England	47	89	109	132	* 130	201	271	246	209	214
Middle Atlantic	49	62	65	75	96	106	111	142	144	149
East North Central	70	8 104	117	151	142	194	167	189	196	220
West North Central	147	195	135	276	296	305	384	400	421	454
South Atlantic	66	69	98	137	9 134	193	185	172	7 114	7 141
East South Central	80	- 80	132	154	132	80	109	183	137	183
West South Central	14	51	65	56	42	42	102	121	93	139
Mountain	1 88	181	153	48	115	1 195	172	\$ 170	10 166	172
Pacific	81	93	107	142	133	148	162	206	197	249

¹ The figures given in this table are rates per 100,000 population, annual basis, and not the number of asses reported. Populations used are estimated as of July 1, 1923.
¹ Helena, Mont., not included.
² Superior, Wis., not included.
² Superior, Wis., not included.
² Barre, Vt., and Winston-Salem, N. C., not included.
² Denver, Colo., not included.
² Wilmington, N. C., and Reno, Nev., not included.
² Wilmington, N. C., not included.
² Barre, Vt., not included.
² Winston-Salem, N. C., not included.
² Winston-Salem, N. C., not included.
³ Reno, Nev., not included.

Summary of weekly reports from cities, September 30 to November 28, 1925—Annual rates per 100,000 population—Continued

SMALLPOX CASE RATES

					Week	ended-	-			
	Sept.	Oct.	Oct.	Oct.	Oct.	Oct.	Nov.	Nov.	Nov.	Nov.
103 cities	16	12	5	8	47	2 10	10	18	* 17	7 16
New England	0	0	0	0	87	0	0	0	0	0
New England. Middle Atlantic East North Central West North Central South Atlantic East South Central	0 2 2 6	30 2 0 0	0 1 10 6 17	0 8 0 6 46	0 4 4 90 6	0 17 27 6 6	12 12 12 12 29	0 13 4 6 34	0 32 17 721	32 10 7 2
West South Central	0	0 10 26	0 10 46	0 29 58	0 10 78	2 10 46	0 19 49	3 38 44	10 20 78	9 10 99
	TYP	HOID	FEVE	R CAS	E RA	res				
103 cities	2 45	s 40	37	36	4 33	1 26	28	s 12	6 17	7 14
New England	22 34	47 32	17 31	25 28	* 15 25	17 21	22 12	2 8	32 20	17
Middle AtlanticEast North Central	31	1 18	22	32	9	16	19	9	3	4
West North Central	17 94	35 54	33 55	21 70	33 9 78	19 27	31 64	17	7 31	7 29 23 32
South AtlanticEast South Central	217	143	177	132	160	109	183	46	34	23
West South Central	102	97	60	46	83	83	51	60	32	32
Mountain	1 98 23	115 29	124	48 20	67 32	2 88 20	38	3 0	10 20 6	19 15
	1	FLUEN	1	1				10		-
96 cities	*3	14	3	6	48	11 11	13	12	*8	7 9
New England	0	0	0 3	0 5	*2	12	14	14	2 6	12
East North Central	3 5	3 7	3	- 8	9	7	12	10	6	8 5
West North Central	4	7	4	8 7	7	11	7	13	2	2
South AtlanticEast South Central	2 0	17	2 0	17	6	29	18	29	7 15 46	7 10 29
West South Central	0	20	15	10	20	41	15	31	10	36
Mountain	1 10	0	10	0	38	1 10	10	0	10 20	10
Pacific	4	0	0	11	4	19 4	15	4	19	4
	PNE	UMON	IA DE	HTA	RATE	S				
96 cities	2 57	* 62	66	94	4 96	11 122	141	138	• 151	7 130
New England	55	32	60	97	* 87	112	139	137	144	161
Middle AtlanticEast North Central	66	8 47	64	94	104 83	137 119	153 125	144	160 146	145 100
West North Central	28	37	46	61	63	99	88	83	103	83
	92	87	76	129	0 124	134	207	162	7 158	7 146
South Atlantic				103	132	114	166	177	240	194
South Atlantic East South Central	46	109	120							
South Atlantic East South Central West South Central	46 51	66	66	56	117	138	163	122	163	158
South Atlantic East South Central	46									

				-
1 Holono	Mont	not	inal	haber

0 -402850

145

2 794184506

4-490413929

Helena, Mont., not included.
 Superior, Wis., not included.
 Barre, Vt., and Winston-Salem, N. C., not included.
 Denver, Colo., not included.
 Wilmington, N. C., and Reno, Nev., not included.
 Wilmington, N. C., not included.
 Barre, Vt., not included.
 Winston-Salem, N. C., not included.
 Winston-Salem, N. C., not included.
 Heno, Nev., not included.
 Helena, Mont., and Tacoma, Wash., not included.
 Tacoma, Wash., not included.

Number of cities included in summary of weekly reports and aggregate population of cities in each group, estimated as of July 1, 1923

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases	Aggregate population of cities reporting deaths
Total	103	96	28, 977, 311	28, 321, 626
New England. Middle Atlantic. East North Central. West North Central. South Atlantic. East South Central. West South Central. Mountain. Mountain.	12 10 16 14 21 7 8 9 6	12 10 16 11 21 7 6 9	2, 098, 746 10, 304, 114 7, 135, 899 2, 515, 330 2, 542, 498 911, 885 1, 124, 564 546, 445 1, 797, 830	2, 098, 746 10, 304, 114 7, 135, 899 2, 381, 454 2, 542, 498 911, 885 1, 023, 013 546, 445 1, 377, 572

FOREIGN AND INSULAR

THE FAR EAST

Report for week ended November 14, 1925.—The following report for the week ended November 14, 1925, was transmitted by the Far Eastern Bureau of the League of Nations' Secretariat, located at Singapore, to the headquarters at Geneva:

at the second second	Pla	gue	Cholera		Smallpox	
Port	Cases	Deaths	Cases	Deaths	Cases	Death
Calcutta		0		14	1	
Bombay		0		0	5	
Madras		Õ		3	7	
Rangoon		2		2	Ó	
Karachi		1		0	13	
Necapatam		Ō		0	0	
Colombo	0	0	0	0	0	
Singapore	2	2	0	0	0	
Port Swettenham	0	ō	0	Ö	0	
Penang	0	0	0	0	0	
Batavia	0	0	0	Ö	Ö	
Soerabaya	0	Õ	0	0	0	
Samarang	0	ő	0	0	0	
Belawan Deli	0	0	0	0	0	1
	0	ő	ő	ő	ő	
Macassar	0	ő	ő	0	ő	
Caching (Seconds)	0	0	0	0	6	
Kuching (Sarawak)	0	0	1	0	0	
Manila	0	0	27	21	0	
Bangkok.	0	0	0	0	0	1
saigon and Cholon						
Hongkong	0	0	0	0	0	
hanghai	0	0	1	0		
Amoy	0	0	0	0	0	
Nagasaki	0	0	0	0	0	
Yokohama	0	0	0	0	0	
Shimonoseki	0	0	0	0	0	
Moji	0	0	0	0	0	
Kobe	0	0	2 9		0	
Osaka	0	0	9		0	
Keelung (Taiwan)	0	0	0	0	0	
Fusan	0	0	0	0	0	
Adelaide	0	0	0	0	0	
Brisbane	0	0	0	0	0	1
Fremantle	0	0	0	0	0	
Melbourne	0	0	0	0	0	
Sydney	0	0	0	0	0	
Rockhampton	0	0	0	0	0	
Port Darwin	0	0	0	0	0	
Broome	0	0	0	0	0	
Port Moresby	0	0	0	0	0	
Basra	0	0	0	0	5	
Suez	0	0	0	0	0	
lexandria	0	0	0	0	0	
Port Said	1	1	0	0	0	
Mombasa (Kenya)	ô	o	Ö	0	Ö	
Zanzibar	0	0	0	0	Ö	
Massowah	0	o o	0	0	0	
Djibuti	0	0	0	0	Õ	
	0	ő	0	0	0	
Durban	0	0	0	0	0	
Cape Town	4	3	0	0	0	
		ő	0	0	0	
Mauritius	α					

BRAZIL

Mortality—Prevailing diseases—State of Rio Grande do Sul—Year, 1924.—During the year 1924, 25,429 deaths from all causes were reported in the State of Rio Grande do Sul, as compared with 25,551 deaths reported for the year 1923. Estimated population, 3,023,000. The prevailing diseases present during the period were stated to have been tuberculosis, typhoid fever, and syphilis. It was stated that most of the typhoid fever deaths occurred in the rural sections of the State.

Porto Alegre (population, estimated, 241,903).—The total number of reported deaths for Porto Alegre during the year under report was 4,269, of which number 769 were from tuberculosis and 109 from typhoid fever. It was stated that most of the fatalities from typhoid fever occurred in sections of the city where the water supply was not generally available. The number of deaths of children under 2 years of age diminished from 1,503 in the year 1923 to 1,479 in 1924.

Vaccination against rabies.—The Pasteur Institute at Porto Alegre was stated to have administered treatment against hydrophobia to 1.137 persons, of whom all but 137 had been bitten by dogs.

Plague—Certain maritime States—October, 1925.—According to information dated November 7, 1925, plague was reported present in October, 1925, in the interior of the States of Alagoas, Bahia, Ceara, and Pernambuco.

CANADA

Communicable diseases—Ontario—September, 1925.—During the month of September, 1925, communicable diseases were reported in the Province of Ontario, Canada, as follows:

	1	925	1	924
Disease	Cases	Deaths	Cases	Deaths
Cerebrospinal meningitis	. 88 271	16	7 106 183	7
German measles Gonorrhes Influenza Lethargic encephalitis Measles Mumps	1 134 9 59 29	10 1	6 175 6 5 233 100	1 8
Paratyphoid fever Pneumonia Poliomyelitis Scarlet fever Septic sore throat	37 162 4	85 5	35 195 6	82
Smallpox Syphilis. Fuberculosis Fyphoid fever Whooping cough	25 79 148 130 295	62 8 7	13 85 119 114 225	61

Smallpox was reported according to locality, during the period under report, as follows: Cases—Elora, 8; Fergus, 2; Kemptville, 2; Kitchener, 5; Nicholl, 4; Trenton, 4.

CHINA

North Manchuria Plague-Prevention Service—Report for year ended September, 1925.—Information received through the North Manchuria Plague-Prevention Service for the year ended September, 1925, shows the occurrence of plague during that period as follows:

North Manchuria.—Two cases of plague occurring in Russian tarabagan hunters were reported May 29, 1925, at Hahonteh, a small station between Hailar and Manchouli, on the Chinese Eastern Railway. One of the cases, which developed pneumonic complications, ended fatally.

North Shansi Province.—A rather serious epidemic was reported from Hsing-hsien District in North Shansi Province, about 35 miles from Paotehchow, where in 1917–18 an epidemic of pneumonic plague developed. Chinese medical officers sent to the locality reported 20 out of 27 villages to be affected, with a total of 790 deaths, practically all bubonic in type. The epidemic covered the month of October, 1924.

CUBA

Cases of disease were notified in the Provinces of Cuba for the months of September and October, 1925, as follows:

SEPTEMBER, 1925

Disease	Pinar del Rio	Habana	Matan- zas	Santa Clara	Cama- guay	Oriente	Total
Chicken pox. Diphtheria. Malaria Measles Paratyphoid fever Scarlet fever. Tetanus (infantile) Typhoid fever.	2 5 9 5	1 16 93 88 9 19 1	1 3 8 11 1 1 21	4 13 26 6	1 56 5	6 10 256 186 1	36 431 325 22 19

OCTOBER, 1925

Chicken pox 1	. 12			1	2	16
Diphtheria 2	13	1	4	2	4	26
Malaria 2	13 87	1	8	57	310	465
Measles	84	2	19	2	107	219
Paratyphoid fever 5	5	2	9		1	22
Scarlet fever	16	7				23
Tetanus (infantile)	1	1		1		3
Typhoid fever 7	37	7	23		15	83

e

ł

EGYPT

Plague—Port Said—October 30-November 12, 1925.—During the period under report two cases of plague, both fatal, were reported in Egypt. The cases occurred at Port Said. The total number of cases reported in Egypt from January 1 to November 12, 1924, was 136, as compared with 359 cases reported during the corresponding period of the preceding year.

MALTA

Communicable diseases—October, 1925.—Communicable diseases were reported in the Island of Malta during the month of October, 1925, as follows:

Disease	Cases	Disease	Cases
Chicken pox Diphtheria Malta (undulant) fever Measles Pneumonia (including broncho-pneumonia).	4 14 54 64 9	Scarlet fever	38 21 58

Population, civil, estimated, 223,088.

Smallpox.—From October 1 to November 18, 1925, 50 cases of smallpox were reported in the Island of Malta. Of these, 14 cases occurred at Valetta and 21 cases at Floriana, a locality in the vicinity.

PORTUGUESE WEST AFRICA

Screening against mosquitoes—Lourenco Marques.—All buildings for dwelling purposes whether already occupied or to be constructed, are required by order of the municipal authority dated August 31, 1925, to be thoroughly protected against mosquitoes by screening doors and windows.

RUMANIA

Measures against importation of plaque.—According to information dated October 31, 1925, inspection and control of arriving passengers and merchandise from Saloniki, Kavalla, and Mitylene, Greece, have been put in force at Rumanian ports to prevent importation of plague.

Epidemic scarlet and typhoid fever—Kishenev.—Under the same date, scarlet fever and typhoid fever were reported present in epi-

demic form at Kishenev, Bessarabia.

SALVADOR

Mortality — Gastroenteritis — Measles — Malaria — July-September, 1925.—During the three months ended September 30, 1925, 7,231 deaths from all causes were reported in the Republic of Salvador, Central America. Of this number, 155 each were reported for gastroenteritis and measles. Malarial fevers were stated to be prevalent. Population, 1,500,000.

Sept. 27-Oct. 10, 1925: Cases, 2.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

The reports contained in the following tables must not be considered as complete or final as regards either the lists of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended December 18, 19251 CHOLERA

Place	Date	Cases	Deaths	Remarks
India: Calcutta	Oct. 11-31	18	18	
Indo-China:	Oct. II-ol	10	10	
Saigon	Oct. 12-18	1	1	Including 100 square kilometers
Do	Oct. 26-Nov. 1	1	1	of surrounding country.
	PLA	GUE		
			1	Oct 20 New 19 1005: Cones 0
Egypt				Oct. 30-Nov. 12, 1925: Cases, 2; deaths, 2. Total, Jan. 1-Nov. 12, 1925: Cases, 136; correspond- ing period, 1924, cases, 359.
Port SaidIndia:	Oct. 30-Nov. 12	2	2	Bubonic, 1; septicemic, 1.
Rangoon	Oct. 11-24	9	8	Sept., 1925: Cases, 74; deaths, 62, Five imported. Rats found fected, 10.
Java:				
Batavia	Oct. 10-16	101	96	Province.
Cheribon Pekalongan	Sept. 13-26do	72	124	
Soerabaya	Sept. 27-Oct. 10	24	24	
Tegal	Sept. 13-26		22	
Senegal:				1
Dakar	Sept. 13	1		
	- Small	LPOX	1	
Algeria:	0-4 01 01			
Algiers	Oct. 21-31 Nov. 1-10	5	*********	
Canada: Province—	1101.1 10	·		
Manitoba-				
Winnipeg	Nov. 29-Dec. 5	1		
Ontario:	Sept. 1-30	8		
Fergus	do	2		
Fergus Kemptville	do	2		
Kitchener	00	5		
Nicholl	do	4		
Great Britain:	do	4		
England- Newcastle-on-Tyne	Nov. 15-21	3		
Sheffield	do	1		
India: Calcutta	Oct. 11-31	6	4	
Irak: Bagdad	Oct. 18-24	1	1	
Java:	OUN 10 M			
Batavia		5		Province.
Pasoeroean	Sept. 27-Oct. 3	14		
Soerabaya	Sept. 27-Oct. 10	181	28	10
South Bantam		2	**********	Oct. 1-Nov. 18, 1925: Cases, 50,
Malta				Oct. 1-110V. 10, 1020. Cases, 60,

Oct. 1-Nov. 18....

Nov. 22-28

May 22-June 22... June 23-July 22...

....do..... November, 1925... Nov. 24-30....do.... 21

3

ī

South Bantam
Malta.
Floriana
Valetta.
Mexico:
Durango
Guadalajara.
Mexico City.
San Luis Potosi

Persia: Teheran....

Do.....

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received During Week Ended December 18, 1925-Continued

SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks
Portugal: Lisbon Oporto Spain: Madrid Malaga Tunis: Tunis	Nov. 1-14 Nov. 15-21 October, 1925 Nov. 8-14 Oct. 1-Nov. 10	******	1 2	Oct. 12-Nov. 15, 1925: Deaths, 53.
	TYPHUS	FEVE	R	
Algeria:	Oct. 21-31	1		
Chosen: Seoul	Oct. 1-31	2		
Egypt: Alexandria	Oct. 29-Nov. 4	2	1	
Mexico: Durango Mexico City	November, 1925 Nov. 15-21	7	1	
Palestine: Safad Poland	Oct. 27-Nov. 2	1		Sept. 27-Oct. 10, 1925: Cases, 52:
Sweden: Stockholm	Oct. 25-31	1		deaths, 2.
Tunis: Tunis Union of South Africa:	Oct. 1-10	1		2.1
Cape Province— Cape Town	Sept. 1-Oct. 2	1		

Reports Received from June 27 to December 11, 1925 1

CHOLERA

Place	Date	Cases	Deaths	Remarks
Algeria:		1,1		
Algiers	May 11-20	1		T OF T OF 1001- C 100
Ceylon			********	Jan. 25-June 27, 1925: Cases, 172
Colombo	May 10-16	2	2	deaths, 126. June 28-Aug. 8 1925: Cases, 27; deaths, 21.
Do	Oct. 4-10	2	2	Immigrants.
China:				
Foochow	Aug. 23-Oct. 24	19	9	
Hongkong	Sept. 13-19	2	2	
Nanking	Sept. 6-12			Sporadic cases.
Shanghai	July-September	2,058	218	Foreign: Cases, 58; deaths, 15
South Manchuria-				Native: Cases, 2,000; deaths
Yingkou	Sept. 27-Oct. 3	2		203.
Swatow	Oct. 8-31			Present.
India				Apr. 26-June 27, 1925: Cases
Bombay	May 10-June 27	2	1	33,647; deaths, 19,950. June
Do	June 28-Aug. 15	11	7	28-Aug. 29, 1925: Cases, 16,453
Calcutta	May 3-9	58	49	deaths, 9,239. Sept. 13-Oct. 3
Do	May 17-23	79	61	1925: Cases, 3,430, deaths
Do	June 14-20	12	11	2,094.
Do	July 5-Oct. 10	111	95	
Karachi	Aug. 30-Sept. 5	1	1	
Madras Presidency	June 6-20	4	1	
Do		49	19	and the second s
Rangoon	May 3-June 6	22	15	Feb. 8-14, 1925: Cases, 2; deaths
Do	June 14-27	12	8	2. (Received out of date.)
Do	June 28-Oct. 10		. 8	a (attended on the state)

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received from June 27 to December 11, 1925-Continued

CHOLERA-Continued

Place	Date	Cases	Deaths	Remarks
Indo-China				July, 1925: Cases, 12; deaths, 3 corresponding period, 1924 cases, 19; deaths, 10. July, 1924: Cases, 7; deaths, 4. July, 1924: Cases, 7; deaths, 5; Including 100 square kilometer
Cambodia	July 1-31	2		July, 1924: Cases, 7: deaths, 4.
Cochin-China	do	6	2	July, 1924; Cases, 7; deaths, 5;
Saigon	May 4-June 7	4	3	Including 100 square kilometers
Do	June 23-July 12	3	2	of surrounding country.
Do	Aug. 3-9	1	1	Do.
Laos	do	1		
Tonkin	July 1-31	3	1	July, 1924: Cases, 2.
Japan:	•			
Kohe	Sept. 4-6	5	2	
Taiwan Island, Taihoku	Oct. 1-8			Present.
Yokohama Philippine Islands:	Sept. 2	5	3	
Philippine Islands:		-		
Manila	June 15-28	3		
D0	June 29-Aug. 16 Sept. 7-Oct. 18	17	4	
Do	Sept. 7-Oct. 18	233	86	
Albay—	T 14 00			
Tabaco	June 14-20	1	1	
Batangas	Sept. 6-Oct. 3	3		
Bulacan	do	1	1 4	
Do	June 28-Sept. 19	5 83	42	
Do	Sept. 27-Oct. 10		42	
Camarines Sur	July 3-9	1		
Capiz	Sept. 20-26		1	
Lagonoy	June 6-12	2	1	
Laguna	Sept. 6-12	2	2	
Leyte	July 8-Sept. 19	1	1	
Mountain Province	June 23-29	3	i	
Nueva Ecija	Sept. 13-Oct. 3	2		
Rizal Province	Aug. 2-8. Aug. 16-Sept. 22. Aug. 16-22.	26	15	
Do	Aug. 16-300t. 22	1		
SurigaoZambales	Sept. 22-26.	i	1	
				June 28-Aug. 22, 1925: Cases, 10;
Siam				deaths, 5.
Bangkok	Apr. 29-June 27	9	4	, decemb, or
Do	Aug. 23-29	i	i	
Do	Oct. 4-17	36	14	Imported, 29.
Turkey:	Oct. 1-11	00		Imported, 201
Constantinople	May 16-22	1		
On vessel		i		At Nagasaki. Reported Sept. 2,
OH VOSCI		-		1925, arrived on vessel from
				China.
Steamship President Lin-		1		At Kobe, Sept. 5, 1925, from
coln.				Shanghai.
Steamship Amboise	Sept. 16	2	2	At Hongkong, China, from Yokohama, via Shanghai. In port at Shanghai Sept. 11-13, 1005. Arrived at Stars Cot. 15.
				having received free pratique at the intermediary ports of Saigon, Singapore, Colombo, and Dijibuti. Destination, Marseille.
	PLA	GUE		
Algeria:	Oct 11 00			
Algiers	Oct. 11-20	1		
Brazil:	May 3-June 13	5	4	
Bahia Do	Sept. 6-12	1	i	
DoBritish East Africa:	Depe. 0-18			
Tanganyika Territory	Sept. 20-26		2	
Uganda	Feb. 1-28	28	28	
	July	116	102	
De De		110		
Do	May 4- June 20	20	74	Apr 1-May 31, 1025; Casas 120;
Do. Entebbe	May 4-June 30	79	74	Apr. 1-May 31, 1925: Cases, 129;
Entebbe	May 4-June 30	79	74	Apr. 1-May 31, 1925: Cases, 129; deaths, 118.
Do	May 4-June 30 May 10-June 30	79	10	Apr. 1-May 31, 1925: Cases, 129; deaths, 118.

Reports Received from June 27 to December 11, 1925-Continued

PLAGUE-Continued

Place	Date	Cases	Deaths	Remarks
China:				
Fooehow	May 24-31			Reported present in epidemic form.
Do	Aug. 23-29			Present.
Nanking	July 25-Oct. 31			Do.
North Manchuria	May 27	2	1	
Swatow	Oct. 11-17			Endemic.
Ecuador:				
GuayaquilDo	June 1-15 Sept. 1-Oct. 31	15	8	May 16-June 30, 1925: Rats examined, 30,347; found infected, 95. July 1-Oct. 31, 1925: Rats taken, 77,781; rats found infected, 357. Jan. 1-Oct. 28, 1925: Cases, 134;
Egypt				Corresponding period year 1924: Cases, 358.
City— Alexandria	June 17-24	2	2	Bubonie.
	Sept. 10-16	1	-	and the same of th
Do	Sept. 10-16 Oct. 28	i	1	Government of Suez, bubonic.
Kantara Port Said	June 17-18	i	i	and the state of t
Do	June 28 Sent 3	11	3	
Do	Oct. 1-7.	2	0	
Suez	June 14-27	3	2	
Do	Aug. 19	ĭ	ī	Septicemic.
Assint	June 5	1	1	
Beni-Souef	June 10-16	8	4	
Do	Aug. 6-12	5	2	
Do	Oct. 25	1	1	Bubonie.
Charkieh	June G-8	1	1	
Do	Oct. 25	1	1	Septicemic.
Kena	June 17 June 6-17	1	1	
Minia	June 6-17	3	2	
France:				
Chateah Gombert	Oct. 13	1	1	Distant 81/4 kilometers from
Marseille	Oct. 13 Aug. 13-18	3		Marseille.
Gold CoastGreece;	March-April	3	3	
Athens	July 1-Oct. 10	64	18	
Do	Oct. 21-31	18	3	Including Piræus. Ionian Islands. Case stated to have originated at Patras.
Cephalonia	Nov. 10	1		Ionian Islands. Case stated to
Piræus	July 18-Aug. 14	9		have originated at Patras.
Pyrgos Saloniki	Sept. 1 Sept. 22-Oct. 12	1 2	1	
Hawaii Territory:	June 28			Plague-infected rat.
Honokaa	Aug. 7	1		ringue-iniected rac.
Do	Aug. 15			Plague-infected rat near Paquilo.
Kukuihaele	July 31			Plague-infected rat.
Paauhau	Aug. 12			Do
ndia	Aug. 14	******		Apr. 26-June 27, 1925; Cases.
Bombay	Apr. 26-June 27	65	59	Apr. 26-June 27, 1925: Cases 10,166; deaths, 8,913. June 28- Oct. 3, 1925: Cases, 11,132 deaths, 7,603.
Do	Apr. 26-June 27 June 28-Oct. 17	26	19	Oct. 3, 1925; Cases, 11,132
Calcutta.	May 30-June 6	1	1	deaths, 7,603.
Do	July 5-11	i	l il	
Karachi	Mars 10 Tune 8	4	3	
Do.	July 31-Aug 6	i	1	
Do	Sent 6-Oct 24	25	13	
Madras	May 10-June 27	15	8	
Do	July 31-Aug. 6 Sept. 6-Oct. 24 May 10-June 27 June 28-Sept. 19	185	78	
Do.			78 27	
Do	Oct. 20-26	7	8	
Rangoon	May 3-June 27 June 28-July 4	113	95	Feb. 8-14, 1925: Cases, 13; deaths,
Do	June 28-July 4	20	18	13. (Received out of date.)
Do	July 12-Oct. 10	240	203	
ndo-China		******		July 1-31, 1925: Cases, 46; deaths, 36; corresponding period, 1924: Cases, 26; deaths, 22. July, 1924: Cases, 4; deaths, 4. July, 1924: Cases, 9; deaths, 9.
			-	Cases, 26; deaths, 22.
Annam	July 1-31	8	8	July, 1924: Cases, 4; deaths, 4.
Cambodia	do	16	13	July, 1924: Cases, 9; deaths, 9.
Coenin China-				
Saigon	Apr. 20-June 21	3	3	Including 100 square kilometers of surrounding country.
Do Kwang-Chow-Wan	Ann 91 Cont 00		3	Do.

Reports Received from June 27 to December 11, 1925-Continued

PLAGUE-Continued

Place	Date	Cases	Deaths	Remarks
Irak:				
Bagdad	May 24-June 6 June 21-27	9 5	1	
Italy: Naples Province—				
Secondigliano	Sept. 3-5	2		From the Bulletin Quarante
•				naire, Egypt, Sept. 17, 1925.
Japan: Taiwan—		1		
Taihoku	Oct. 2-8	1	1	
Java: Batavia	May 6-June 19			
Do	July 5-31	65	31 65	In Province.
Do	A 110 8-14	20	26	Do.
Do	Aug. 22-Sept. 11	100	101	Do.
Besoeki Residency	Sept. 26-Oct. 9	128	125	Do. Epidemic.
Cheribon	Aug. 4-Sept. 5 Apr. 1-June 27 June 28-Sept. 12		102	Epidemic.
Do	June 28-Sept. 12		269	
Djokjakarta	Sept. 2-5do			Do. Do.
Rediri Pasoeroean Residency	Mar 7-May 25			Epidemic in several localities.
Do	July 13			Do.
Pekalongan	Apr. 9-June 27		96	
Do	July 13. Apr. 9-June 27. June 28-July 25. Aug. 1-Sept. 12.		78	
Soerabaya	May 1-21		3	
Do				
Do	Sept. 6-19	18	18	Epidemic at Teman.
Do	Sept. 20-26 May 28	7	7	Enidemie at Kalideamba
Do	Aug. 5-12 Sept. 11-17 Apr. 2-May 16 May 24-June 13			Epidemic at Kalidgambe. Epidemic at Klaten.
Do	Sept. 11-17			Epidemic in 4 localities.
Tegal	Apr. 2-May 16		36	
Do	Aug. 1-22		16 11	
Madagascar:	Aug. 1-22		**	
Province-				
Itasy	Apr. 1-15		1	Dubania is sentinguia 1
Do Tananarive	July 1-15 Apr. 1-June 30	232	200	Bubonic, 3; septicemic, 1.
Do	July-August	70	66	Bubonic, 25; pneumonic, 28; septicemic, 17.
Town-				ticemic, 17.
Tamatave (port)	Apr. 1-15	2	1	
Tananarive Town	June 1-7 Apr. 16-May 31	5	5	
Do	Aug. 1-31	5	5	
Mauritius		•••••		April, 1925: 1 case. August, 1925 1 case. Sept. 18, 1925: Plague- infected rats found.
Nigeria	December, 1924	17	13	infected rats found.
Do	January, 1925 March-June	10	6	
Do	March-June	25	20	
Peru	July, 1925	21	15	July-August, 1925: Cases, 40;
Barranca.	July-August	8	6	deaths, 18.
Callao	do	3	2	
Canete	do	5 3	1	
HuachoLima (city)	July July-August	15	7	
Lima (city)Lima (country)	do	6	i	
Russia			-	
Kalmyk District	May 19-31	10	8 2	
Urts.	May 25-June 3	2	2	In laboratory worker and con-
				tact. Province of Bukeevsk.
Senegal	March-June	155	81	
Do	July-August	150	89 27	
Bangkok	June 28-Aug. 22 Apr. 26-June 20 June 28-Sept. 26	13	ii	
Do	June 28-Sept 26	6	5	
Do				Sept. 18, 1925: Plague-infected rats found.
Straits Settlements:				tais loung.
SingaporeDo	May 3-30	9	9	
Do	June 28-Aug. 1	3 1	3	

Reports Received from June 27 to December 11, 1925-Continued

PLAGUE-Continued

Place	Date	Cases	Deaths	Remarks
Syria: Beirut	Sept. 4-Oct. 10	8		
Tunis: Tunis	Aug. 12-18			Plague rodent.
Turkey: ConstantinopleUnion of South Africa:	May 25-31	1		
Cape Province— Kimberley Do	June 14-20 July 5-11		1	In a Malay camp. Oneplague-infected house mouse.
Orange Free State— Boshof District	June 28-Aug. 15	5	2	Natives.
On vessel: Steamship Efstratios Ca- voundis.	July 7-11	4	1	At Alexandria, Egypt. Vessel arrived July 7, 1925. Regular route, ports in Syria, Greece, and Port Said. Dead rats re- ported found on board.
Steamship Arcadia	July 24-27	2		At Piræus, Greece, from Alex- andria, Egypt.
Steamship Anatolia	Aug. 8	1		Do.
Steamship City of Nor- wich.	Apr. 15	1		At Port Said, Egypt, Apr. 14, 1925, from Rangoon, Colombo, and Perim; destination, Lon- don. Case occurred in first officer of vessel.
Steamship Naxos	Sept. 12	1		At Phodes, from Dodecanese Islands via Alexandria, Egypt. The vessel left Alexandria Sept. 9, 1925.

SMALLPOX

Algeria:					
Algiers	May 1-June 30	43	2		
Do	July 1-Aug. 20	67			
Do	Sept. 1-Oct. 20	15			
Constantine	do	47			
Bolivia:		1			
La Paz	Apr. 1-June 30	10			
Do	July 1-Aug. 31	8			
Brazil:	,	1			
Bahia	June 28-Sept. 5	8	6		
Do	Sept. 19-26	2			
Pernambuco	Apr. 26-May 30	40	21		
Do	June 7-27	5	3		
Do	July 5-18	i	1		
Porto Alegre	June 14-20		i		
Do	Aug. 9-15		l i		
Rio de Janeiro	May 9-June 27		1 1		
Do	June 28-Aug. 15	122	36		
	A 00 C A 01	299	165		
British East Africa:	Aug. 29-06t. 51	200	100		
Kenya—					
Mombasa.	Apr. 19-June 20	27	13		
Do	July 5-Oct. 10	73	20		
Nairobi	May 3-9	3	20		
Tampaniha Tamitani	May 5-9	82	24		
Tanganyika Territory	Apr. 5-May 23	48	3		
Do	June 14-27				
Do	'Aug. 9-15	1, 181	427		
Do	Aug. 23-Sept. 26	40	5		
Uganda	Feb. 1-28	2			
Entebbe	June 1-30	1			
Brit s'i South Africa:		_			
Northern Rhodesia	Apr. 28-May 4	3		** ** -	
Do	Sept. 8-14	34		Natives.	
Do	Oct. 6-12	4	1	Do.	
Southern Rhodesia	June 11-July 1	2		-	
Do	Aug. 20-Sept. 16	4		Do.	
Bulgaria:					
Sofia	Aug. 6-19	2			

Reports Received from June 27 to December 11, 1925-Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Canada:				
Alberta-				
Calgary	Aug. 2-Sept. 26	2		
British Columbia—	T 1 00	-		
Vancouver	June 1-28	18	1	
New Brunswick	July 6-Oct. 25	18	1	
Restigouche County	June 1-30	1		
Ontario	Jule 1 30			May 31-Sept. 30, 1925: Cases, 52;
Galt	June 14-20	2		deaths, 1.
Kingston	do	ī		acceptant, at
Do	Aug. 23-Nov. 14	2		
North Bay	June 28-July 18	3		
Toronto Saskatchewan—	Oct. 4-Nov. 21	4		-
Regina	May 24-30	3		
China:				
Amoy	May 17-June 30		7	
Do	July 12-Oct. 24 May 11-June 21			Present.
Antung	June 29-Aug. 9	7		
Do		4		
Canton.	May 10-June 13			Do.
Chungking	May 3-30			Widespread.
Foochow	May 9-Oct. 24			Present.
Hongkong	Apr. 19-June 13	15	12	- Itschir.
Do	July 19-25	1		
Manchuria-				
Dairen	Apr. 13-June 28	115	17	
Do	June 28-Oct. 18	12	6	
Harbin	May 13-June 2	2		
Do	Oct. 1-21	2		P
Nanking	May 9-Oct. 31 May 3-June 6	5	2	Do.
Shanghai	July 6-Oct. 31	1	4	
Swatow	May 17-Oct 31			Stated to be endemic.
Tientsin	May 17-Oct. 31 May 9-June 6	8		crated to be didefine.
Do	July 12-18	i		
Chosen	January-May	1,663	386	
Seoul				January-June, 1925: Cases, 341;
G-1blas				deaths, 74.
Colombia: Buenaventura	Sept. 15-29	1		
Czechoslovakia	Бере. 15-24			Apr. 1-June 30, 1925: Cases, 3;
Cacinosio ania				deaths, 1. Occurring in State
Egypt				January-Jufy 1, 1925: Cases 341; deaths, 74. July 2-Aug. 4, 1925: Cases, 45; deaths, 15.
Alexandria	May 21-27	1	1	deaths, 74. July 2-Aug. 4.
Cairo	Mar. 19-May 13	5		1925: Cases, 45; deaths, 15.
Do	June 18-24	17	5	
France				February-June, 1925: Cases, 102. July-August, 1925: Cases, 91.
Paris	May 21-31	1		July-August, 1925: Cases, 91.
Germany:	7-1- 10 05			
Baden (State)	July 12-25 July 5-Sept. 19	2	1	
Stuttgart	July 5-Sept. 19	•	1	Year 1924: Cases 6,
Gibraltar Gold Coast				I car 1924. Cases 6.
doid Coast	***************************************	******		January-June, 1925: Cases, 1,121; deaths, 99. July-August, 1925:
Great Britain:				Cases, 289; deaths, 46.
England and Wales				May 24-June 27, 1925: Cases, 441.
Birmingham	July 7-13	1		June 28-Nov. 14, 1925: Cases,
Cardiff	June 14-20	1		1,059.
Do	Aug. 2-8. Oct. 25-Nov. 14	14	8	
Hull	Oct. 25-Nov. 14	13		
Newcastle-on-Tyne	May 31-June 27 June 28-Nov. 7	4		
Do Sheffield	June 28-Nov. 7	25	1	
Shemeid	Oct. 4-31	38		Tonner Tone 1001. Change
Greece	Man 1 91		********	January-June, 1925: Cases, 47;
Athens	May 1-31 June 24-30	27	2 3	deaths, 8. July, 1925: Cases, 2.
	July 1-31	14	1	
Do				
Do	Sept. 1-30	8	-	

Reports Received from June 27 to December 11, 1925-Continued

SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks
Haiti:				Deposted at Jean Bakel Aug 00
Port au Prince	Aug. 23-29	1		Reported at Jean Rabel Aug. 27.
Budapest	July 5-18	. 13		
India				Apr. 26-June 27, 1925: Cases 37,107; deaths, 9,152. June 28- Sept. 19, 1925: Cases, 22,089 deaths, 5,246.
Bombay	Apr. 26-June 27 June 28-Oct. 17	156	115	37,107; deaths, 9,152. June 28-
Do	June 28-Oct. 17	48	28	Sept. 19, 1925; Cases, 22,089
Calcutta	May 3-9	109	100	deaths, 5,240.
Do	May 17-23 May 31-June 20	75	61	
Do	May 31-June 20	75 88	81	
Do	July 5-Oct. 10	71	60	
Karachi	May 18-June 27 June 28-July 4	6	1 1	
Do	Aug. 30-Sept. 26.	10	6	
Do	Oct. 18-31	7	3	
Madras	May 18-June 27	152	66	
Do	May 18-June 27 June 28-July 18	68	25	
Do	Aug. 2-Oct. 31 May 3-June 27 June 28-July 4	168	65	
Rangoon	May 3-June 27	207	99	
Ďo Do	July 12-Sept. 19	29	14	
Indo-China	July 12-Sept. 19	20	14	July, 1925: Cases, 144; deaths, 35
muo cinna		1	1	corresponding period, 1924-
			-	July, 1925: Cases, 144; deaths, 35 corresponding period, 1924— cases, 119; deaths, 51. July, 1924: Cases, 11; deaths, 7. July, 1924: Cases, 28; deaths, 13. July, 1924: Cases, 73; deaths, 13. Lichtding, 100 squere, kilometer
Annam	July 1-31	39	7	July, 1924: Cases, 11; deaths, 7.
Cambodia	do	62 12	18 7	July, 1924: Cases, 28; deaths, 13
Cochin China	Apr 20-Mar 31	13	9	Including 100 square kilometers
Do	Ang. 17-Oct. 11	17	4	of surrounding country
Tonkin	Apr. 20-Mar 31 Aug. 17-Oct. 11 July 1-31	31	3	July, 1924: Cases, 7. Jan. 11-June 27, 1925: Cases, 186; deaths, 62. June 28-Sept. 5, 1925: Cases, 76; deaths, 25.
rak				Jan. 11-June 27, 1925: Cases, 186;
Bagdad	Apr. 26-June 20	4	1	deaths, 62. June 28-Sept. 5,
Do	Sept. 27-Oct. 3 Dec. 28-June 27 June 28-Aug. 1	97	1	1925: Cases, 76; deaths, 25.
taly	June 28-Aug. 1	29		
Catania	Aug. 17-23	1		
Syracuse Province	Aug. 17-Sept. 13	1		
Turin	Aug. 17-Sept. 13	7		
Venice	July 27-Aug. 2	. 3		Ame 26 Tune 27 1025: Coope 110
Jamaica				Apr. 26-June 27, 1925: Cases, 110. June 28-Oct. 31, 1925: Cases,
				244 (reported as alastrim), Reported as alastrim.
Kingston	Apr. 26-June 27	19		Reported as alastrim.
Do	June 28-Oct. 31	93	*********	Do.
apan:	May 24-June 27	2		
KobeNagasaki	May 15-21	2		
Do	July 6-19	ī	1	
Taiwan	June 1-30 July 1-31	11		
Do	July 1-31	1		
Tokyo	June 14-20 May 25-June 12	1 3		
Yokohamaava:	May 20-vuile 12			
Bantam Residency	June 14-27	2		
Do	Aug. 1-8 May 2-June 26	4		
Batavia	May 2-June 26	2		
Do	July 4-31	5		Province,
Do Besoeki	Aug. 8-Sept. 25 Aug. 23-Sept. 5 Apr. 22-28	14	2	Province,
Brebes	Apr. 22-28	ï		
Cheribon	Apr. 16-22		1	
Do	July 12-Aug. 15	2		Do.
Kediri Residency	July 14	35	i	Epidemic.
Pasoeroean	Aug. 30-Sept. 5 Sept. 17	30		Do.
Pekalongan	Apr. 2-8	1		200
Rembang Residency	Apr. 23			Epidemic at Kawedanan.
Do	Aug. 8	*******		Epidemic at Montong.
Soerabaya	Apr. 16-June 27	304	41	
Do	Aug. 16 Cont. 06	373 625	43 93	
South Bantam	June 28-Aug. 8 Aug. 16-Sept. 26 Apr. 16-22	1		
Tegal	Mar. 29-May 2	2	1	Facility of the second
atvia.				May-June, 1925: Cases, 4. July,
				1925: Case, 1.
Athuania				May-June, 1925: Cases, 4. July, 1925: Case, 1. February-May, 1925: Cases, 6. August, 1925: Cases, 3.

Reports Received from June 27 to December 11, 1925-Continued

SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks
Malta	June 1-30			
Do	July 1-Aug. 31	- 9		
Do	Oct. 5-21	1	1	Valetta and vicinity. From con- tact at Lazaretto, 1 case.
FlorianaValetta	do	14		
Mexico			-	January-June, 1925: Deaths,
Durango Guadalajara Do	July-October June 2-29 June 30-Nov. 16		10	2,667.
Mazatlan	Nov. 9-15			In vicinity, 3 cases.
Merida	Sept. 20-Oct. 16	. 2		
Mexico City	July 5-11	12		 Including municipalities in Federal district.
Do	Sept. 27-Nov. 7	. 0		Do. Do.
Oaxaca, State	Aug. 14			Epidemic at El Hule and other
Do	Aug. 16-Sept. 19 Oct. 11-24	3	3	localities.
Do	Nov. 8-14		- 14	
Tampico	Nov. 8-14 June 1-10 July 1-31	A	1 2	
Torreon	Aug. 1-Oct. 31		- 12	
Morocco: Tangier				Descent among matines
Nigeria	May 17-June 3			Present among natives. December, 1924: Cases, 40; deaths, 16.
Do				January-June, 1925: Cases, 1,541; deaths, 169. July, 1925: Deaths, 21.
Persia: Teheran	Mar. 21-May 21		. 29	
Peru:	Man. 21 11107 21		-	
Arequipa Do	June 1-30	4	. 1	
Lima	do	5		
Poland				Mar. 1-June 27, 1925: Cases, 41, July 5-12, 1925: Cases, 2. Aug. 2-8, 1925: Case, 1.
Portugal: Lisbon	Apr. 26-June 27	36	6	
Do	June 28-Oct. 11 June 14-20	100	20	
Oporto	June 14-20	1		
Do	July 19-Aug. 29	7		
Do Rumania	Nov. 8-14	******	1	Tonuery-May 1991; Cores 90:
				January-May, 1925: Cases, 29; death, 1.
RussiaUkraine	July 1-31	19		December, 1924: Cases, 1,000; January-April, 1925: Cases, 5,875. Later than previously published reports.
Siam:				
Bangkok	Apr. 28-June 27 June 28-July 11	27	19	
Spain: Malaga		-		
Do	May 24-June 20 July 5-Oct. 17	*******	15 46	
Do	Oct. 25-Nov. 7		4	1
Valencia	May 31-June 27	3	il	
Straits Settlements: Singapore	May 17-23			
Do	July 5-11	ĩ	1	
Pedang	July 12-25	5		
Berne Lucerne	June 7-13 June 14-20	1 4	********	
Syria: Beirut	Apr. 21-30	1		
Cripoli				Jan. 3-Apr. 15, 1925: Cases, 14,
Cunis:				
Tunis	May 6-June 30 July 1-Oct. 6		46 91	
Curkey:	May 16-22	2		

Reports Received from June 27 to December 11, 1925-Continued

SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks
Union of South Africa				July 1-31, 1925: Cases, 8.
Cape Province	May 24-Sept. 12 Apr. 18-25	******		Outbreaks.
Port Elizabeth	Apr. 18-25	8	1	
Orange Free State	Aug Q_Sont &			Outbreak in Ladybrand district.
Transvaal	May 3-June 6 Aug. 30-Oct. 3 Sept. 5-11			Outbreaks.
Do	Aug. 30-Oct. 3	1		Do.
Johannesburg	Sept. 5-11	1		D
Uruguay				December, 1924: Cases, 8. February-May, 1925: Cases, 11.
Montevideo	Aug. 1-31	1		February-May, 1925: Cases, 11.
Montevideo	Aug. Pol			
	TYPHUS	FEVE	ER	
Algeria:				
Algiers	May 11-20	6	2	In vicinity, 12 cases. Isolated.
Do	July 1-Oct. 20	21	8	
Constantine	July 1-10	17		District.
Do	July 1-Oct. 20 July 1-10 July 21-31	7		Department.
Oran	do	8		Do.
Bolivia:				
La Paz	Apr. 1-June 30	5		
Do	Aug. 1-31	1		N
Bulgaria Sofia	May 28-June 3	2		November-December, 1924: 1 case. January-June, 1925: Cases, 124; deaths, 7. July- August, 1925: Cases, 39;
Canary Islands: Santa Cruz de Teneriffe	Sept. 14-20		1	deaths, 5.
Chile:				
Iquique	Aug. 8-22		2 2	
Valparaiso	May 10-June 27		17	
Do	June 28-Oct. 24		11	
China:	Oct. 26-Nov. 1	2		
Antung Manchuria—				
Harbin	May 19-June 2 Sept. 2-Oct. 14	2 3		
Do	Sept. 2-Oct. 14	394	69	
Chosen Czechoslovakia	January-May	394	00	April Tune 1005: 1 cese cours
Czecnosiovakia		*******		April-June, 1925: 1 case, occur- ring in Province of Russinia, July, 1925: Cases, 3.
P				July, 1920. Cases, o.
EgyptAlexandria	May 7-June 3	3	1	doathe 211 Inly 2-Ang 4
	July 9-Sept. 17 Mar. 26-May 13	3		January-June, 1925: Cases, 1,011; deaths, 211. July 2-Aug. 4, 1925: Cases, 107; deaths, 19.
Cairo	Mar 26-May 12	6	A	1940. Cases, 101, deating 19.
Do	July 16-29	3	i	
Do	Sent 10-16	ĭ	i	
Port Said	Sept. 10-16 May 14-20	i	î	
Do	July 30-Aug.12	4	1	
Do	Aug. 20-26	3		
Esthonia				Apr. 1-May 30, 1925: Cases, 6. August, 1925: Cases, 1.
Great Britain:				
Scotland-				
Glasgow	Sept. 6-Oct. 8	2		
Greenock	May		2	
Do	Aug. 6-18	7		
Greece	May 1-31		2	January-June, 1925: Cases, 57; deaths, 6. July-August, 1925: Cases, 17; deaths, 3.
Do	Sept. 1-Oct. 31	21	3	Including Piræus.
Kalamata	Apr. 1-30		2	
Patras	June 28-July 4		2	*
Irak: Bagdad	July 12-18	1		
Ireland: Cork County	Aug. 25	3		
Latvia	Aug. 20			April-June, 1925: Cases, 26.
	******************			September, 1925: Cases, 1.
LibauLithuania	July 14-20	1		April-June, 1925: Cases, 26. September, 1925: Cases, 1. July-August, 1925: Cases, 9. March-June, 1925: Cases, 162; deaths, 8. July-August, 1925;
				deaths, 8. July-August, 1925; Cases, 6.

Reports Received from June 27 to December 11, 1925-Continued

TYPHUS FEVER-Continued

Place	Date	Cases	Deaths	Remarks
Mexico.				January-June, 1925: Deaths, 124
Mexico City	May 24-June 6	24		Including municipalities in Federal district.
Do	June 28-Aug. 1	39		Do.
Do	A 1107 16_(1)00 94	93		Do.
Do	Nov. 1-14. June 28-Nov. 7 Aug. 20-31	14		Do.
Do San Luis Potosi	June 28-Nov. 7		3	1
Tampico	Aug. 20-31	1		
Morocco				January-June, 1925: Cases, 421, July, 1925: Cases, 59.
				July, 1925: Cases, 59.
Palestine				Sept. 15-Oct. 19, 1925: 9 cases, occurring in 6 localities, viz, Beit Gan, Haifa, Kehruria, Ri- shon, Safad, and Tel-Aviv.
Bertusia	Oct. 20-26	1		occurring in 6 localities, viz.
Dagania	July 21-27	1		Beit Gan, Haifa, Kehruria, Ri-
Ekron	do	1		shon, Salad, and Tel-Aviv.
Haifa Jaffa district	Aug. 20-Sept. 28	2		
Jana district	June 28	2 3		
Do	Aug. 20-Sept. 14 July 29-Oct. 26	10		
Jerusalem	May 26-Tuno 8	10		
Ramleh	May 26-June 8 May 19-25	3		
Safad	June 9-15	i		
Do	July 21-27	i		
Tel Aviv	dodo	1		
Paraguay:		1		
Asuncion	Sept. 13-19		1	
Persia:	cope to tottette		1 .	
Teheran	Apr. 21-May 21		1	
Peru: Arequipa	Apr. 1-June 30		3	
Do	July 1-31		1 1	
Do	Sept. 1-30		1 1	
Poland		******		Mar 1-Apr 11, 1995: Cases
				Mar. 1-Apr. 11, 1925: Cases 1,195; deaths, 74. Apr. 19 June 27, 1925: Cases, 1,001 deaths, 87. July 5-Aug. 15 1925: Cases, 173; deaths, 16 Aug. 16-Sept. 26, 1925: Cases 81; deaths, 3.
Portugal:				or, dearne, or
Oporto	May 31-June 6	1		
Do	July 5-Sept. 26	2		
Rumania	July 5-Sept. 26 January-June	1,490	167	
Constantza	May 1-June 30 Sept. 1-10	2		
Do		1		n
Russia				December, 1924: Cases, 5,062 January-April, 1925: Cases,
				34,062. Later than previously
Ukraine	July 1-31	248		published reports.
Spain:	July 1 Di	-10		published reports.
Seville	Aug. 20-26		1	
Valencia	June 7-13		i	
Tripoli	June 1-30	3		
Tunis:				
Tunis	May 21-June 17	16	8	
Do	July 8-Sept. 18	12	5	
Turkey:				
Constantinople Union of South Africa	May 11-31	7	2	
Union of South Africa				June, 1925: Cases, 61; deaths, 4
Cape Province	May-June, 1925	64	6	July, 1925: Cases, 161; deaths
Do	July, 1925	31	4	34.
Do	Aug. 23-Oct. 10 Sept. 13-19			Outbreaks.
East London	Sept. 13-19	1	********	Native.
Port Elizabeth	Aug. 30-Sept. 5	1		
Natal	May-June, 1925	16		
Do	July, 1925	15	5	
Durban	Feb. 1-June 27	17		
Do	June 28-Aug. 29 May-June, 1925			
Orange Free State	July, 1925	53 99	20	
Do	Sept. 6-12	שט		Outbreaks.
Hoopstad	July 5-11		*******	Do.
Transvaal	May-June, 1925	17	4	130.
Do	July 1925	16	5	
Do	July, 1925 Aug. 9–15	10	0	Do.
Johannesburg	July 19-25	1	********	170,
Yugoslavia:	July 10 20			
Belgrade	June 8-14	1		
Zagreb	May 8-21	7	1	

Reports Received from June 27 to December 11, 1925-Continued

YELLOW FEVER

Place	Date	Cases	Deaths	Remarks
Gold Coast	Apr. 1-30 July, 1925	1		
Ivory Coast: Lehou	June 1-10	1	1	
Liberia: Monrovia Nigeria	Aug. 7April-June	12		,
Do	July, 1925	4	3	
Lagos	Apr. 29-May 5	4	1	